


# GE-225 INTRODUCTIO TO GECOM



COMPUTER DEPARTMENT

· · ·





i

# GE-225 INTRODUCTION TO GECOM



COMPUTER DEPARTMENT PHOENIX, ARIZONA

In the interests of increased efficiency and capability, several improvements have been made to the GECOM system since the publication of the GE-225 Introduction to GECOM manual (CPB 230).

Major changes are mentioned briefly below. More detailed descriptions of these and minor changes are available in the two revised publications:

GE-225 GECOM Language Specifications

GE-225 GECOM Operations Manual

#### ADDITIONAL FEATURES

#### Compilation

The current configuration of the GECOM system permits program compilation on GE-225 systems having four, five, or six magnetic tape handlers with commensurate reduction in compilation time.

#### **Relocatable Sections**

The GECOM system user can now more readily partition a program into Segments and can thereby compile and test each segment separately. Use of this feature requires an appropriate control routine, which can be a modified version of that used for the main program segment. Segments can be compiled so that they can be relocated in memory when all segments are rejoined into a single program.

#### Common-Storage

The COMMON  $\sim$  STORAGE Section of the Data Division has been fully refined to provide for the description of data to be stored in memory locations that are reserved for shared usage by two or more program segments.

#### Nested Segments

Provision is made to allow program segments or sections to contain PERFORM sentences which execute other sections.

#### "N" Controller Compilation

Compilation can be performed using magnetic tape handlers with one to six magnetic tape controllers, as specified by the GECOM user.

#### Sequence Check

At the user's option, source program card sequence numbers can be checked.



#### **Control Transfers**

At the user's option, control transfers based on the type of current record of an input file (determined by automatic Control Key tests) are provided. These transfers are made using statements similar to the following:

- 1. GO.....DEPENDING ON RECORD OF file ∼ name.
- 2. If record ~ name GO.....

#### SOURCE PROGRAM DECK SEQUENCE

To facilitate many of the above changes and to provide for future improvements and extensions, the organization of the source program deck has been changed slightly. The Data Division must precede the Procedure Division and the END PROGRAM statement (previously at the end of the Data Division) must now be the last statement in the Procedure Division.

Source programs which were previously compiled can be recompiled (if desired) by inserting the Data Division cards, less the END PROGRAM statement, before the Procedure Division and appending a new END PRO-GRAM statement to the Procedure Division.

#### EDITED LIST

Minor changes have been made to the format of the Edited List. For example, the interchanging of Data and Procedure Divisions described above is reflected in the Edited List.

Also, the Edited List now provides a count of 1) the GE-225 words that comprise the required subroutines and supplied program segments, 2) the words generated for the main program, and 3) the total of these two groups of words.

#### FUTURE CAPABILITY

Currently under field test is an extension of the GECOM system which enables the compiler to produce object programs utilizing the 16K memory.

•

# CONTENTS

ì

PREFACEi	X
About Programming i i About This Manual i i i	
ACKNOWLEDGEMENT	xi
INTRODUCTION	1
What is GECOM?         Advantages of GECOM         The Information Processing System         General Programming Concepts	2 3
GECOM PROGRAMMING LANGUAGE	.1
General 1 COBOL 1	
THE BASIC GECOM SYSTEM 1	3
General1GECOM System Components1GECOM Language Elements2	3
EXTENSIONS TO GECOM	13
GECOM/Report Writer	3
APPLICATION OF BASIC GECOM	1
General4Defining the Problem4Plotting the Solution4Preparing the Source Program4Producing the Object Program5	1 1 8
APPENDICES	'1
Appendix 1. The General Compiler Vocabulary7Appendix 2. Summary Guide for GECOM Form Preparation7Appendix 3. Source Program Order for Compilation9Appendix 4. Glossary9	7 91

A list of important terms (most of which are used frequently in the body of this manual and many of which are encountered frequently in other GECOM literature) have been included in this glossary. Most definitions are deliberately brief and are not intended to be comprehensive; many of the terms have additional meanings. For more detailed and more exhaustive listings, the reader is referred to any of several excellent glossaries of information processing terminology.

- ADDRESS A specific location in storage or memory. <u>Actual</u> addresses are numeric. Addresses used in GECOM are <u>symbolic</u>, that is, represented by names.
- ARITHMETIC EXPRESSION A sequence of data names, numeric literals, and/or mathematical functions connected by mathematical symbols.
- BCD Binary Coded Decimal; a system for representing any character of the character set of the computer by a group of binary digits.
- BEGINNING FILE LABEL A group of records (blocks) which identifies a file in a multifile magnetic tape. It is block 0, the first block of each file.
- BINARY NUMERIC A digit or group of characters or symbols representing the total units using the base two; a number expressed in binary digits or bits, 0 and 1.
- BLOCK A group of records read from or written on magnetic tape as a single physical tape record.
- BLOCK SIZE The number of words in a block.
- BUFFER Storage locations used to compensate for differences in rate of data flow when transmitting data from one device to another.
- CHARACTER One of a set of basic symbols used to express data. Includes decimal digits 0 through 9, the letters A through Z, punctuation, and special symbols.
- CONDITIONAL EXPRESSION An expression that can be either true or false.

- CONDITIONAL NAME A name assigned to a possible value of a numeric or alphanumeric field or element. A conditional name must be described in the Data Division.
- CONSTANT A value used in a program without alteration. Constants are either literal, figurative, or numeric in GECOM.
- DATA IMAGE The characteristics of a data field; that is, length, content, sign, and character type for each position. The data image is used within the Data Division to define data input and output.
- DATA NAME A programmer-assigned word naming a file, record, field, constant, or other data. Data names are composed of letters, numerals, and hyphens, not exceeding 12 characters, and may be names of records, groups, fields, arrays, elements, sections, or true-false variables.
- ELEMENT A subdivision of a field. For example, a date field could contain a DAY element, a MONTH element and a YEAR element.
- FIELD A unit of data within a record. It may or may not be a part of a group.
- FIGURATIVE CONSTANT A special name representing specific values [ZERO(S), ZEROES, SPAC-ES, ONE(S), through NINE(S)]. May be used in procedure sentences to imply strings of characters.
- FILE A set of records
- FIXED-POINT A number which includes a decimal point, either between digits or following them (1.23, 123., or 123.0)
- FLOATING-POINT A number expressed as a whole number, a decimal fraction, and a power of ten.  $(1.287*10^{-2})$
- GENERATED FIELD A field (of data) which is generated as a result of calculations and is not input to the program.
- INSTRUCTION A group of symbols causing the data processor to perform some operation.
- INTEGER (as used in this manual) A number of 5 digits or less not containing a decimal point.



# ILLUSTRATIONS

1	Data Processing Elements	4
2	Source Program Processing with Assembly Programs	8
3	Programming Sequence and Task Assignment	14
4	Identification Division Layout	15
5	Environment Division Layout	16
6	Data Division and Related Input	18
7	Procedure Division Layout	19
8	The GECOM Data Division Form	20
9	The GECOM Sentence Form	21
10	The Compilation Process	22
11	General Compiler Program Organization	23
12	GECOM Inputs and Outputs	24
13	GECOM Characters and Corresponding Codes	26
14	GECOM Verbs	27
15	GECOM Arithmetic Operations and Functions	30
16	GECOM Relational Expressions	30
17	Logical Expression Truth Table	31
18	Simple Two-Dimensional Table	31
19	A Twc-Dimensional Table in Storage	31
20	Graphic Representation of a Three-Dimensional Array	32
21	The Report Section of the GECOM Data Division	34
22	Report Writer Sample Report	35
23	Division Table Format	
24	Sample TABSOL Table in GECOM	39
25	Job Ticket Record Sample	42
26	Job Ticket Summary Sample	42
27	Department Man Hour Report	43
28	Process Chart for Job Summary Ticket	44
29	Job Ticket Summary Flow Chart I	45
30	Job Ticket Summary Flow Chart II	46
31	Job Ticket Summary Flow Chart III	47
32	Job Ticket Summary Data Division	49
33	Job Ticket Summary Environment Division	52
34	Job Ticket Summary Procedure Division	53
35	Job Ticket Summary Identification Division	56
36	Source Program Deck Organization	57

## APPENDIX 3. SOURCE PROGRAM ORDER FOR COMPILATION

I. IDENTIFICATION DIVISION PROGRAM~ID. NEXT~PROGRAM AUTHOR. DATE~COMPILED. INSTALLATION. SECURITY. REMARKS.

•

- II. ENVIRONMENT DIVISION. OBJECT~COMPUTER. I~O~CONTROL. FILE~CONTROL. COMPUTATION~MODE.
- III. PROCEDURE DIVISION. Closed sections and decision tables delimited by BEGIN-END Master program
- IV. DATA DIVISION. ARRAY SECTION. TRUE~FALSE SECTION. INTEGER SECTION. FILE SECTION. OUTPUT FILES. INPUT FILES. WORKING~STORAGE SECTION. COMMON~STORAGE SECTION. CONSTANT SECTION. END PROGRAM.

Mandatory Mandatory Optional Optional Optional Optional Optional Optional Mandatory (whether or not any sentences follow) Optional Optional Optional Optional Mandatory Placement mandatory if sections are used. Mandatory Mandatory Optional Optional Optional Mandatory\* Mandatory\* Mandatory\* Mandatory\* Optional Optional Mandatory\*

\* The section heading card is mandatory; further entries under it are optional.

GE-225-

## SOFTWARE MANUALS

GENERAL ELECTRIC reserves the right to make alterations, advances, or modifications to the existing program for reasons of increased efficiency.

SUMMARY GUIDE FOR DATA DIVISION FORM PREPARATION (continued)	a a de la constante de la const
11	11
Inserts a comma in corresponding field ,	
positions. Automatically suppressed by	I
floating dollar signs, zero suppression,	
asterisk filling.	
	•
If position occupied by Z in numeric Z	i a construction of the second s
field becomes zero, zero is suppressed	1
and position prints blank.	
If position occupied by * becomes zero, *	•
* is printed.	
	•
If position occupied by \$ in numeric \$\$	- -
field becomes zero, move \$ into it.	*
	*
END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and	
terminating with a period.	4
	•
	(1)
	and a star star of the star star star star star star star star

#### ABOUT PROGRAMMING

The programming of information processing systems has traditionally been a costly and time-consuming part of automatic data processing. In the past, many applications that otherwise would readily lend themselves to data processing techniques were avoided because of programming costs. Efforts to improve programming techniques have been directed toward producing faster, more economical, and more accurate programs by placing more of the burden on the data processing equipment.

Various combinations of symbolic coding systems (with one-to-one correlation between machine code and symbolic code), macro-instruction coding systems (with a many-to-one correlation between machine code and macro-code), libraries of standardized subroutines, and other innovations were developed to accelerate programming. Despite these improvements, programmers still prepared programs in terms dictated primarily by the computer; programming languages remained essentially machine-oriented languages.

Today, compiler programs provide the programmer with additional leverage. Program coding can be done in a language more suited to the problem instead of in the purely machine-oriented data processor language.

The GE-225 GECOM system, an advanced and effective automatic coding method, provides the next logical step in programming evolution. GECOM is a step toward fulfillment of the much-needed total systems concept--a concept that deems an information processing system to be an integration of application, programming, and information processor or computer.

The GECOM system is further characterized by its applicability to all classes of information processing problems, its ability to grow, and its inherent provisions for use by future General Electric generalpurpose computers. GECOM permits coding in the problem languages of business, science, and industry. GECOM can be adapted to future extensions of existing problem languages as the requirement arises, without obsoleting programs prepared to present specifications.

GE-225

#### **ABOUT THIS MANUAL**

This manual is presented as a general information manual about the GE-225 GECOM system and is organized to fill the needs of many people having different levels of familiarity with automatic information processing.

For readers with no previous experience in data processing or computer programming, it is suggested that the entire GE manual be covered. Persons having such previous experience, but who are unfamiliar with the GE-225 Information Processing System, are referred to other General Electric publications, listed below.

Readers already familiar with the fundamentals of programming can begin directly with the section, GECOM Programming Language, with no loss in continuity.

Following the section on GECOM programming language is discussion of the Basic GECOM System. All elements are discussed briefly with the intent of providing overall familiarity with all aspects of GECOM.

The next section treats the two major extensions to GECOM, (TABSOL and the Report Writer), which are first mentioned in the GECOM programming language section, but are more effectively discussed after an understanding of GECOM is achieved.

The reader should not assume that reading this manual will make him a master GECOM programmer. The most effective use of GECOM depends upon training and application. More detailed information concerning the various aspects of the GECOM system can be found in the following General Electric publications:

GECOM	GE-225	Language	Specificat	ions
	GE-225	General	${\tt Compiler}$	Operations
	Manual,	CD225H1		

- TABSOLGE-225TABSOL Manual, CPB 147GE-225Introduction to TABSOL, CPB147A
- GAP GE-225 Programming Reference Manual, CPB 126

			· •	
SUMMARY GUIDE FOR DATA DIVISION FORM PREPARATION (continued)		•		
		9	11.	
			1	
Position contains an alphabetic	А			
character, A-Z, or a blank.				
Desition contains on interan ( )	0		: :	
Position contains an integer 0-9.	9			
Position contains a numeral 0-9 with	R			
an 11-row overpunch when negative and	10			
no overpunch when positive.				
no overpunen when positive.				
Position contains a numeral 0-9 with	Ι			
a 12-row overpunch when the field is				
positive and an 11-row overpunch when				
the field is negative.				
Indicates an assumed decimal point.	V			
Neither the V or the decimal point				
occupy an actual field position.				
Indicator number following F is a	E			
Indicates number following E is a	£			
power of ten to which the number preceding the E must be raised. E				
does not occupy field position.				

#### ACKNOWLEDGEMENT

"This publication is based in part on the COBOL System developed in 1959 by a committee composed of government users and computer manufacturers. The organizations participating in the original development were:

Air Materiel Command, United States Air Force Bureau of Standards, Department of Commerce David Taylor Model Basin, Bureau of Ships, U. S. Navy

Electronic Data Processing Division, Minneapolis-Honeywell Regulator Company Burroughs Corporation International Business Machine Corporation

Radio Corporation of America

Sylvania Electric Products, Inc.

Univac Division of Sperry Rand Corporation

In addition to the organizations listed above, the following other organizations participated in the work of the Maintenance Group:

Allstate Insurance Company Bendix Corporation, Computer Division Control Data Corporation DuPont Corporation General Electric Company General Motors Corporation Lockheed Aircraft Corporation National Cash Register Company Philco Corporation Standard Oil Company (N. J.) United States Steel Corporation

(GE- 225

This COBOL-61 manual is the result of contributions made by all of the above-mentioned organizations. No warranty, expressed or implied, is made by any contributor or by the committee as to the accuracy and functioning of the programming system and language. Moreover, no responsibility is assumed by any contributor, or by the committee, in connection therewith.

It is reasonable to assume that a number of improvements and additions will be made to COBOL. Every effort will be made to insure that the improvements and corrections will be made in an orderly fashion, with due recognition of existing users' investments in programming. However, this protection can be positively assured only by individual implementors.

Procedures have been established for the maintenance of COBOL. Inquiries concerning the procedures and methods for proposing changes should be directed to the Executive Committee of the Conference on Data Systems Languages.

• • • • • • • •

Any organization interested in reproducing the COBOL report and initial specifications in whole or in part, using ideas taken from this report or utilizing this report as the basis for an instruction manual or any other purpose is free to do so. However, all such organizations are requested to reproduce this section as part of the introduction to the document. Those using a short passage, as in a book review, are requested to mention "COBOL" in acknowledgment of the source but need not quote the entire section."

SUMMARY GUID	E FOR DATA DIVISION FORM PREPA	RATION (continued)	7	
			ſ	<b>11</b>
	l; no name used. Al ements.	l other columns are compl	eted as for	fields
HER OUTPUT REC	ORD ENTRIES	Not used for outpu	t entries.	
		B or other chara levels with nume (9) to be in sta unless lower lev non-standard bin in column 43 for	ric data de ndard binar el Format i ary data. A	scriptic y form ndicates blank
		Forces unpacke L (L) justified R right (R) just filled.	and zero fi	lled or

• •

#### WHAT IS GECOM?

The GE-225 GECOM system is an advanced and highly effective method for preparing sets of directions for the GE-225 Information Processing System. As a system, it consists of three elements: Language, Compiler, and Computer. These three terms are further explained below.

#### THE LANGUAGE

A language is, in general, a means of communication. In the visual form, it usually consists of a set of symbols (such as our alphabet), which can be arranged into meaningful groups (words). Properly arranged aggregates of these groups or words can communicate ideas, action, commands, and questions.

The direction of an automatic information processing system in the performance of a given operation requires communication between man and machine. Just as communication between two men requires a language intelligible to both, communication between man and machine requires a common language. This common language can be machine-oriented (that is. related closely to the basic means by which the computer accepts and presents information, and requiring tedious translation by man of his directions into machine-acceptable form), or the language can be problem-oriented (enabling man to express directions in a form more convenient to the application and placing the burden of the translation on the computer), or it can lie somewhere between these ex-Machine-oriented and problem-oriented tremes. languages are discussed further in the section, "General Programming Concepts".

The GECOM language is a problem-oriented language designed to handle scientific problems as well as general business information processing. The primary basis for the language structure is COBOL, the <u>COmmon Business-Oriented Language</u> for programming digital computers. COBOL is further discussed in the section, "GECOM Programming Language".

In addition to the capabilities derived from COBOL, GECOM language incorporates many of the features of ALGOL, (an <u>ALGO</u>rithmic Language for stating mathematical computations), such as capabilities to evaluate complex equations, Boolean expressions, and mathematical functions. These computations may be performed in either fixed or floating-point arithmetic.

Further versatility is provided by the incorporation of TABSOL and the Report Writer into the language. TABSOL, for <u>TABular Systems-Oriented Language</u>, is a system for expressing decision logic in a simple tabular form. The Report Writer facilitates report preparation and improves documentation. TABSOL and the Report Writer are discussed in the section, "Extensions to GECOM".

GECOM language is not limited to the language capabilities and the extensions mentioned above. General Compiler versatility permits inclusion of GAP, the basic symbolic language (machine-oriented to a degree) of the GE-225 Information Processing System. GAP, for General Assembly Program, is a straightforward symbolic assembly system for the GE-225.

#### THE GENERAL COMPILER

If communication with the computer is to occur in problem-oriented language, some means must be provided to translate that language within the computer into machine-oriented form. A set of directions for a computer, regardless of the language in which it is prepared, is called a program or, sometimes, a routine. A program, manually prepared, is generally termed a source program. A source program which has been translated into a machine-oriented program is an object program. One means of translating a source program into an object program is to use a specially-prepared program (called a compiler) which, within the computer, operates upon the source program as if it were data and transforms it into an object program.

The <u>General Compiler</u> (from which the GECOM system derives its name) is a unique program specifically designed to reduce sharply the traditionally high programming costs associated with the computer applications. GECOM is a highly versatile and dynamic "program generator"; versatile because it accepts source programs written in a variety of languages; dynamic because both the range of languages and the computer types to which it is applicable can



	SUMMARY GUIDE FOR DATA DIVISION FORM PREPARATION (continued)		- V <b>I</b>
	5		11
	FL Field literal. Any legal data name. Used for named field		
	values. Rules that apply to fields also apply to field l		
	Actual value of literal is enclosed in quotation marks i	n colun	nns
	55 through 80.		
PUT	RECORD ENTRIES:		
	R Output record-Name in columns 11 through 22; may be qual	ified k	)у
	entry of a qualifier in columns 24 through 35. If record	name i	s
	unique, It need not be qualified.		
	<b>P</b> Forces all levels within rec	and to	ha
	U packed (P) or unpacked (U) e		De
	binary numerics.	xeept	
	*G *group name in columns 11 through 22. May be qualified.	If 2	
	qualifiers are needed, first goes in columns 24 through 3		ondir
~	next line columns 24 through 35 and a tilde in column 7.		
	<b>P</b> Forces lower levels to be		
	U packed or unpacked.		

#### THE INFORMATION PROCESSING SYSTEM

Although the effective use of the GECOM system does of require a <u>detailed</u> knowledge of machine-language programming or data processing systems, <u>some</u> such knowledge is desirable, and perhaps is essential if a valid evaluation of the system is to be made.

Data processing needs have resulted in the development of a great variety of computers. While the physical form and the specific logic flow differ widely, general functions and information flow are similar.

The modern computer or information processor consists of five elements as illustrated in Figure 1: Input, Output, Storage, Arithmetic-Logic, and Control. Communication with the computer is possible only through the input and output elements.

The term, <u>input</u> element, is a functional concept, not the name of a unit of equipment. Only through the input element can data enter the processing system. A system may have one or more of several input media: punched cards, punched paper tape, magnetically-encoded tape, or specially-printed documents. Not all computers have available all input media.

The <u>output</u> element makes it possible for the system to perform a useful function; without an output intelligible to the user, a data processor is useless. Output can take one or more of these forms: punched cards, paper tape, magnetic tape, printing, or any of several special-purpose, machine-controlled forms, such as magnetic-ink encoded (MICR) documents.

Input data must be presented to the system in such a way that the system can manipulate and store it internally. For this reason, data is fed into the system in a form that can be readily converted to the internal electronic language of the system (machine language). Similarly, output data is reconverted to an externally-usable form after processing.

The storage element is functionally subdivided into two general types of storage. One, characterized by limited capacity, high speed, and relatively high cost, is referred to as main storage, memory, core storage, core memory, or simply "core". The latter three terms are popular because tiny magnetic cores are the storage medium in many data processors. The other general type of storage, characterized by high capacity, lower speed, and lower cost, is called auxiliary storage. Auxiliary storage may take almost any form, with punched cards and magnetic tape, discs, and drums being the most common.

The <u>arithmetic-logic</u> element contains the circuits that perform the manipulations of data required by the task or application. It adds, subtracts, multiplies, divides, shifts and rearranges data, and makes decisions, according to the purpose of the program. Capabilities vary widely between different types of computers.

The <u>control</u> element decodes and interprets the stored instructions in proper sequence to achieve the purpose of the program.

In a given compter, it can be difficult to recognize physically the separate storage, control, and arithmetic-logic elements. Functionally, they are separate and distinct elements in all data processing systems and should be so considered. The input and output elements are more readily recognized; more often than not they are packaged as separate units, such as card readers, paper tape readers, document handlers, magnetic tape handlers, card punches, paper tape punches, and printers.

#### GENERAL PROGRAMMING CONCEPTS

<u>Programming</u> is essentially the framing of a set of directions for a computer. A set of such directions prepared for, and to be communicated to, a computer to guide and control it for a particular processing task is a program.

A <u>subroutine</u>, on the other hand, is a set of directions that is generally incomplete (by itself) in the sense that it usually is only part of a program. Programs frequently contain subroutines for directing the performance of discrete portions of an overall data processing application.

Programs and subroutines, in turn, consist of <u>in</u>structions, which are basic and are the smallest meaningful part of a program. Thus, instructions are the basic tools of the programmer from which he frames the set of directions a computer is to follow.

The phrase "to direct a computer" indicates communication, and communication implies <u>language</u>. In practice, a programmer may use several languages in preparing programs, depending upon the computer. Digital computers are constructed and organized so that they can accept coded representations of letters and numbers, and interpret them as directions to be followed in processing data. Programming languages generally fall into one of three categories, depending on how closely related they are to the computer requirements for accepting information. These three categories are: machine language, symbolic language, and automatic coding language.

#### MACHINE LANGUAGE PROGRAMMING

Perhaps the most important characteristics of modern information processors is the <u>stored-program</u> concept. In the information processor, instructions



SUM	MARY GUIDE FOR DAT	A DIVISION FORM I	PREPARATI	ON (continued)	3	
					3	,,,,
-			a a a a a a a a a a a a a a a a a a a			
F	Indicates a Field name			umns 11 through 22		i
	rieiu name	is entered		Assumes field is p		ked
				unless it conflict		
				entry (group, reco	-	
			1	Assumes one-word b	inary numeric	data.
				If the data is not		
				factor must be sup	plied in the o	data
				image columns.		1
			2	Assumes two-word n		
				numeric data. If d see note above.	ata is not int	eg er,
			S	The preceding imag	e is to be use	ed for
				this entry. Cannot		4
				image has a 1 or 2		
				If any input g	roups or field	is are
				repeated conse		
				of times repea	ted is entered	d here.

.

are held in the storage element along with the data to be processed. This not only permits step-bystep <u>data</u> manipulation -- it enables the machine to manipulate its own instructions as if <u>they</u> were data. Thus, it is possible for a program to modify \_itself (if prepared with this intention) and selectively repeat desired portions.

All information processing systems have a repertoire of permissible instructions; these vary in number and scope from one machine type to another and between manufacturers. For any given system, however, instructions can be grouped by general function:

- 1. Arithmetic
- 2. Decision
- 3. Input/Output
- 4. Control

GE-225.

Arithmetic instructions, as the name implies, enable the data processor to perform arithmetic such as addition, subtraction, multiplication, and division.

Decision instructions enable the system to compare certain data with some standard (other data, perhaps, or the status of some data processor element) and select alternate courses of action.

Input and output instructions permit the reading in and writing out of data via peripheral input/output units.

Miscellaneous <u>control</u> instructions vary most widely between machines and depend largely upon machine design. In general, simpler machines require more control instructions to accomplish a given function or process than do more complex machines.

Even in the most complex machine, individual instructions are very simple operations and a number of them must be used in the proper order to perform a given function.

For many reasons, most modern information processors are designed to operate internally in some form of the binary (two-digit) number system, or a binarybased system, rather than the conventional decimal (ten-digit) system. Certain computer elements are bi-stable devices (that is: conducting or nonconducting, on or off, open or closed) with the two possible conditions expressed as "0" and "1", corresponding to "off" and "on", respectively. The "0" and "1" represent the two digits of the binary number system and are commonly called bits, for binary digits. By grouping computer elements and assigning values to them according to their position in the group, all numbers may be expressed in binary numbers; for example: 9 = 1001 18 = 10010

wherein the 1-bits, by virtue of their position, have values corresponding to the powers of two (1, 2, 4, 8, 16, 32, 64, 128, 256, 512, etc. from right to left). The 0-bits, of course, as in the decimal system, denote zero value and establish position. Thus, the first 1-bit following the equal sign in the example, 9=1001, has a weight of eight (the third power of two), and the rightmost 1-bit has the weight of one (the zero power of two).

A somewhat similar system permits the representation of alphabetic and special symbols in coded binary form. In fact, the system described so briefly here is only one example of many binary numbering schemes in use and is used primarily to show the concept and illustrate the complexity of programming in a pure machine language. It is rarely necessary to program most modern computers directly in binary or machine language form.

As a final example of machine language programming, a simple routine or program for a hypothetical binary computer is used. Assume that two numbers are in the main storage of the computer at locations arbitrarily called 1000 and 1001. It is desired that the two numbers be added and the result be placed in another storage location, 1002. The binary coding for this program might appear as follows:

- (1) 0000000001111101000
- $(2) \quad 00001000001111101001$
- (3) 00011000001111101010

The internal computer circuits would interpret such a program thusly:

(1) Load the contents of storage location 1000 into the arithmetic unit.

(2) Add the contents of storage location 1001 to the contents of the arithmetic unit.

(3) Store the new contents of the arithmetic unit in storage location 1002.

Obviously, pure binary programming is slow and tedious, partly because of the difficulty in keeping track of long strings of bits. One innovation that alleviates this difficulty is the use of an intermediate numbering system between the pure binary and the more familiar decimal system.

If the binary numbers in the example above are grouped into three's, as illustrated below, and repetitively assigned the values of the first three

#### SUMMARY GUIDE FOR DATA DIVISION FORM PREPARATION

```
DATA DIVISION. Starts in column 8, ends with period. No other entries.
ARRAY SECTION.
TRUE \sim FALSE SECTION. Optional sections as required by program. Start in
INTEGER SECTION. column 8 and end with a period.
FILE SECTION. Identifies characteristics of data in input and output
              files of the object program. Starts in column 8 and ends
              with a period. Mandatory section.
OUTPUT FILES. Introduces output file descriptions. Starts in column 8
              and ends with period.
INPUT FILES. Introduces input file descriptions. Starts in column 8
             and ends with a period.
WORKING \sim STORAGE SECTION. Introduces working storage descriptions.
              Starts in column 8 and ends with a period. Mandatory.
COMMON \sim STORAGE SECTION.
                        Optional sections as required by program.
CONSTANT SECTION.
                         Start in column 8 and end with period.
FD File description. Name follows in columns 11 through 22, 12
              characters or less.
```

1

11

79

Descriptions of constants are also accepted by assembly programs. Constants, such as the English word TAX or decimal numbers like 365 are accepted by the assembly program and converted automatically into their machine language equivalents. A legend generally accompanies each description of a constant in the source program to indicate what kind of constant is being described. The legend ALF could be used, for example, to indicate alphabetic constants and DEC for decimal constants.

An assembly program produces the machine language versions of constants and instructions in the object program in such a way that they can be loaded into memory at a later time. Generally, a list is also provided, displaying the symbolic descriptions sideby-side with the output produced in the assembly process for each. The list, called an <u>assembly</u> <u>listing</u>, provides an important documentation of the program. It often contains, also, such aids to program checkout as indications of errors in descriptions and lists of symbolic addresses.

The legends, such as ALF and DEC, that are accepted by the assembly program, but do not stand for actual machine operations, are called pseudo-codes, or <u>pseudo-operations</u>. It is common for an assembly program to provide many of these for the programmer to use. Each extends the ability of the assembly program to prepare or document programs.

The symbolic descriptions of instructions, together with the pseudo-operations that are accepted by an assembly program, constitute what is called an <u>as-</u> <u>sembly language</u>, or a symbolic language. Although there are numerous exceptions, there is generally one output in machine language for each input in assembly language. For this reason, assembling is often considered to be a one-to-one process.

Symbolic language programming using assembly programs, while considerably simpler and faster than machine language programming, is still highly machine-oriented in that the programmer must have a thorough knowledge of machine-language programming. It is common for source programs written for assembly program processing to result in object programs that are as fast and compact as are equivalent programs prepared directly in machine language. Thus, because symbolic language programs are as efficient as machine language programs, symbolic language programming has almost entirely supplanted the machine language as the basic programming media.

Figure 2 illustrates object program preparation, using an assembly process. First, the programmer prepares the source program in symbolic form, using simple mnemonic codes for the desired machine operations and storage of program constants. Second, the source program is converted to a form suitable for machine entry. The most common representations are hole patterns in punched cards or paper tape or bit patterns on magnetic tape. Usually the programmer prepares his instructions on forms from which a keypunch operator can punch the cards or paper tape for direct entry to the computer or, alternately, for conversion to magnetic tape and the input to the computer.

Next, the assembly program is stored in the computer memory and the source program is input to the computer. The computer, under assembly program control, produces the output -- an object program ready for processing.

At any time after assembly, the object program, now in machine language form, is input to the computer along with data to be processed. The resultant output -- processed data in the form of punched cards, paper or magnetic tape, or printed reports -is now ready for use external to the computer.

The assembly system available with the GE-225, as previously mentioned, is known as GAP, for General Assembly Program. For further details, refer to the "GE-225 Programming Reference Manual."

#### AUTOMATIC CODING LANGUAGE PROGRAMMING

As pointed out above, the assembly program permits an already-skilled programmer to prepare programs with a minimum of errors by eliminating many of the details of program "housekeeping." It also provides a more readable version of machine language, thus reducing the need for extensive annotation of machine coding. However, it does not eliminate the need for computer and machine language knowledge.

The <u>compiler program</u> permits the programmer to take another large step away from machine-oriented programming and toward problem-oriented language programming. Compiler programs place even more of the burden of object program preparation on the computer by permitting the programmer to state the desired operations in sentence form or in equation form, depending upon the application and the compiler program.

Compilers have several advantages over assembly programs. The language of the compiler is easier for the programmer to learn and easier for him to use, as it is more closely related to his problem. The programmer using a compiler usually does not need as intimate a knowledge of the inner workings of the computer as does the assembly programmer. Programming is faster; the time required to obtain a finished, working program is greatly reduced because there is less chance for the programmer to make a mistake and because most normal errors are detected by the compiler.



The following pages briefly summarize the basic rules to be followed in preparing GECOM source programs on the General Compiler Sentence and Data Division Forms. A copy of this appendix is used to provide novice programmers with a convenient guide and a ready reference while becoming familiar with GECOM.

.

Advanced compilers are not limited to accepting simply symbolic instructions, but can accept statements approximating ordinary English sentences or mathematical equations. Most of these compilers are highly restrictive in the vocabulary and syntax permissible and in the equipment that can be used. The GECOM system is the first to utilize a <u>General</u> <u>Compiler</u> program to permit <u>both</u> English-language and algebraic programming and, at the same time, to embody provisions for structured decision tables and automatic report writing. Additionally, the <u>General</u> Compiler has built-in provision to expand its language capability to encompass other source languages yet to be constructed.

Many of the advantages of compiler programs, particularly those associated with the General Compiler are pointed out in the section, "Advantages of GECOM". Because the balance of this manual is devoted to describing the GECOM system, it would be redundant to further discuss compilers in general.

However, by virtue of the changing requirements placed upon the programmer who may be engaged

GE-225

in GECOM programming, some consideration should be given to his job title.

The average data processing application involves two broad phases. One phase, defining the problem and determining the general method of solution, is generally called systems analysis. The other phase, involving the actual preparation of the program for computer entry, is variously called coding or programming, although in the strict sense coding is only a subordinate part of programming. In some installations, the two phases are performed by separate individuals; in others, both are performed by one person.

The programmer or systems analyst who is thoroughly trained in GECOM principles can communicate more readily with the computer through the General Compiler and, simultaneously, view the overall application in proper perspective. For this reason, the title, systems programmer, is suggested and used in the balance of this manual to describe the GECOM-trained programmer.

- WORKING ( $\sim$ STORAGE) A mandatory Data Division section name.
- WRITE To display a limited amount of information on the console typewriter.

•

 $\ensuremath{\text{-To}}$  release a record or group to an output file.

ZERO(S) - A figurative constant used in procedure sentences.

ZEROES - SAME as ZERO(S)

### GECOM PROGRAMMING LANGUAGE

#### GENERAL

All compiler programs accept source programs prepared in specialized language and produce an object program ready for computer processing. Unlike most compilers, GECOM is not restricted to an unduly limited acceptable language. The General Compiler language is actually based on several languages.

The GECOM language evolved primarily from two recent major data processing languages, the business-oriented COBOL and the algorithm-oriented ALGOL. Both languages were developed for solving widely different problems, although from the viewpoint of compiler development they have similar characteristics. These similarities made it possible to provide in one complete and compact package a variety of proven programming techniques. COBOL, which satisfies the needs of the broadest spectrum of data processing applications, provided a basic vocabulary (words and symbols), a basic set of rules of grammer or syntax, and punctuation for clarity. ALGOL, to accommodate the demands of scientific applications, contributes Boolean expressions, floating-point arithmetic, and the ability to express equations concisely.

Many computer applications require neither the extensive file processing facilitated by COBOL, nor the profound mathematics that ALGOL provides, but do involve massive numbers of sequential decisions. To cope effectively with these decisions, General Electric devised structure tables for expressing the relationship of decision parameters. These decision structure tables, and the language in which they are expressed, have been termed TABSOL.

TABSOL has been incorporated into the language accepted by the General Compiler and can be used in combination with the COBOL and ALGOL-like capabilities of GECOM.

In addition to file processing, mathematical applications, and complex decision series, much programming effort is and has been devoted to applications involving report generation. The Report Writer format and language, fully compatible with the General Compiler, gives a fully documented method for preparing reports with minimum programming and debugging effort. The Report Writer is an extension of GECOM and derives much of its advantage from the GECOM system.

Both TABSOL and the Report Writer are discussed in the section, "Extensions to GECOM".

GECOM language is not compartmentalized into the component languages discussed above. In a given source program, it is possible to use COBOL statements containing ALGOL-like algebraic notations; TABSOL decision structure tables can be interspersed with procedure statements; and the Report Writer can be used for report generation. The source program can be prepared using one or all facets of the GECOM language. In addition, if the application so requires, GAP coding sequences can be inserted at will.

#### COBOL

Because the GECOM language is based primarily on COBOL, some discussion of COBOL and the history of its development is warranted.

In 1959, a meeting was called in the Pentagon by the Department of Defense to consider the desirability and feasibility of establishing a common language for the adaptation of computers to data processing. Representatives from both users and manufacturers were present. The consensus was that the project was definitely both desirable and feasible. As a result, this Conference on Data Systems Languages (CODASYL) established three committees, Short Range, Intermediate Range, and Long Range, to work in four general areas:

Data Description Procedural Statements Application Survey Usage and Experience

In September, 1959, the Short Range Committee submitted a preliminary framework upon which an effective common business language could be built. After acceptance by the Executive Committee of CODASYL, the report was published in April, 1960, by the Government Printing Office as "COBOL-A

#### LABEL

LESS

LINE COUNT

LINES

- LN Natural logarithm. A mathematical function that may be used in arithmetic expressions. Calculated in floating-point arithmetic.
- LOCK To prevent a tape from being read or written by program control.
- LOG Common Logarithm. A mathematical function that may be used in arithmetic expressions. Calculated in floating point arithmetic.
- LS LESS than. Used in relational expressions.
- MAGNETIC Part of descriptive name, <u>Magnetic</u> Tape Handler.
- MASS Part of descriptive name, <u>Mass</u> Random Access Data storage.

MEMORY - Main storage, core storage.

- MODE A system of data presentation or processing within the information processing system.
- MODULE(S) Refers to core memory size; one module is 4096 words of storage.
- MOVE To transfer a constant, element, field group, record, or array to a constant, element, etc. of the same size.

#### MULTIPLE

MULTIPLY - To multiply two quantities and store the result in the last-named field or the specified field.

#### NEGATIVE

- NEQ Not equal to. Used in relational expressions.
- NEXT~PROGRAM An optional Identification Division sentence name.
- NGR Not Greater Than. Used in relational expressions.
- NINE(S) A figurative constant used in procedure sentences.
- NLS Not Less Than. Used in relational expressions.

- . . . .
- NOT May be used in relational expressions. In logical expressions, it is an exclusive negative.
- NOTE To permit the programmer to write explanatory material in the source program for inclusion in the Edited List, but excluded from the compilation.
- OBJECT~COMPUTER An optional Environment Division sentence name.

OBJECT~PROGRAM - See Glossary

OF

NO

OMITTED

ON

- ONE(S) A figurative constant used in procedure sentences.
- OPEN To initiate the processing of input and output files. Checks or writes labels and does other input-output functions.

OPTIONAL

- OR A logical operator
- OUTPUT A mandatory Data Division section name.

PAGE

- PAPER Pertaining to High-Speed Printer forms.
- PERFORM To cause the specified section to be executed. Control automatically reverts to sentence following the PERFORM.
- PLUG(S) Refers to connectors on the controller selector to which input-output unit controllers are attached.

#### POSITION

POSITIVE

- PRINTER(S) Pertaining to High-Speed Printer.
- PROCEDURE A GECOM Division name.

#### PROCEED

- **PROGRAM** A complete sequence of data processing instructions. May refer to an object program or a source program.
- PROGRAM~ID A mandatory Identification Division sentence name.

GE-225

### THE BASIC GECOM SYSTEM

#### GENERAL

For clarity and simplicity, only the Basic GECOM system is described in this section. Brief descriptions of extensions to Basic GECOM are provided in the section, "Extension to GECOM". These extensions, for the most part, expand the capabilities of GECOM to encompass recent language developments.

Implementing a data processing application on a computer involves a broad procedure that has been outlined as follows:

1. Define the problem

2. Determine the procedure to be followed in solving the problem

3. Prepare the computer program, including test-ing

4. Run the program on the computer with appropriate input data.

If the programmer has at his disposal the automatic coding system of GECOM, the above procedure becomes:

1. Define the problem

2. Determine the procedure to be followed in solving the problem

3. Prepare the source program in problemoriented language

4. Compile the object program from the source program, using the General Compiler

5. Machine-test (debug) the object program

6. Run the object program on the GE-225 with appropriate input data.

At first glance, automatic coding seemingly complicates the task of data processing. However, as shown in Figure 3, the burden on the programmer is no greater, and often is appreciably less. For example, the step from item 2 to item 3, above, is greatly facilitated by the GECOM-provided ability to express procedural steps in English language statements. Additionally, each statement the programmer writes is several times more powerful than the machine-language or symbolic instructions that he would otherwise use. Also, he is materially assisted in the machine-test or check-out phase, item 5, by the assistance provided by the General Compiler in the form of detailed print-outs of error conditions and of the complete compilation process. The printouts are as easy to read as the programmerprepared procedure statements of the source program.

This section is devoted primarily to discussion of item 3, source program preparation, using the GECOM system. Incidental references will be made to the other areas, such as the compilation process, as required.

Assuming that a well-defined data processing problem has been assigned to a systems programmer, he determines the detailed procedures for problem solution and generally prepares a flow chart describing those procedures. Flow charts can be broad or detailed, depending upon the problem and the programmer. Invariably, they are sufficiently detailed to serve as a guide for programming the problem solution. The section, "Application of Basic GECOM." illustrates typical flow charts.

#### GECOM SYSTEM COMPONENTS

With these preliminaries out of the way, the programmer is ready to prepare the source program. What does the GECOM system provide him to assist in this task?

First, it provides him the necessary language that eliminates tedious machine-language or symbolic coding. Language is discussed in the following section, "GECOM Language Elements".

Second, it provides him with a standard source program organization, which corresponds to the format followed by the compilation output. GECOM source programs are partitioned into four divisions, intended for separate and independent preparation. This facilitates changes; if the procedure must be modified, it can be done with minimal effect upon data parameters; if data changes occur, the data parameters can be changed without affecting the

GE-225

#### APPENDIX 1. THE GENERAL COMPILER VOCABULARY

Words and terms that appear in the following list must be considered to be part of the General Compiler vocabulary and must not be used by the systems programmer in forming data or procedure names, nor may they be used in any manner in a source program other than as provided by the GECOM Language Specifications.

Where warranted, many of the terms have been defined or explained. Terms not so explained were deemed to be self-evident in meaning. In addition, the body of the manual contains many examples that illustrate the use of most of the vocabulary terms.

- ABS Absolute value, or magnitude, of a number, regardless of sign.
- ACCESS Part of descriptive name Mass Random Access Data Storage.
- ADD To add two quantities and store the sum in either the last-named field or the specified field.
- ADVANCE To vertically skip or slew the printer paper.

AFTER

ALL

ALTER - To modify a sequence of operations specified in one or more GO sentences.

AND - A logical operator.

ARE

- ARRAY A multi-valued field that may be referenced by name and subscript. An array may be one, two, or three dimensional and may have corresponding number of subscripts. An array must be defined in the Array Section of the Data Division.
- ASSIGN To direct the placement of a file or program to an input-output media.
- ASSIGNMENT To evaluate an arithmetic expression and assign the result to a field. To equate data names.

- ATAN Are tangent. A mathematical function that may be used within arithmetic expressions. Calculated in floating point arithmetic.
- AUTHOR An optional Identification Division sentence name.
- BEGIN Entrance point to a source program section.

BEGINNING

- BGN~FIL~LABL A tape record preceding each file of a multi-file tape.
- BGN~TAP~LABL The first record on any tape except in multi-file tape.
- BINARY Pertaining to the binary number system, as opposed to decimal or binary coded decimal.
- BLOCK See Glossary
- BUFFER A device which stores data temporarily during transfer operations.

BY

CARD

- CLOSE To terminate processing of input or output reels and files with optional rewind and/or lock.
- COMMON ( $\sim$  STORAGE) An optional Data Division Section name.
- COMPUTATION  $\sim$  MODE An optional Environment Division sentence name.
- CONSTANT An optional Data Division section name.

CONTAINS

- CONTROL Interpretation and execution of operations.
- $CONTROL\sim KEY$  The field or fields by which a record is identified.
- COPY To duplicate from another area.

GE-225

procedure. In addition, standardization of divisions, sections, procedure statements, and other program elements facilitates communication between programmers and permits program debugging in the same language in which the program was written.

The four divisions of a GECOM source program are:

- 1. The Identification Division
- 2. The Environment Division
- 3. The Data Division
- 4. The Procedure Division

The <u>Identification Division</u>, Figure 4, provides the programmer with the means for labelling and describing the source program in English-language form. In addition to the program name, author (programmer) and date compiled, this division can include other pertinent information, such as next-programin-sequence, security classification, location, and explanatory comments as needed. During compilation, this data becomes the label for the object program and is automatically reproduced on output listings, such as the Edited List.

Programmer use of the Identification Division is flexible. The only portion <u>required</u> by the General Compiler is the division name and the PROGRAM ID sentence; all other sentences are at the programmer's option.

Preparation of the Identification Division is discussed further in the section, Application of Basic GECOM.

The <u>Environment Division</u>, Figure 5, provides a link between the source program and the data processing equipment. It defines the computer system configuration and its relationship to the source and object program. The General Compiler depends upon the Environment Division to provide information which associates input and output equipment with the data names for each file to be used in processing. The information in the Environment Division is specified by the systems programmer in English language clauses.

In preparing the Environment Division, the programmer enters the information in a predetermined way. This format is sectionalized under four sentence headings as described below:

1. The OBJECT~COMPUTER sentence, the first entry, is used to describe the computer on which the object program is to be run.

2. The  $I \sim O \sim CONTROL$  (input/output control) sentence, the second entry, specifies nonstandard error and tape label checking procedures. In addition, programming control is facilitated by permitting the specification of program rerun points, memory dump assignments, and identification of multifile magnetic tape reels.

3. The third sentence, FILE CONTROL, identifies input/output files and provides for their assignment to specific input/output units.

4. The COMPUTATION~MODE sentence assigns the internal mode of calculation. Sentence use is optional; it is used only when it is desired that computation occur in the floating-point mode, either programmed or in the optional Auxiliary Arithmetic Unit.

The accompanying example illustrates typical entries describing the environment for a representative program. Entry 10 describes the data processing system for which the object program is intended: a GE-225 system with two memory modules (8192 words of core storage), one card reader, one card

PROGRAM	÷E	NERAL F	REQUISIT	IONS (8)			
DDOCDANNED		E.CODE		10110 (0)		·····	· · · · · · · · · · · · · · · · · · ·
SEQUENCE NUMBER	Γ						
1 2 3 4 5 6	7	8 9 10 11	12 13 14 15	16 17 18 19 20	21 22 23 24 25	26 27 28 29 30 31 32 33 34 35	36 37 38 39 40 41 42 43
1		I DEN	$\mathbf{T}_{1}\mathbf{I}_{1}\mathbf{F}_{1}\mathbf{I}$	C A T I O	N <sub>I</sub> D <sub>I</sub> I <sub>V</sub>	ISION.	
1 1 0	L	$\mathbf{P}_{\mathbf{R}}\mathbf{O}_{\mathbf{G}}$	$RA_M$	I,D, R	$\mathbf{E} \mathbf{Q} \sim \mathbf{R} \mathbf{U}$	N ~ 8 .	
2_0	L	A,U,T,H	O,R	G., E.,	_ C O D E	R	
,3,0	L	$\mathbf{D}_{1}\mathbf{A}_{1}\mathbf{T}_{1}\mathbf{E}$	~,C ,O , M	P <sub>I</sub> L <sub>E</sub> D	M,A,Y	1,0,,,1,9,6,2,.	with mark and the stand of the
4.0	L	INST	$\mathbf{A}_{\mathbf{L}}\mathbf{L}_{\mathbf{L}}\mathbf{A}$	T I O N .	GE C	O,M,P, D,E,P,T, P	HOEN IX
5.0	L	SE,CU	$\mathbf{R}_{1}\mathbf{I}_{1}\mathbf{T}_{1}\mathbf{Y}$	U N C	LASSI	$\mathbf{F}_{1}\mathbf{I}_{1}\mathbf{E}_{1}\mathbf{D}_{1}$	
		$\mathbf{R}_{\mathbf{L}}\mathbf{E}_{\mathbf{M}}\mathbf{M}\mathbf{A}$	$\mathbf{R}_{\mathbf{I}}\mathbf{K}_{\mathbf{I}}\mathbf{S}_{\mathbf{I}}$	USE	$\mathbf{D}_{\mathbf{I}}\mathbf{A}_{\mathbf{I}}\mathbf{T}_{\mathbf{I}}\mathbf{A}_{\mathbf{I}}$	F <sub>1</sub> M <sub>1</sub> R <sub>1</sub> E <sub>1</sub> Q <sub>1</sub> C <sub>1</sub> A <sub>1</sub> R	DS.

#### Figure 4. Identification Division Layout

GECOM LISTING OF JTS

GE CODER

INTRODUCTION TO GECOM

Figure 46. Edited List

GE-	225	

PAGE 011

JUL 17

1100 1101 1102	01100 0000262 0000010 2500200	025	L OC ALF OC T RCD	1100 02S 10 128
1103 1104 1105 1106	2500400 2000001 0000000 0000000		RCD EXT OCT OCT	256 1 0 0
1107	0000000 01461 0001504	02U	OC T ORG L D A	0 BIN 02W-5
	ON ASSIGNM BLED IN FR			MMON CONSTANTS (Partial Listing) CODING)
	01144 00572	TV2 IXY	BSS EQU	0 378
	00252 00252 00254	ZER ZOO ZO 1	EQU EQU	170 ZER 172
	00254 00255 00256	Z02 Z03	EQU EQU EQU	172 173 174
	00257	Z04 Z05	EQU EQU	175 176
	00260	205		
		Z06 Z07	EQU EQU	177 178
	00260 00261	Z06		178 179 180
	00 260 00 26 1 00 26 2 00 26 3 00 26 4 00 26 5 00 266	Z06 Z07 Z08 Z09 Z10 Z11	EQU EQU EQU EQU EQU	178 179 180 181 182
	00260 00261 00262 00263 00264 00265	Z06 Z07 Z08 Z09 Z10	EQU EQU EQU EQU	178 179 180 181 182 183 184
	00 260 00 26 1 00 26 2 00 26 3 00 26 4 00 265 00 266 00 267	Z 0 6 Z 0 7 Z 0 8 Z 0 9 Z 1 0 Z 1 1 Z 1 2	EQU EQU EQU EQU EQU EQU	178 179 180 181 182 183
	00 260 00 261 00 262 00 263 00 264 00 265 00 266 00 267 00 270 00 271	Z06 Z07 Z08 Z09 Z10 Z11 Z12 Z17 Z18	E Q U E Q U	178 179 180 181 182 183 184 185

5. <u>Elements.</u> In a few cases, for convenience, fields are further subdivided into "elements." For example, a part numbering system could be so organized that portions of the part number had added significance. For example: 18253702, NPN Transistor; 18 meaning electrical, 2 meaning a component (not a subassembly), 53 meaning tubes and solid-state devices, and 702 to identify the particular item.

The relationship between these various data levels are readily shown:

FILE RECORD GROUP 1 GROUP 2 FIELD FIELD ELEMENT ELEMENT FIELD GROUP 3 GROUP 4

As mentioned earlier, all data to be used or created by the object program must be defined. A typical Data Division for GECOM is shown in Figure 6, giving representative examples of data definitions. The Data Division for a representative problem is presented and explained in the section, "Application of Basic GECOM". The relationship between Data Division and input data is also shown in Figure 6.

The <u>Procedure Division</u>, Figure 7, indicates the steps that the programmer wishes the object program to accomplish. These steps are expressed in English words, symbols, and sentences that have meaning to the General Compiler. Although the steps described in the Procedure Division closely parallel those of the eventual object program, it is misleading to consider the Procedure Division alone to be the source program. The source program is not complete without Data, Environment, and Identification Divisions.

Sentences in the Procedure Division invariably contain verbs to denote the desired action, names (of data, constants, etc.) or operands to show what is to be acted upon, and various modifiers for clarity. Sentences can be grouped into sections to facilitate reference and permit the performance of a series of sentences out of the normal sequence.

Procedure statements or sentences can be simple:

ADD 0.5, RATE OF PAY $\sim$  FILE.

This will create coding in the object program to add the constant 0.5 to whatever value (of the RATE from the PAY $\sim$ FILE) had been read into the computer. Or statements can be highly complex, involving several clauses and modifiers, such as:



IF PART~NUMBER OF MSTR~INVNTRY IS LESS THAN PART~NUMBER OF TRANSAC-TIONS GO TO WRITE~MASTER, IF EQUAL GO TO UPDAT~MASTER, IF GREATER GO TO NEW~RECORD.

This statement would result in object program coding to cause the following:

1. The part number of the master inventory record (previously read in) would be compared with the part number of the current transaction record.

2. If the part number of the master inventory record is:

a. the lesser of the two, program control is transferred to a routine called WRITE $\sim$ MAS-TER, which causes the master inventory record to be written out as part of a master file,

b. equal to the transaction part number, program control is transferred to a routine called UPDAT $\sim$ MASTER, which modifies the master inventory record in some manner,

c. the greater of the two, program control transfers to a routine called NEW $\sim$ RECORD, which causes a new record to be added to the master file.

Procedure Division sentences are performed in the sequence in which they appear, unless that sequence is modified by a "GO" or a "PERFORM" statement as explained in the next section of this chapter, "GECOM Language Elements".

Typical Procedure Division statements are illustrated in Figure 13. Note that sentences can be named (for reference to them by other sentences) or unnamed. Lines 20, 30 and 70 have been named SENT $\sim$ 1, SENT $\sim$ 2, and SENT $\sim$ 3, although more descriptive names can be assigned at the programmer's discretion. More detailed information for preparing a source program Procedure Division is covered in the section, "Application of Basic GECOM".

In addition to LANGUAGE and ORGANIZATION, the third item that the GECOM system provides for the programmer is a set of forms to facilitate source program preparation and documentation. Two basic forms are provided, the General Compiler Data Division Form, number CA-14, and the General Compiler Sentence Form, number CA-13.

Both forms are designed to make it easy to translate the programmer-prepared source program information into a machine-readable form, such as punched cards or paper tape. Each horizontal line of either form provides for up to 80 units of information, corresponding to 80 punched card columns.

GECOM LISTING OF JTS			PAGE 009
GE CODER		JUL 17	
O B J E C T L I S T I N	G ( C O N T. )		
01265 1001370 01266 0721143 01267 0101376 01270 0023025 01271 0721143 01272 0300025 01273 1301370	DLD 02A SPB FXP 1 ADD 05A OCT 0023025 SPB FXP 1 STA 021 DST 02A		
3135 ADD OT_HRS TO ACC	_OT_HRS.		0290
01274 1001372 01275 1101400 01276 1301372	DLD 03A DAD 06A DST 03A		
3140 IF LINE_COUNT EQU	ALS 51 GO TO \$3170.		0300
01277 0001405 01300 0201454 01301 2514002 01302 2601313	LDA PC6 SUB OJ5 BZE A14		
3145 S3145. WRITE DETAIL RECO	RD.		0310
01303 0722036 A15	SPB 01W02 1		
3150 SW3150. GO TO S3155.			0320
01304 2601305 A12	BRU A13		
3155 S3155. MOVE SPACES TO DE			0330
01305 0001460 A13 01306 0301404	LDA OA6 STA O2J		
3160 ALTER SW3150 TO PI	ROCEED TO \$3075.		0340
01307 0001214 01310 0001307 01311 2701304	LDA A03 LDA *-1 STO A12		
3165 GO TO \$3075.			0350
01312 2601214	BRU A03		
3170 S3170. PERFORM WPH SECTIO	DN.		0360
01313 0721145 A14	SPB A02 1		
3175 GO TO \$3145.			0370
01314 2601303	BRU A15		
3180 \$3180. ALTER \$W3107 TO PF	ROCEED TO \$3182.		0 380

Figure 44. Edited List



.

OGRAM																			DAT	E		<u> </u>		
DGRAMMER															COMPL	TER			PA	GE				•
SEQUENCE NUMBER	Τ	I																						•
2 3 4 5	6 7	8 9 10 11	12 13 14 15	16 17 18	19 20 2	1 22 23	24 25	26 27 2	8 29 30	31 3	2 33 34 3	36 37 38	39 40 41	42 43 44 4	5 46 47 48 4	9 50 51	52 53 54 55	56 57 58	59 60 61	62 63 64	66 67 68 69	70 71 72	73 74 75 76	77 78 79
1		P.R.O.C	E, D, U, R	E, D,	IVI	[_S_ I	'0'N	•						•			باب باب					, 		4
2,0		SENT	~ 1	O,P,	Ε <sub>Ν</sub>	<u>I</u> N	P_U	Т. Т	RA	N S	_~_F_1	L M	STR	~_F_I_]	~1.N.	,0	UTPU	TM	S,T,R	$\sim$ <b>F I</b> .	L~.O.U.T	H.S.	$P \sim R E$	P.T.
<u>, , , , 3, (</u>	2	SE.N.T	~_2	RE	AD,	$T_{I}R$	A.N	<u>S' ,~ ,</u> F	',I,L	• i		+			+			<u> </u>						<u>ــد_ا_مد</u>
4.0			$\mathbf{R}_{\mathbf{L}}\mathbf{E}_{\mathbf{A}}\mathbf{D}$												$\mathbf{I}[\mathbf{A},\mathbf{L},\sim]$						+	. <b></b>		-lll
	2		IF T									G_O		**	PME			1-1-1-1				استان المسال		4. 4. 4.
5,		·							LS	Š	3, ,G ,C	O_T_O	C_H	, <b>A</b> ,N ,G ,I	. <u>E</u>	Q U A	LS 4	,G,O	,T ,O	$\mathbf{D}_{\mathbf{E}}$				4
	T		S,T,O,P													<u> </u>							ليتليك والمسالي	ملە مىلە مەلە
<u> </u>	+	SENT	~ 3					$D \sim C$	; <u>O</u> M	<u>. P</u>	<u>, S'E' (</u>		<u>N_U</u>	<u></u>		0, 0	<u>F T</u> F	ANS	~_F_I_	L <sub>G</sub>	IV, I.N.G	t <u>r</u>		
I.,	╉		lll		A, L, ^	∽'D'E		- Looko	- <u> - ,</u> ,	<u></u>		+	I I I I			- I	L			laan daa daa daa daa daa daa daa daa daa		<u></u>		
•	T												4 <b>4</b>				••			LL				
					·								••	an inder de			4							م من من من من
		F 1 1	at a large							مىلى بىلى			I				L			Landa dan d				
L. L. L. L.					L	LL					-		4		-					LL4		+	+	
1_1_1_1_A						<u> </u>			- <b>I I</b>	44			+ <b>-</b>					+		↓ <b>↓</b> ↓			<u> </u>	
			1									1				1	1					- to the second s		Land -

Figure 7. Procedure Division Layout

.

	GEC OM	LISTING OF JTS					PAGE 007
		GE CODER				JUL 17	
	ОВЈ	ECTLIST	ING (C	0 N T.	)		
	01176 01177 01200 01201	0001450 0721142 0000006 0001450 0101405 0301405	LDA SPB OCT LDA ADD STA	0J3 ADV 000000 0J3 PC6 PC6	6		
3050	END WP	H SECTION.					0110
	01203	2601203 A02	#/@BRU	A02#/@			
3055	S3055.	OPEN ALL FILE	S.				0120
	01205	0721646 A01 0721737 0721461	SPB SPB SPB	00U 01U 02U	1 1 1		
3060		MOVE O TO PAGI	E_COUNT.				0130
		0001452 0301363	LDA STA	0J4 00A			
3065		PERFORM WPH SI	ECTION.				0140
	01211	0721145	SPB	A0 2	1		
3070		ΜΟΥΕ #ΖΖ# ΤΟ Ι	AST_DEPT.				0150
		0001457 0301403	L D A S T A	0A5 01J			
3075	S3075.	READ JOB_FILE	RECORD IF	END FIL	E GO TO S31	80.	0160
	01215	0001315 A03 0001214 2701571 0721511	LDA LDA STO SPB	A04 * - 1 02T 02W	1		
3080		IF DEPT OF JOE	B_TICKET E	QUALS LA	ST_DEPT GO	TO \$3125.	0170
	01220 01221 01222 01223 01224 01225 01225 01226 01227	0001403 2000314 0300654 0001402 2000314 0200654 2514002 2601262	LDA EXT STA LDA EXT SUB BZE	O1J EXB XYZ OOJ EXB XYZ AO5			
3085	SW 3085	, GO TO S3090.					0180
	01230	2601231 A06	BRU	A07			
3090	S3090.	ALTER SW3085 1	TO PROCEED	TO S310	Э.		0190

Figure 42. Edited List



OGRAM											DATE			
OGRAMMER									COMPUTER		PAGE			
SEQUENCE NUMBER	T													
	7 8 9 10 1	1 12 13 14 15	16 17 18 19 20 2	1 22 23 24 25	26 27 28 29 30	31 32 33 34 35	36 37 38 39 40	41 42 43 44 45	46 47 48 49 50 51 5	53 54 55 56 5	7 58 59 60 61 62	63 64 65	66 67 68 69 70 71 72	73 74 75 76 77 78 79
		1-1-1		-1-1-1-1-1-	<u></u>	<u>+</u>				i i Latai				
						- <del>4 - <del> </del> - <del>4 - 4 - 4</del> - 4</del>								· · · · · · ·
												1		· ·····
														I
											to de la dante			
				ا							ويتحقق والمحافي والمحاف	الم الم		1
			- da da bartanta			<u> </u>								
				-1-1-1-1-1-1-1										
Lauland and and and							+	·						4 + + + <del> </del>
			·····				-							
				- <u>I. I. I. I.</u>			-	····· •• •••••••••••••••••••••••••••••						
1_ <u>1_1_1_1_</u>									······			ململما		
<u></u>											<del></del>			
					<mark>└┍╴┟╴╶┟╶╴</mark> ┠┑╼┖╼		<u> </u>		- k - i k					. k k k k
											<del> </del>		· - · Ł - · L - · Ł - · Ł - · Ł - · Ł - · Ł - · Ł - · Ł - · Ł - · Ł - · Ł - · Ł - · Ł - · Ł - · Ł - · Ł - · Ł -	╺┟╍╸┠╶╍┠╍╶╄╶╼╶┠┱╼╏╼╶┠═╴
1111111								Lkkk	and a dealer of a dealer of the second				· _ <del>L _ i _ L _ i _ i _ i _ i _ i</del>	
								• • • • • •		and an established and a second		-+'L		· · · · · · · · · ·
								L						·····

Figure 9. The GECOM Sentence Form

GECOM LISTING OF JTS

GE CODER

REFERENCE TABLES

PROCEDURE NAME TO GAP SYMBOL

(GAP PROCEDURE NAME)

A01 S 3055 A03 S3075

A07 \$3090 A08 \$3100 A11 S3110 A09 \$3115 A05 \$3125 A15 S3145 A13 S3155 A14 S3170 A04 \$3180 A16 \$3182 A06 SW 3085 A10 SW3107 A12 SW3150 A02 WPH NAMES OF SUB-ROUTINES REQUIRED (GAP SECTION NAME) ADV FLX FΧΡ RCS RLC ΤYΡ ZAM ZBN ZCB ZED ΖNΒ ZNN ZOT ZSC ZSG ΖUΑ GAP SYMBOLIC TO OCTAL LOCATION GAP OCTAL GAP OCTAL (GAP OCTAL GAP OCTAL GAP OCTAL GAP OCTAL) 00A 01363 00J 01402 OOS 01110 00TCP 01713 00TXT 01712 000 01646 00V 01714 00W00 01664 00WE 01675 00W 01664 00X 01406 00Y 01406 00Z00 02040 01A 01366 01J 01403 01S 01120 01TCP 02006 01TXT 02005 010 01737 01V 02007 01W00 02032 01W01 02034 01W02 02036 01WE 01772 01W 01755 01X 01406 01Z00 02076 01Z01 02120 01Z02 02133 02A 01370

Figure 40. Edited List

GE-225

INTRODUCTION TO GECOM

PAGE 004

JUL 17

The Data Division Form, Figure 8, is used exclusively for describing data to be used in the object program. Headings are provided to guide the proper placement of data. These are discussed in the later section, Data Division Preparation.

The Sentence Form, Figure 9, is used for the preparation of data for the Identification, Environment, and Procedure Divisions. Headings, which would add little, are omitted. Rules for Sentence Form preparation are few and simple.

Where applicable, such rules are discussed in the section, "Application of Basic GECOM," along with the preparation of the four divisions of the source program. The fourth major tool provided by the GECOM system, is the General Compiler itself. Examination shows considerable similarity between the General Compiler program and a complex business data processing object program.

1. The General Compiler operates upon <u>input</u>: the source-language program.

2. Compiler processing consists of <u>repetitive</u> <u>runs</u> of a set of instructions: the General Compiler.

3. It produces an output: the object program.

4. It produces <u>reports</u>: the Edited List and error messages.

Figure 10 illustrates, in broad terms, the relationships between the programmer-produced source programs, the General Compiler, the computer, and the output object program.

Up to this point, the General Compiler has been discussed as if it were a single program, and it can still be considered as such. Conversely, it can also be considered to be a series of sequential programs as illustrated in Figure 11. Note that there are five major groupings: Transformer, Reformer, Assembler, Editor, and Subroutines.

The transformer phase translates the source program into an intermediate internal language suitable for processing, prints out Identification and Environment Divisions as required, groups and organizes Procedure and Data Division material for further processing while checking for validity and consistency, prints error messages, screens out unessential optional words, and initiates the preparation of the object program.

The <u>reformer</u> phase is essentially executive in that it calls forth from the generator library (also a part of the Compiler) those routines required to produce the object program.




Figure 11. General Compiler Program Organization

The <u>assembler</u> phase translates from the intermediate language, assembles the coding into machine language, and produces the completed object program either in punched cards or on magnetic tape.

The <u>editor</u> phase provides the documentation of the program in the form of the Edited List. This includes a print-out of the entire original source program, a merged list showing the generated symbolic coding and the machine-language coding, and cross-reference tables. Additionally, it lists, from the master list of subroutines below, those required to complete the object program. Examples of the Edited List are included in the section, "Application of Basic GECOM."

The <u>subroutine</u> library is a collection of previouslyprepared subroutines common to most object programs that may be required to complete the object program. While these could be produced during compilations, to reduce compilation time and avoid repetitive processing during compiling, the General Compiler shows (on the Edited List) all such subroutines which will be needed when the object program is run. A special program loading routine will place into memory the object program and the

INTRODUCTION TO GECOM

GE-225.

	GEC OM LISTING OF JTS			PAGE 002
	GE CODER		JUL 17	
SOU	RCE LISTING (CONT.	)		
3145 3150 3155 3160 3165 3170 3175 3180 3181 3182 3185	<ul> <li>\$3145. WRITE DETAIL RECORD.</li> <li>\$W3150. GO TO \$3155.</li> <li>\$3155. MOVE SPACES TO DEPT OF W ALTER \$W3150 TO PROCEED GO TO \$3075.</li> <li>\$3170. PERFORM WPH SECTION. GO TO \$3145.</li> <li>\$3180. ALTER \$W3107 TO PROCEED GO TO \$3100.</li> <li>\$3182. CLOSE JOB FILE, \$UMMARY_ STOP RUN #JTS#.</li> </ul>	TO S3075. TO S3182.		0310 0320 0330 0340 0350 0360 0370 0380 0390 0400 0410
4000	DATA DIVISION.			
(SEQ	GAP T DATA NAME QUALIFIER	F RPT B J E MS LS	DATA IMAGE)	
4010 4015 4020 4021 4022 4023 4024 4025 4100 4105 4110 4115 4120 4125	FILE SECTION OUTPUT FILES. OOOFD SUMMARY FILE. OOO R SUMMARY CARD F LAST DEPT F MAN_COUNT F ACC_REG HRS F ACC_OT HRS F TOTAL_HRS OO1FD DMH_REPORT. OOO R RPT_TITLE L F PAGE_COUNT OO1 R COL_TITLES	P	XX B(5) 999 B(29) 9(6)V9 B(4) 9999V9 B(5) 9(7)V9 B(12) BBB #DEPARTMENT MAN EPORT# B(42) #PAGE# B ZZZ9	HOUR R
41 35 4140 4145 4150 4155 4160 4165 4170 4175 4180 4500	L L OO2 R DETAIL F DEPT WS F MAN_NBR F NAME F JOB_CODE F REG_HRS F OT HRS INPUT FILES. OO2FD JOB FILE.	Ρ	B(7) #DEPT MAN NUMB # B(18) #JOB REG-HRS B(7) XX BBB X(5) B(6) A(21)B XX BB ZZZ.9 BBB ZZZ.9	
4515 4520 4525 4530	000 R JOB_TICKET F MAN_NBR 00J F DEPT F NAME F JOB_CODE 05A F REG_HRS	Ρ	X(5) XX BB A(21) XX B(7) 999V9	

Figure 38. Edited List



required subroutines which the operator has previously extracted from the library of subroutines provided. At the user's option, required subroutines can be appended to the object program automatically or manually during compilations.

#### GECOM LANGUAGE ELEMENTS

Because the GECOM system was developed with COBOL in mind as the basic programming language, the GECOM language elements most closely resemble those of the COBOL language. Also, because the intent is to provide English-language programming, GECOM elements parallel those of English.

GECOM has a basic vocabulary consisting of words and symbols; it has rules of grammar or syntax; and it has punctuation symbols for clarity. In each case, there is greater simplicity than in English: the vocabulary is small; the rules of grammar are simple, yet precise; the use of punctuation is lim-These are true because the demands placed ited. upon the user are kept simple and unambiguous. The source programming language is required to state facts and give instructions clearly and specifically; it is a language of command, not narration, and thus consists primarily of verbs and nouns. These can be formed into simple and complex sentences usually intelligible without special training. although sentences acceptable to the General Compiler cannot be written without familiarity with the grammar.

Words and symbols are the tools of the GECOM programmer and are composed of individual letters, numbers, and special characters. The basic character set of GECOM and equivalent GE-225 character codes are illustrated in the accompanying table, Figure 13. Special character sets are available for the printer.

Many of the basic characters, in addition to being used in words, have special meanings for GECOM; these will be discussed where appropriate.

Words, in GECOM, are divided into two major groups - names and verbs.

VERBS

GE-225.

As in English, verbs denote action; unlike English, GECOM verbs are never taken in the passive voice, the narrative or declarative sense, or in any tense other than the present tense. Each verb that the programmer uses in the source program (except the verb NOTE) will have some effect in the object program.

Most verbs will be reflected directly in the machinelanguage coding of the compiled object program; others do not appear in the object program, but do act with the compiler to construct the object program. Certain words that, in English, are not verbs are considered as such by the General Compiler. The most commonly-used and most useful of these is the word, IF, which is used in expressing conditions, relationships, and comparisons. For example, in the expressions:

$\mathbf{IF}$	NOT	r end	OF	FI	LE,	GO	то						
		OR											
IF	Α	EQUAI	LS E	3. (	GO	TO							

IF causes a comparison between the actual condition and the stated END OF FILE condition or, in the second example, causes a comparison between A and B. Such near-verbs will be discussed as if they were verbs.

The GECOM verbs and examples of how each might be used are listed in Figure 14.

#### NAMES

Most words in the GECOM source program will be names. The programmer is preparing a program for handling data, but is not concerned with the actual data itself; he is more concerned with preparing data manipulation procedures, but once they are written they are only of as much importance as the data they manipulate. For these reasons, and to take advantage of the leverage that GECOM provides, the programmer will refer to data and previously written procedures by name whenever possible.

Names can be readily grouped by type and fall within these groups:

- 1. Data Names
- 2. Procedure Names
- 3. Conditional Names
- 4. Constants

#### DATA NAMES

Data names represent data to be used in an object program, and are programmer-assigned, <u>not</u> to specific data, but to <u>kinds</u> of data. For example, in a file processing application, data names would be assigned to all input and output files, such as:

MASTER~FILE TRANSACTIONS PRINT~FILE etc.

and, within a file, records would bear data names, such as:

$$STOCK \sim RCD$$
  
PAY  $\sim RCD$   
INV  $\sim RCD \sim 1$   
etc.

The Object Listing includes an "Input/Output Coding" print-out showing all input/output file tables, control coding, and service routines. A complete listing of this subsection for the sample problem requires 439 line entries. Part of the Input/Output Coding list is shown in Figure 46. The final print-out of the Object Listing and the Edited List is "Location Assignments for GECOM Common Constants," Figure 46. This print-out contains the memory locations for object program constants and the compiler-assigned symbols for the constants. For the sample problem, the complete constant listing contains 138 entries.

.

r,

VERB	EXAMPLE
ADD	ADD TOTL~RECVD TO ON~HAND~QTY
ADVANCE	ADVANCE PAY~REGISTER 20 LINES (to slew or skip printer paper)
ALTER	ALTER SENT $\sim$ 25 TO PROCEED TO SENT $\sim$ 33. (to change a previously established sequence of operations.)
=(Assignment)	QTY~ON~HAND = OLD~QTY + NO~RECVD (to assign an evaluated arithmetic expression to a specified field)
CLOSE	CLOSE PAYROL~FILE (to terminate processing of a file)
DIVIDE	DIVIDE NUMBER INTO TOTAL GIVING AVERAGE
ENTER	ENTER GAP AT ROUTINE~3 (to permit insertion of General Assembly <b>Program</b> coding in a GECOM source program.)
EXCHANGE	EXCHANGE OLD~TAX, NEW~TAX (to transpose the contents of two fields)
GO	GO TO SENT~10 (to depart from the normal sequence of operations)
IF	IF LINE~COUNT EQ 58 GO TO ADVANCE~PAGE. (to test a condition and transfer to another operation if condition is satisfied)
MOVE	MOVE TOTAL TO SAVE~AREA (to transfer data to another location)
MULTIPLY	MULTIPLY 0.18 BY PAY GIVING TAX
NOTE	NOTE THIS SENTENCE IS USED FOR CLARITY. (to permit insertion of explanatory text not intended for compilation)
OPEN	OPEN ALL INPUT FILES (to initiate file processing)
PERFORM	PERFORM FICA~COMP SECTION (to cause execution of a routine in the desired sequence and then return to the sentence following the PERFORM statement.)
READ	READ TIME~CARD RECORD (to make input file records available to the program)
STOP	STOP (to halt processing of the object program permanently or temporarily.)
SUBTRACT	SUBTRACT RECEIPTS OF TRANSAC~FILE FROM ON~ORDER~QTY OF ORDER~FILE GIVING ADJ~ORDER~QTY, IF SIZE ERROR GO TO ZERO~RTN.
VARY	VARY CHK~AMT FROM 1 BY 1 UNTIL CHK~AMT GR 5 (to initiate and control the repeated execution of the sentence it precedes.)
WRITE	WRITE RECORD~1 OF FILE~6 (to permit output of data)
I	Figure 14. GECOM Verbs

Figure 14. GECOM Verbs



.

. J

#### 3185 STOP RUN ''JTS''

This statement is used to generate object program coding for halting processing. In the form used here, the results will be

- 1. Program halts
- 2. END is printed by the console typewriter.

3. The literal "JTS" is printed by the console typewriter.

#### IDENTIFICATION DIVISION PREPARATION

This division enables the programmer to label the source program and provide program identification in the output Edited List.

The Identification Division is prepared on the General Compiler Sentence Form, as illustrated in Figure 35.

Entries for the Job Ticket Summary problem are explained:

#### 1000 IDENTIFICATION DIVISION.

This mandatory heading indicates that entries following are for program identification only. The name should begin in column 8 and be followed by a period.

#### 1005 PROGRAM~ID. JTS.

This entry is mandatory; the name, PROGRAM  $\sim$  ID, should appear beginning in column 8 and followed by a period. The actual program name, JTS, can consist of up to nine typewriter characters followed by a blank, a comma, or a period and can be indented any number of spaces. This name will appear as part of the heading of each page of the Edited List.

#### 1010 AUTHOR. GE CODER

This entry is optional. If used, the sentence name should start in column 8 and be followed by a period. The sentence can be indented as desired, contain up to 30 BCD characters, and ended with a period. If provided, the author's name appears on each page of the Edited List.

#### 1015 DATE COMPILED. JUL. 17

This entry is optional. It can contain up to 30 characters followed by a period. If provided, the compilation date appears on each page of the Edited List.




1020 INSTALLATION. . . . 1025 REMARKS. . . . .

These two sentences, as well as a NEXT  $\sim$  PROGRAM and a SECURITY sentence, are optional. If used, they can contain any information that the programmer wants to appear in the Edited List.

The Identification Division has no effect upon the compilation of the object program, other than that of appearing in the Edited List as described.

#### PRODUCING THE OBJECT PROGRAM

Upon completion of the GECOM forms for the source program, the data forms are transcribed to standard punched cards to form the source program deck and organized as shown in Figure 36.



#### Figure 36. Source Program Deck Organization

A special GECOM call deck is placed before the source program deck and the cards are ready for input to the GE-225 via the card reader.

The minimum GE-225 system configuration for compiling the source program is:

GE-225 Central Processor (with 8192 words of core storage) Console Typewriter Card Reader Card Punch High-Speed Printer Magnetic Tape Controller Four Magnetic Tape Handlers Five Magnetic Tape Handlers (optional) Six Magnetic Tape Handlers (optional)

The GECOM Master Tape is mounted on the first magnetic tape handler on the system and includes a library of subroutines that might be required to complete the compiled object program. The source In preparing the source program, the programmer may have difficulty in keeping track of codes that of themselves have no meaning. To provide a reference term, he can assign names to them, thusly:

$$\begin{array}{l} \text{HOURLY} = 0\\ \text{WEEKLY} = 1\\ \text{MONTHLY} = 2 \end{array}$$

Once names are assigned, they can be used in procedure statements within the source program. Such names as those described above are called <u>conditional names</u> for convenience. In actuality, they are <u>special data names</u>, and are formed subject to the same limitations.

#### CONSTANTS

Data names are generally assigned by the systems programmer to kinds of data, rather than to specific values, because the actual value of the data named is generally a variable (from record to record, for example) or possibly an unknown to be computed by the object program.

Occasionally (even frequently), the programmer will need to place various kinds of specific data in the program - data which remain the same throughout the program. Such constants are designated as <u>literal constants</u>, <u>numeric constants</u>, and <u>figurative</u> <u>constants</u>.

Literal constants are those the programmer intends to use in the program exactly as written. They may be any combination of up to 30 (or 83, depending upon where used) letters, numbers, and symbols of the GECOM character set. To distinguish them from other names, they must be enclosed in quotation marks:

MOVE "FILE~NAME" TO COLUMN~HD.

Literals can be used in output fields to generate headings. They cannot be used in arithmetic calculations.


<u>Numeric constants</u> are comprised of the numerals 0 through 9, plus or minus sign, the letter E for floating-point, and a decimal point. They can be used in three forms of arithmetic calculations: fixed-point, integer, and floating-point.

Fixed-point numerics can contain up to 11 digits, excluding plus or minus sign, and a decimal. Typical fixed-point numerics are:

+2.308	-853.001
0.03	9.11

Integers must not exceed 5 digits:

2308	85300
3	911



For floating-point computations, numerics can be written with mantissas of up to nine digits (one of which must be the left of the decimal) and an exponent between +75 and -75. The largest and smallest floating-point numbers that can be represented are, respectively:

9.99999999E+75 and 0.0000001E-75

If any numeric constant is enclosed in quotation marks, it loses its numeric value and becomes a literal constant.

The constants, 0 through 9 and space (or blank) have been defined within the General Compiler and assigned names. This permits the programmer to use the names within his source program without defining them. These pre-named constants are called figurative constants and are:

0 ZERO or ZEROES SPACES
1 ONE(S)
2 TWO(S)
3 THREE(S)
4 FOUR(S)
5 FIVE(S)
6 SIX(ES)
7 SEVEN(S)
8 EIGHT(S)
9 NINE(S)

Figurative constants may be used in the singular to denote the constant itself or in the plural to imply a string of constants.

#### EXPRESSIONS

The programmer combines words and symbols into procedure statements to direct computer operations. To facilitate the formulation of such statements showing the relationships and combinations of data names, conditional names, and constants, he has the assistance of arithmetic, relational, and logical expressions.

An arithmetic expression is a sequence of data names, numeric constants, and/or mathematical functions that are combined with symbols which represent arithmetic operations.

Operations and functions available to the programmer and their proper GECOM form are shown in Figure 15. They are listed in priority order, from highest to lowest. All of the listed functions are readily available as part of the GE-225 standard subroutine library and need not be generated during source program compilation or manually by the programmer. Previously-prepared subroutines materially reduce compilation time and programmer effort.

The natural priority of the table can be overridden by parentheses. Parentheses cause the evaluation to be performed from within the innermost set of 3110 S3110. ALTER. . . .

This statement sets SW3150 to proceed to S3155 the next time it is processed. SW3150 handles the group suppression of printing of DEPT $\sim$ NO. When a new department is detected at 3080, it is necessary to print that department number from working storage, but immediately after, blanks are moved to that working storage field (part of the Detail Record) and the MOVE of blanks must be bypassed until the next new department is encountered.

3115 S3115. MOVE. . . .

This statement places the contents of the memory location assigned to hold the job ticket department number to the memory locations assigned to hold the last department number and the working storage department number. The LAST  $\sim$  DEPT is for comparison with the department of the current Job Ticket to determine a change of department at 3080, while the department of working storage is to provide the department number for the first printing of a detail record for a new department, and blanks afterward.

3120 MAN $\sim$  COUNT=. . . .

This is an assignment statement that sets to zero the memory locations reserved for the named field.

3125 S3125. ADD. . . .

The man count memory location is increased by one.

3130 ADD. . . .

The two named fields are added and the result replaces the previous value of  $ACC \sim REG \sim HRS$ .

#### 3135 ADD. . . .

The two named fields are added and the result replaces the previous value of  $ACC \sim OT \sim HRS$ .

3140 IF. . . .

The contents of the LINE  $\sim$  COUNT memory location are compared with the constant, 51. If they are equal, control transfers to procedure statement S3170; if they are not equal, the next statement in sequence is taken (3145). LINE  $\sim$  COUNT = 51 indicates that the last line of a printer page has been printed and a new page (and new headings) must be started.

3145 S3145. WRITE. . . .

The DETAIL RECORD, defined in Data Division statements 4150 through 4180, which includes

GE- 225 -

DEPT, MAN~NBR, NAME, JOB~CODE, REG ~ HRS, and OT~HRS fields, is printed as a line by the high-speed printer.

3150 SW3150. GO TO. . . .

This is another program switch similar to SW3085 and SW3107. It governs whether the detail record print line contains an actual department number or blanks.

3155 S3155. MOVE. . . .

This statement replaces the contents of the working storage DEPT field with blanks.

3160 ALTER. . . .

This statement changes the object of the GO statement at SW3150 from S3155 to S3075 to bypass S3155 and 3160 until a new department is read.

3165 GO TO. . . .

This statement unconditionally transfers control to S3145.

3170 S3170. PERFORM. . . .

Like statement 3065, this sentence transfers control to the WPH SECTION beginning at 3005. Upon completion of this section, control automatically reverts to the next statement in sequence, 3175. This is used to head up a new page after the capacity of the preceding page has been filled by a department's records.

3175 GO TO. . . .

This statement unconditionally transfers control to S3145.

3180 S3180. ALTER. . .

This statement changes the object of the GO statement at SW 3107 from S3110 to S3182, so that CLOSE will occur after the final summary card is punched.

3181 GO TO. . . .

This statement unconditionally transfers control to S3100 to compute the final summary card TOTAL  $\sim {\rm HRS}.$ 

3182 S3182. CLOSE. . . .

This statement terminates processings of the JOB~FILE and the SUMMARY~FILE. The card counts for the card reader and the card punch are printed out on the console typewriter.

No.	А	В	Not-A	Not-B	A AND B	A OR B
1.	True	True	False	False	True	True
2.	True	False	False	True	False	True
3.	Faise	True	True	False	False	Tru <del>e</del>
4.	Faise	False	True	True	False	False

Figure 17. Logical Expression Truth Table

No.	А	В	С	D
1 2 3 4 5	$\begin{array}{c} A_1\\ A_2\\ A_3\\ A_4\\ A_5 \end{array}$	$\substack{\mathbf{B}_1\\\mathbf{B}_2\\\mathbf{B}_3\\\mathbf{B}_4\\\mathbf{B}_5}$	$\begin{array}{c} c_1\\ c_2\\ c_3\\ c_4\\ c_5\end{array}$	$\begin{array}{c} \mathrm{D}_1\\ \mathrm{D}_2\\ \mathrm{D}_3\\ \mathrm{D}_4\\ \mathrm{D}_5\end{array}$

Figure 18. Simple Two-Dimensional Table

Lists and tables of data can be stored within a data processing system for program reference also, permitting the programmer to instruct the program to perform "table look-up" operations. Such tables are stored in series within the system instead of in the grid-like manner illustrated above. The same table in the data processor might appear as a list, shown in Figure 19.

Even though the table data is stored as a long list, the programmer can still readily specify the required table data in essentially the same manner as a clerk would in instructing another clerk how to use the table first shown. The clerk would specify the table name, then the horizontal row and vertical column headings: TABLE 1, row 3, column C. The GECOM programmer does the same thing in a similar shorthand:

TABLE  $\sim 1$  (3, 3) meaning TABLE  $\sim 1$ , row 3, column 3.

Lists, tables, and matrices can all be represented in GECOM source programs and are referred to generically as <u>arrays</u>. A list is a one-dimensional array; a table, two-dimensional.

A three-dimensional array can be depicted graphically as a series of two-dimensional planes; as shown in Figure 20. Three-dimensional arrays could also be represented in storage as a series of sequential lists (one for each plane) like that described for the example above.

Arrays are assigned identifying names by the programmer. To identify array values, <u>subscripts</u> are used to specify rows, columns, and planes.


One-dimensional list = A(I)Two-dimensional table = A(I,J)Three-dimensional table = A(I,J,K)

Subscripts can be written as arithmetic expressions, if need be, containing other subscripted arrays, and nested to up to ten deep in any one procedure statement.

LIST (A+C) RATE (A-B\*C, L(I,J),X)

In the second example A-B\*C is the i-subscript, L(I,J) is the j-subscript, and X is the k-subscript for a matrix called RATE. Parentheses are always used to enclose subscripts which must immediately follow the array name.

 $1 \ A_1 \ B_1 \ C_1 \ D_1 \ 2 \ A_2 \ B_2 \ C_2 \ D_2 \ 3 \ A_3 \ B_3 \ C_3 \ D_3 \ 4 \ A_4 \ B_4 \ C_4 \ D_4 \ 5 \ A_5 \ B_5 \ C_5 \ D_5$ 





# GENERAL 🛞 ELECTRIC

GENERAL COMPILER SENTENCE FORM

ROGRAM	B TICKET SUMMARY (JT	5)		DATE JUL. 17
G.	. CODER		COMPUTER GE-225	PAGE
SEQUENCE NUMBER				
2 3 4 5 6	8 9 10 11 12 13 14 15 16 17 18 14	20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 4	0 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58	59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
. 3,0,0,0	PROCEDURE DI	terreturnet i de la de la contra da contra de la decidad de la decidad de la decidad de la decidad de la decida	┶┶┥┶┲┲┹╅┶┶┹┺┥┈┠╹┨╵╵╵	
3,0,0,1	GO, TO, S3		*-*-**********************************	······································
3,0,0,5	W, P, H, S, E, C, T I, O, N,			······································
3,0,1,0	BEGIN			
3 0 1 5		$\mathbf{D}, \mathbf{M}, \mathbf{H} \sim \mathbf{R}, \mathbf{E}, \mathbf{P}, \mathbf{O}, \mathbf{R}, \mathbf{T}, \mathbf{T}, \mathbf{O}, \mathbf{T}, \mathbf{O}, \mathbf{P}, \mathbf{O}, \mathbf{F},$	PAGE	
3,0,2,0		$\mathbf{P}_{\mathbf{A}}\mathbf{G}_{\mathbf{E}}\mathbf{E}\sim\mathbf{C}_{\mathbf{O}}\mathbf{U}_{\mathbf{N}}\mathbf{T}$ .		
3025		DMH~REPORT 4 LINES.		
3 0 3 0	WRITERP	$T \sim T I T L E$		
3 0 3 5	A,D,V,A,N,C,E	DMH~REPORT 3 LINES		
3 0 4 0	WRITE CO	$L \sim T, I, T, L \in S$	4. 1	
3.0.4.5	ADVANCE	DMH-REPORT 2 LINES.		
3 0 5 0	END WPH SECT	I O N	A . A . P. Mar. A. Mar. A. Mar. A. Mar. A. Mar. A. Mar. A.	the state of the s
3 0 5 5	S 3 0 5 5 . O P E N	ALL FILES.		
3 0 6 0	MO.V.E .0T	O PAGE COUNT	<u> </u>	
3.0.6.5	PERFORM	WPH SECTION.		
3 0 7 0		" TO LAST DEPT.		
3_0_7_5	S 3 0 7 5 . R E A D	$\mathbf{J}_{0}\mathbf{O}_{1}\mathbf{B}_{1}\sim\mathbf{I}_{1}\mathbf{F}, \mathbf{I}_{1}\mathbf{L}_{1}\mathbf{E}, \mathbf{R}_{1}\mathbf{E}_{1}\mathbf{C}_{1}\mathbf{O}_{1}\mathbf{R}, \mathbf{D}_{1}, \mathbf{I}_{1}\mathbf{F}, \mathbf{I}_{1}\mathbf{E}, \mathbf{N}$	,D, ,F,I,LE, ,G,O, ,T,O, ,S,3,1,8,0,	*****
3,0,8,0	I,F, DE,P,T	O.F. J.O.B.~,T.I.C.K.E.T. E.Q.U.A.L.S.	$\mathbf{L}_{\mathbf{A}_{1}}\mathbf{S}_{-}\mathbf{T}_{-}\sim \mathbf{D}_{\mathbf{E}_{2}}\mathbf{P}_{-}\mathbf{T}_{-}\mathbf{G}_{0}\mathbf{O}_{-}\mathbf{T}_{0}\mathbf{O}_{-}\mathbf{S}_{-}3_{+}\mathbf{S}_{-}\mathbf{S}$	1,2,5,
3,0,8,5		O, S,3,0,90,	· · · · · · · · · · · · · · · · · · ·	
, ,3 ,0 ,9 ,0		_,S,W,3,0,8 5, T,O, P,R,O,C,EE,D, T,O	S <sub>1</sub> 3 1 0 0	
3 .0 .9 .5	G,O, TO, S_3			
3,1,0,0		$\sim$ H, R, S, = A, C, C, $\sim$ R, E, G, $\sim$ H, R, S, +	, A, C, C, ~ O T,~ H R S .	
3 1 0 5		$\mathbf{M}_{\mathbf{M}}\mathbf{M}_{\mathbf{A}}\mathbf{R}_{\mathbf{Y}}\mathbf{Y} \sim \mathbf{C} \mathbf{A} \mathbf{R}_{\mathbf{D}}$	<u></u>	- # - 1 - # - 1 - 1 - 1 - 1 - 1 - 1 - 1
3,1,0,7	S,W3,107. GO T			······
3 1 1 0		S W 3 1 5 0 TO PROCE ED TO DEPT OF JOB~TICKET TO		and the product of the state of
3 1 1 5				**************************************
3,1,2,0		$\underline{\mathbf{T}}_{,,-} = , \underline{\mathbf{A}}_{,\mathbf{C}} \underbrace{\mathbf{C}}_{,\mathbf{C}} \times \mathbf{R} \in \underline{\mathbf{G}}_{,\mathbf{C}} \cdot \underline{\mathbf{H}}_{,\mathbf{R}} \mathbf{R}_{,\mathbf{S}} = , \underline{\mathbf{A}}_{,\mathbf{C}} \underbrace{\mathbf{C}}_{,\mathbf{C}} \underbrace{\mathbf{C}} \underbrace{\mathbf{C}}_{,\mathbf{C}} \underbrace{\mathbf{C}}_{,\mathbf{C}} \underbrace{\mathbf{C}} \underbrace{\mathbf{C}}_{,\mathbf{C}$	$\sim 0.1 \sim H_{\rm R} = 0.0$	
3,1,2,5		$\mathbf{T}_{\mathbf{O}} = \mathbf{M}_{\mathbf{A}} \mathbf{N}_{\mathbf{O}} \simeq \mathbf{C}_{\mathbf{O}} \mathbf{U}_{\mathbf{N}} \mathbf{T}_{\mathbf{O}}$	<u> </u>	
3, 1, 3, 0 3, 1, 3, 5		$\begin{array}{c c} H,R,S, & T,O \\ R,S, & T,O \\ \end{array} \xrightarrow{A,C,C} \sim R,E,G \sim H,R,S, \\ \hline R,S, & T,O \\ \end{array}$	· · · · · · · · · · · · · · · · · · ·	<u>المحامية في المحامية المحامية</u>
3,1,3,3		(1, 0, 0, 0, 1, 1, 0, 1, 1, 0, 1, 0, 0, 0, 1, 0, 0, 1, 1, 0, 1, 1, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,		-1
3, 1, 4, 0		$\begin{array}{c} \mathbf{D}_{\mathbf{C}}, \mathbf{D}_{\mathbf{C}}, \mathbf{U}_{\mathbf{A}}, \mathbf{I}_{\mathbf{A}}, \mathbf{I}_{\mathbf{A}}$		
3,1,5,0	SW3150. GO T			
3,1,5,5		SPACES TO DEPT OF WS.		and and a start of the start of
3,1,6,0		3,1,5,0, TO, P,R,O,C,E,E,D, T,O, S,3		
3 1 6 5	GO TO S.3			
3 1 7 0		RM WPH SECTION.		
3,1,7,5	G.O. T O. S.3			
3,1,8,0		SW3107 TO PROCEED TO	53182.	
3,1,8,1	GO TO S3			
3 1 8 2	S 3 1 8 2 C L O S E	J_O_B_~_F_I_L_E_, S_U_M_MA_R Y_F_I_L	Ε	
3 1,8,5	S,T,O,P,R,U,N	",J,T,S,"		
I. I.				
1. 1. 1. 1. 1.		20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40		9 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79

Figure 34. Job Ticket Summary Procedure Division



# EXTENSIONS TO GECOM

#### **GECOM/REPORT WRITER**

The GECOM/Report Writer requires the same compiling configuration as Basic GECOM, and is an extension of the basic compiler. Report writing programs can readily be described in the Basic GECOM language, but the Report Writer facilitates report preparation by enabling the user to describe reports concisely on a layout form which can be inserted into the GECOM Data Division. It also provides such features as automatic page and line control, facilitates programming, and provides better documentations of report writing programs.

Report specifications are written within the framework of a GECOM source program, and, in straightforward situations, are contained entirely within the Data and Environment Divisions. A knowledge of file and report formats and which record fields are the file sequence keys is all that is needed beyond a knowledge of GECOM to prepare procedure statements for most business reports. The user need only define the unique features of his job outside of the normal file processing procedure. The Report Writer tailors the basic framework to the programmer's needs and produces an object program for execution. The primary advantages to be gained by this method of description are minimized programming and debugging effort and readily-understandable program documentation.

With proper preparation of the source program, the Report Writer with GECOM will generate an object program which:

1. Prints report headings once at the beginning of the report.

2. Prints report footings once at the end of the report.

3. Maintains page control by line count and skips to a new page as specified.

4. Maintains line spacing on the page.

5. Prints page headings at the top of each report page.

6. Prints page footings at the bottom of each report page.

7. Numbers pages.

8. Issues detail lines according to the presence or absence of control conditions.

9. Accumulates detail field values to one or more levels of total.

10. Counts detail field conditions and detail lines to one or more levels of total.

11. Detects control breaks at one or more levels to control tabulation, issue control totals, and issue control headings.

12. Edits data fields for reporting by zero suppression, character insertion, fixing or floating dollar signs, and fixing or floating arithmetic signs.

13. Assigns and calculates values for report fields.

14. Reads a single file on one or more reels.

15. Reads successive files on multifile reels.

16. Performs normal file opening and closing functions.

17. Creates final totals and terminates reports at end of input.

18. Prepares a report(s) file for deferred printing.

Report descriptions are contained in the Report Section of the GECOM Data Division, under the heading REPORT SECTION, immediately following the File Section. All entries in this section must conform to the format of the Report Description Form, Figure 21, which is used in place of the standard GECOM Data Division form. Not shown are the supporting entries required in the Working Storage Section of the Data Division. Figure 21 illustrates a typical report as laid out in the Report Section of the Data Division, while Figure 22 shows the resulting printed report after processing of the object program containing the report description.

#### GECOM/TABSOL

The GECOM/TABSOL extension requires the same compiling configuration as Basic GECOM and allows source programs to be described in tabular form. Although the same programs could be described in the basic GECOM procedural sentences, certain benefits are provided by the TABSOL extension.

TABSOL, which stands for Tabular Systems Oriented Language, is basically a structuring technique used to systematically describe the step by step decision logic in the process of solving a problem. The basic advantage of the TABSOL language is that it is easily learned and understood and can be applied to many analytical situations.

GE-225

The I $\sim$ O $\sim$ CONTROL sentence is used only if nonstandard label-checking rerun information and/or multifile magnetic tapes are required.

The FILE  $\sim$  CONTROL sentence is used when the source program requires the identification and/or assignment of input/output files or hardware units. If the source program does not process input/output data, the FILE  $\sim$  CONTROL sentence can be omitted.

The COMPUTATION  $\sim$  MODE sentence is used when it is desired to perform computations on data in floating point format using floating point arithmetic.

For the Job Ticket Summary problem, the Environment Division would be prepared as shown in Figure 33.

The General Compiler Sentence Form is used; heading information, such as program and programmer identification are discretionary. Actual line entries must adhere to the rules detailed in the GE-225 GECOM Language Specifications. Some of these rules are mentioned in the line entry explanations that follow.

#### 2000 ENVIRONMENT DIVISION.

The division heading is always the first entry for the division. The heading should begin in column 8 (recommended) or may be indented any number of spaces to the right. The heading must be followed by a period and no other information should follow on that line.

2005 and 2010 OBJECT~ COMPUTER.

If this sentence is used, the sentence name should be started in column 8 and followed by a period. The sentence can start on the same line as the sentence name. In Figure 33, the compiler interprets the sentence to mean that the object program is to be performed on a GE-225 system with a 8192 word memory (2 MODULES) and the object program is to be input via card reader. To accomplish this, the General Compiler must produce the object program on punched cards via the card punch. Note that the sentence was too long to be completed on one line and was carried over to line 2010 and indented for clarity.

2015 FILE  $\sim$  CONTROL.

GE-225.

Like other sentence names, this one begins in column 8 as recommended. The first sentence is begun immediately after the name (with a blank between) and terminated with a period. All subsequent sentences must begin on a new line. The 2015 sentence in Figure 33 assigns the JOB  $\sim$  FILE (input) to the card reader buffer. The General Compiler interprets this to mean that data input through the card reader is to be treated as job file data.

2020 SELECT SUMMARY~FILE. . . .

This sentence assigns the SUMMARY  $\sim$  FILE to the card punch for output.

### 2025 Select DMH $\sim$ Report. . . .

This sentence assigns the DMH REPORT to the high-speed printer for output. The DMH REPORT is considered as an output file and is therefore assigned to a peripheral like all files in the FILE $\sim$ CONTROL Section.

#### PROCEDURE DIVISION PREPARATION

Once the programmer has flow charted the procedure to be followed and has defined all input and output data, it becomes relatively easy to state the processing steps to be followed in producing the desired output.

The programmer, having developed a working knowledge of GECOM language elements (verbs, names, constants, expressions, etc.) and their effects upon the object program, is prepared to document the procedure. Figure 34 illustrates the completed General Compiler Sentence Form for the Procedure Division of the Job Ticket Summary Problem. By relating the individual procedure statements and their explanations below to the flow charts in Figures 29 through 31, the overall procedure is more readily understood.

#### 3000 PROCEDURE DIVISION.

Invariably the first entry for this division (and others) is the division name. It must be entered starting (preferably) in column 8 and terminated with a period.

3001 GO. . .

This opening sentence immediately and unconditionally transfers operation to the sentence identified by the sentence name, S3055.

#### 3005 WPH SECTION.

This statement indicates that all procedure statements that follow are to be considered part of the WPH (Write Printer Heading) section until an END SECTION is encountered.

#### 3010 through 3045

These statements comprise the WPH section which functions to advance the high-speed printer paper to the top of the page (3015), count pages (3020), space paper to the first print position (3025), print out the report title as defined by the literal entry at 4110 of the Data Division (3030), space paper to the next print line (3035), print out the column titles defined at 4135 through 4145 (3040),

				12-01-	61			
ORG CODE	PAY NUMBER	EMPLOYEE NAME		SEX	JOB CLASS	REGULAR HOURS	OVERTIME HOURS	GROSS EARNINGS
5484	0671 0983 1201 1452	J JONES A JOHNSON B SMITH SCHROEDER		MALE MALE FEMALE MALE	B01 A10 C50 DA2	40.0 37.5 40.0 32.0	10.0 8.0	\$ 123.44 184.01 148.02 84.66
	2352	C BROWN		MALE	D11	40.0	. 4	105.19
5484		COUNT OF EMPLOYEES	05			189.5	18.4	645.32
5485	0108 0112 1389 1545 1547 1999 2103	R EDWARDS P SMYTHE A ANDREWS R MICHELSON J BERG A MCMILLAN J GWYNN		MALE FEMALE FEMALE MALE MALE FEMALE MALE	D80 B11 B01 A10 S01 C09 B01	40.0 35.2 40.0 40.0 38.2 40.0 40.0	8.0 12.0 2.2 1.8	100.01 115.55 72.06 123.11 182.78 78.23 101.11
5485		COUNT OF EMPLOYEES	07			273.4	24.0	842.85
5480		COUNI OF EMPLOYEES	12			422.9	42.4	1,388.16
5400		COUNT OF EMPLOYEES	33			1302.1	108.0	4,125.29
5501	0133 0134 0222 2102 2359	C STEVENSEN L ELLISON H MURPHY J QZER A AMBERCROMBIE		MALE MALE FEMALE MALE MALE	E 22 A09 C 5 3 B0 1 B 1 1	40.0 40.0 40.0 40.0 40.0		138.06 149.55 99.99 123.02 154.84

35

Figure 22. Report Writer Sample Report




GENERAL COMPILER DATA DIVISION FORM

Internet         Description         Description <thdescription< th=""> <thdescription< th=""> <t< th=""><th>JOE</th><th>TICK</th><th>ET SUMMARY (JTS)</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>ER</th><th></th><th></th><th>D'ATE JUL. 17 PAGE 1 OF</th></t<></thdescription<></thdescription<>	JOE	TICK	ET SUMMARY (JTS)								ER			D'ATE JUL. 17 PAGE 1 OF				
11       1		E. CO		- r	1 स	T	T Ti			TEL	ENEN	t 1						
4.8.8       DATA       DIVISION.         4.8.8       PILE       DECTION.         4.0.10       CUPUT PILES.         4.0.20       RUMMARY-GLES.         4.0.21       PLAST-DEPT.         4.0.22       PLAST-DEPT.         4.0.23       PLAST-DEPT.         4.0.24       PLAST-DEPT.         4.0.25       PLAST-DEPT.         4.0.24       PLAST-DEPT.         4.0.25       PLAST-DEPT.         4.0.24       PLAST-DEPT.         4.0.25       PLAST-DEPT.         4.0.24       PLAST-DEPT.         4.0.25       PLOTAL-HRS.         4.0.24       PLAST-DEPAT.         4.0.25       PLOTAL-HRS.         4.1.0       L         4.1.0       L         4.1.10       L         4.1.25       PLACC-COUNT         4.1.26       PLACC-COUNT         4.1.27       PLACC-COUNT         4.1.28       PLACC-COUNT         4.1.29       L         4.1.20       L         4.1.20       L         4.1.20       L         4.1.20       L         4.1.20       L         4.1.20       L					QH I Q	REPEAT	ſ			M S		LS						
4 0 0 5       PI µE SECTION	2 3 4 5 6	7 8 9	10 11 12 13 14 15 16 17 18 19 20 21 22	23 24 25 26 27 28 29 30 31 32 33 34	5 36 37	3 8 3 9 4 0 4 1	424	3 4 4 4	5 46 47 4	18 49 50	515	2 53	54 55 56 57 58 59 60	6 1 6 2 6 3 6 4 6 5 6 6 6 7 6 8 6 9 7 8 7 1 7 2 7 3 7 4 7 5 7 6 7 7 7 8 7				
4010       0UTPUTFLFLES.       0	4000	D.A	TA DIVISION.				1.	$\downarrow \downarrow$		_				an den den annen die sternen oder eine einen den den den der den der				
A 0 1 0       SUMMARY-F1LE       P	4,0,0,5						↓.↓							and the second				
44920       B       SUMMARY-CARD       P       I       I       I         4921       F       LAST~DEPT.       I       I       I       I       I         4921       F       MAR~COURT.       I	4 0 1 0	ΟU	TPUT FILES.		+++	I	$\square$	$\square$										
4.021       F       LAST-DEPT.	4 0 1 5	F,D	SUMMARY~FILE	• • • • • • • • • • • • • • • • • • • •	+++			$\square$				- 4						
4 0 2 2       F       MAX-COUNT.	4 0 2 0	R	$\mathbf{S} \mathbf{U} \mathbf{M} \mathbf{M} \mathbf{A} \mathbf{R} \mathbf{Y} \sim \mathbf{C} \mathbf{A} \mathbf{R} \mathbf{D}$	•	P	+	$\square$		+									
44023       F       ACC~REG~HRS.       9.6.0.V9.B(4)         4.024       F       ACC OT.MRS.       9.939V9.B(5)         4.025       F       TOTAL~HRS.       9.73V9.B(5)         4.100       FD       DMH-REPORT.       9.73V9.B(5)         4.115				4				$\left  \right $										
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$								+		+			9,9,9, B,(	,2,9,),,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
4.0.2.5       F       TOTAL~HRS.       I		F	$\mathbf{A} \mathbf{C} \mathbf{C} \sim \mathbf{R} \mathbf{E} \mathbf{G} \sim \mathbf{H} \mathbf{R} \mathbf{S}$				11						9 ( 6 ) V 9	<u>B_(4_)</u>				
4100       FD       DMH~ REPORT.       P         4100       R       R P~ TITLE       P         4110       L       BBB. "DEPARTMENT MAN HOUR         4110       L       BBB. "DEPARTMENT MAN HOUR         4110       L       BBB. "DEPARTMENT MAN HOUR         4110       L       BG.42). "PAGE"         4120       R       GOL~TITLES         4130       R       COL~TITLES         4135       L       B(7). "DEPT MAN NUMBER NA         4135       L       B(7). "DEPT MAN NUMBER NA         4145       L       B(10). "JOB REGEHRS. OT~IR         4150       R       DEPT.         4160       F       MAN~NBR.         4170       F       JOB-CODE         4171.80       F       REGC-RRS.         4180       F       REGC-RRS.         4180       F       JOB-RCILES.         4500       IDB-RICKET       IDB.         4510       IDB-RICKET       IDB.         4525 </td <td></td> <td>F</td> <td>A C C ~ O T ~ H R S</td> <td></td> <td></td> <td></td> <td>L  </td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>99999V9</td> <td>B(5)</td>		F	A C C ~ O T ~ H R S				L						99999V9	B(5)				
410.3       R       RPT~TJTLE       P       P       P       P         411.0       L       P       P       P       P       P       P         411.0       L       P       P       P       P       P       P         412.0       L       P       P       P       P       P       P       P         412.0       L       P	4 0 2 5	F			+++		++						9 ( 7 ) V 9	B.( 1,2 )				
4110       J       J       BBB. "DEPARTMENT MAN HOUR         41120       L       BBB. "DEPARTMENT MAN HOUR       EPORT"         4120       F       PAGE~COUNT       BBB. "DEPT.         4130       R       COL~TITLES       BBB. "DEPT MAN NUMBER NA         4135       L       B(1)       B(1)       B(1)         4140       B       B(1)       B(1)       B(1)         4140       B       B       B(1)       DEPT MAN NUMBER NA         4143       L       B       B(1)       DEPT MAN NUMBER NA         4145       L       B       B(1)       DEPT MAN NUMBER NA         4145       L       B       B       B(1)       JOB REG~HES OT~HE         4160       F       MAN~NBR       B       B       A(1)       B         41.65       F       NAME       B       A(2)       A(2)       B         41.65       F       NA		$\mathbf{F}_{\mathbf{D}}$	$D,M,H\sim [R,E,P]O,R,T$ .	1					1			. 1	a second					
4.1.15		R	R P T ~ T I T L E		Р													
4 1,20       L       B, (4,2) "PAGE"         4 1,20       COL~TITLES       B, (4,2) "PAGE"         4 1,30       COL~TITLES       B, (4,2) "PAGE"         4 1,30       COL~TITLES       B, (7) "DEPT MAN. NUMBER. NA         4 1,40       B, (7) "DEPT MAN. NUMBER. NA         4 1,50       F         A 1,60       F         4 1,60       F         A 1,61       K, (5,)         A 1,61 <td>4110</td> <td>L</td> <td></td> <td>Lara Calification action</td> <td></td> <td>1</td> <td></td> <td></td> <td>L</td> <td>1</td> <td></td> <td></td> <td>B, B, B,D</td> <td>E, P, A, R, T, M, E, N, T, M, A, N, H, O, U, R</td>	4110	L		Lara Calification action		1			L	1			B, B, B,D	E, P, A, R, T, M, E, N, T, M, A, N, H, O, U, R				
4 1 2 5       F       P A G E ~ COUNT       B Z Z 2 9         4 1 3 5       R       COL~TITLES       B (7). "DEPT MAN. NUMBER. NA         4 1 3 6       L       B (7). "DEPT MAN. NUMBER. NA         4 1 4 5       L       B (18). "JOB. REG~HRS. OT~HR         4 1 5 0       R       DETAIL       P         4 1 6 0       F       DETAIL       P         4 1 6 0       F       MAN~NBR.       A (2,1).         4 1 6 0       F       NAME       A (2,1).         4 1 8 0       F       C (ARS       Z Z.9.         4 1 8 0       F       J J OB~TICKET       J J J J J J J J J J J J J J J J J J J	4115	4.4	a a anno canaca a a anain					ļļ.		1.		. [	EPORT	n der ner er denne och en er				
4 13 0       R       COL~TITLES       B         4 13 0       R       COL~TITLES       B         4 1 3 0       R       B       B       B         4 1 4 0       B       B       B       B       COL~TITLES         4 1 4 0       B       B       B       B       COL~TITLES       B         4 1 4 0       B       B       B       B       COL~TITLES       B         4 1 4 0       B       B       B       B       COL~TITLES       B         4 1 5 0       R       DETAIL       P       B       B       B       COL       COL         4 1 5 0       R       DEPT       W8       B       B       S       COL       COL       COL         4 1 6 0       F       MAME       A       A       COL       X, BB       S       COL       S       COL       S       COL       COL       COL       S       COL       S       COL       S       COL       S       COL       S	4 1,2,0	, L		la non dit non die	111	1			ļ			.	B ( 4 2 )	"_P_A_G_E "				
4135       L       B(7) "DEPT MAN NUMBER NA         4145       L       "         4145       L       "         4150       R       DETAIL       P         4150       R       DETAIL       P         4150       R       DETAIL       P         4150       R       DETAIL       P         4150       R       DEPT.       WS       B(7). XX. BBB.         4160       F       MAN~NBR       N.(.5). B(.6).       A.(.2.1)B.         4160       F       JOB~CODE       N.X. BB.       X.(.5). B.(.6).         41.65       F       NAME.       N.X. BB.       Z.Z., 9. BBB.         41.70       F       JOB~CODE       N.X. BB.       Z.Z., 9. BB.         41.71       F       JOB~CODE       N.X. BB.       Z.Z., 9. B.B.         41.80       F OT~HRS       Z.Z., 9. B.B.       Z.Z., 9. B.B.         41.80       F ODS~FILE.       Y.S. S.       Z.Z., 9. B.B.         45.05       FD JOB~CDET.       Y.S. S.       Z.Z., 9. B.B.         45.18.1       F MAN~NBR       Z.Z., 9. B.B.       Z.Z., 9. B.B.         45.25       F NAME.       Y.S. S.       Y.S. S.         45.35	4 1 2 5	F	PAGE~COUNT										B ZZZ9					
4.14.0	4 1 3 0	R	COL~ TITLES	a construction and a second second second second	$\downarrow$ $\downarrow$ $\downarrow$	1								Annala ay a dara dara dara dara dara dara dar				
4145       I         4150       R         bETAIL       P         4150       R         bEPT       WS         4160       F         MAN~NBR       A         4160       F         MAN~NBR       A         4160       F         MAN~NBR       A         4160       F         MAN~NBR       A         417.0       F         JOB~CODE       X(5), B(6),         41.7.0       F         JOB~CDE       XX, BB         41.7.0       F         JOB~CBLE       XX, BB         41.7.0       F         JOB~CHRS       XX, BB         41.8.0       F         JOB~FILES.       XX, BB         45.0.0       INPUT, FILES.         45.10       R         JOB~TILCKET       XX, BB         45.20       F         DEPT       XX, BB         45.25       F         NAME       XX, BB         45.25       F         NAME       XX, BB         45.20       F         DEPT       XX, B, (7) <td>4135</td> <td>L</td> <td></td> <td></td> <td><math>\downarrow</math> <math>\downarrow</math> <math>\downarrow</math></td> <td>1</td> <td></td> <td></td> <td></td> <td>1.1</td> <td>_</td> <td></td> <td>B.(.7.)".</td> <td>DEPT MAN NUMBER NAM</td>	4135	L			$\downarrow$ $\downarrow$ $\downarrow$	1				1.1	_		B.(.7.)".	DEPT MAN NUMBER NAM				
4.150       R       DETAIL       P       B       B         4.155       F       DEPT       WS       B       B       B       C       S       B       B       C       S       B       B       C       S       S       B       B       C       S       S       C       C       S       B       C       S	4 1 4 0	-	and the stand and and and and and and and and and															
A1555       F       DEPT.       WS       B(7,) XX, BBB.         4160       F       MAN~NBR.       X.(.5), B(.6).       A.(.2.1.)B.         4160       F       JOB~CODE       X.(.5), B(.6).       A.(.2.1.)B.         4170       F       JOB~CODE       X.S.BB.       A.(.2.1.)B.         41170       F       JOB~CODE       X.S.BB.       Z.Z., 9, BB.         41.7.5       F REG~HRS       Z.Z., 9, BB.       Z.Z., 9, BB.         41.80       F       OT~HRS       Z.Z., 9, BB.         41.80       F       OT~HRS       Z.Z., 9, BB.         45.00       INPUT, FILES,       Z.Z., 9, BB.         45.01       NAM~NBR       Z.Z., 9, BB.         45.02       F       JOB~FILE.       Z.Z., 9, BB.         45.10       R       JOB~TICKET.       Z.Z., 9, BB.         45.20       F       DEPT.       X.S.BB.         45.25       F       NAME.       A.(.2.1.).         45.24.5       F       DEPT.       X.S.BB.         45.25       F       NAME.       A.(.2.1.).         45.30       F       DEPT.       X.S.B.(	4145	L		سلاست فراغاته الديم الإرافان والمو									B.( 1.8.)	$" J O B, R E G \sim H R S, O T \sim H R S$				
A 1 5 5       F       DE P.T	4 1 5 0	R	DETALL		P													
41.6.5       F       NAME       A.(.2.1.)B.         41.7.0       F       JOB~CODE       XX.BB.         41.7.0       F       JOB~CODE       XX.BB.         41.7.0       F       JOB~CODE       XX.BB.         41.7.0       F       JOB~CODE       XX.BB.         41.8.0       F       OT~HRS       Z.Z.9         41.8.0       F       OT~HRS       Z.Z.9         45.0.0       INPUT.FILES.       Z.Z.9       Z.Z.9         45.0.1       R       JOB~TICKET       Z.Z.9         45.1.0       R       JOB~TICKET       Z.Z.9         45.1.1       P       DE.T       X.(.5.)         45.2.0       F       DE.P.T       X.(.5.)         45.2.0       F       DE.P.T       X.X.BB.         45.2.1       F       NAME       A.(.2.1.)         45.3.5       F       <	4 1 5 5	F	D,E,P,T										B ( 7 ) X	X, B,B,B				
41.7.0       F       JOB~.CO.D.E.       XX. B.B.         41.7.5       F       REG~.HR.S.       Z.Z., 9         41.8.0       F       OT~.HR.S.       Z.Z., 9         45.0.0       I.N.PUT.FILES       Z.Z., 9         45.0.5       FD       JOB~.FILE       Z.Z., 9         45.0.5       FD       JOB~.FILE       Z.Z., 9         45.0.5       FD       JOB~.TLCKET.       Z.Z., 9         45.1.5       F       MAN~NBR.       XX. BB.         45.2.5       F       DEPT.       XX. BB.         45.3.0       F       JOB~.CO.D.E.       XX. BB.         45.3.0       F       JOB~.CO.D.E.       XX. BB.         45.3.3       F       R.G~.HRS.       XX. BB.         45.3.4       F       NAME.       XX. B.C.         45.3.5       F       R.E.       XX. B.C.         45.3.6       F       JOB~.CO.D.E.       XX. B.C.         45.3.6       F       R.E.       JOS X. B.C.         5.0.0       WORKING~STORAGE       SECT.IO.N.       JOS Y. B.G.J.A.         5.0.1.5       F       A.C.C. REG~.HRS.       JOS Y. B.G.Y.         5.0.1.5       F       A.C.C.OU.N.T. <t< td=""><td>4 1 6 0</td><td>F</td><td><math>\mathbf{M}, \mathbf{A}, \mathbf{N} \sim \mathbf{N}, \mathbf{B}, \mathbf{R}</math></td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>. 1</td><td>X ( 5 ) B</td><td>( _6 _ )</td></t<>	4 1 6 0	F	$\mathbf{M}, \mathbf{A}, \mathbf{N} \sim \mathbf{N}, \mathbf{B}, \mathbf{R}$	1								. 1	X ( 5 ) B	( _6 _ )				
4.1.7.0        J. OB~, C.O.D.E.       XX. B.B.         4.1.7.5          Z.Z., 9       B.B.B.         4.1.7.5          Z.Z., 9       B.B.B.         4.1.8.0          Z.Z., 9       B.B.B.         4.1.8.0       F       O.T~ HRS        Z.Z., 9       Z.Z., 9         4.5.0.0       I.N.PUT.FILES         Z.Z., 9          4.5.0.0       F.D.JOB~FILE         Z.Z., 9          4.5.0.0       R.JOB~TILCKET.         P           4.5.1.0       R.JOB~C.O.D.E.         Y.(5,)       X.(5,)         4.5.2.5       F       NAME.         X.X. B.B.         4.5.2.5       F       NAME.         X.X. B.M.         4.5.2.5       F       NAME.         X.X. B.M.         4.5.3.0       F       J.O.C.O.D.E.        X.X. B.          4.5.4.0       F       O.T~ HRS.	4,1,6,5	F	NAME								_		A.(.2,1.),B					
4180       F       0.7~HRS       2.Z.9         4500       INPUT.FILES.       2.2.9         4500       JOB~FILES.       1.1.1         4505       FD       JOB~FILE.       1.1.1         4510       R       JOB~FILE.       1.1.1         4513       F       MAN~NBR       1.1.1         4525       F       DEPT.       1.1.1         4525       F       NAME.       1.1.1         45335       F       NECODE.       1.1.1         45335       F       NAME.       1.1.1         45335       F       NAME.       1.1.1         45335       F       REG~HRS.       1.1.1         45336       F       OB~CODE.       1.1.1         45340       F       OT~HRS.       9.9.9.V.9         4540       F       OT~HRS.       9.9.V.9         4540       F       OT~HRS.       9.9.V.9         5000       WORKING~STORAGE       SECTION.       9.9.V.9         5010       F       AAN~COUNT.       9.9.9.V.9         5010       F       ACC~OT~HRS.       9.9.9.V.9         5.020       F       TOTAL~HRS.       9.9.9.9.V.9      <	4,1,7,0												хх вв					
4180       F       0.7~HRS       2.Z.9         4500       INPUT.FILES.       2.2.9         4500       JOB~FILES.       1.1.1         4505       FD       JOB~FILE.       1.1.1         4510       R       JOB~FILE.       1.1.1         4513       F       MAN~NBR       1.1.1         4525       F       DEPT.       1.1.1         4525       F       NAME.       1.1.1         45335       F       NECODE.       1.1.1         45335       F       NAME.       1.1.1         45335       F       NAME.       1.1.1         45335       F       REG~HRS.       1.1.1         45336       F       OB~CODE.       1.1.1         45340       F       OT~HRS.       9.9.9.V.9         4540       F       OT~HRS.       9.9.V.9         4540       F       OT~HRS.       9.9.V.9         5000       WORKING~STORAGE       SECTION.       9.9.V.9         5010       F       AAN~COUNT.       9.9.9.V.9         5010       F       ACC~OT~HRS.       9.9.9.V.9         5.020       F       TOTAL~HRS.       9.9.9.9.V.9      <	4 1 7 5	F	$\mathbf{R} \in \mathbf{G} \sim \mathbf{H} \mathbf{R} \mathbf{S}$									,	ZZZ.9	B B B				
4.5.0.0       INPUT.FILES.       InPUT.FILES.       InPUT.FILES.         4.5.0.0       JOB~FILE.       JOB~TILCKET.       InPUT.FILES.         4.5.1.0       R       JOB~TILCKET.       InPUT.FILES.         4.5.1.0       R       JOB~TILCKET.       InPUT.FILES.         4.5.1.0       R       JOB~TILCKET.       InPUT.FILES.         4.5.1.0       R       JOB~TILCKET.       InPUT.FILES.         4.5.1.0       F       MAN~NBR.       InPUT.FILES.         4.5.1.0       F       MAN~NBR.       InPUT.FILES.         4.5.1.0       F       MAN~NBR.       InPUT.FILES.         4.5.2.0       F       DEP.T.       InPUT.FILES.         4.5.2.0       F       DE.OC.D.E.       InPUT.FILES.         4.5.2.0       F       NAME.       InPUT.FILES.         4.5.3.0       F       DE.OC.D.E.       InPUT.FILES.         4.5.4.0       F       OT~HRS.       InPUT.FILES.         4.5.4.0       F       OT~HRS.       InPUT.FILES.         5.0.0.5       F       MAN~COUNT.       InPUT.FILES.         5.0.0.5       F       MAN~COUNT.       InPUT.FILES.         5.0.1.0       F       ACC~OT~HRS.       InPUT.FILES.																		
4.5.0.5       FD       JOB~F,I,L,E,         4.5.1.0       R       JOB~T,I,C,K,E,T         4.5.1.5       F       MAN~NBR         4.5.2.0       F       DEP.T         4.5.2.5       F       DAME         4.5.2.5       F       NAME         4.5.2.5       F       NAME         4.5.2.6       F       DEP.T         4.5.2.5       F       NAME         4.5.2.6       F       NAME         4.5.2.5       F       NAME         4.5.2.6       F       DEP.T         4.5.2.7       JOB~CODE       NAME         4.5.2.6       F       NAME         4.5.2.6       F       NAME         4.5.2.7       JOB~CODE       NAME         4.5.2.6       F       NAME         4.5.2.7       F       NAME         4.5.3.0       F       JOB~CODE         4.5.3.0       F       JOB~CODE         5.0.0       F       MAN~COUNT         5.0.0.5       F       MAN~COUNT         5.0.1.0       F       ACC~REG~HRS         5.0.2.0       F       ACC~OT~HRS         5.0.2.1       F       ACC~OT~	4 5 0 0	INI	UT FILES.	1				П					1					
4.5.1.0       R       JOB~T,I,C,K,E,T,       , , , , , , , , , , , , , , , , , , ,								Π				T						
4.5.1.5       F       MAN,~N, B.R.       X, (,5,),         4.5.2.0       F       DE,P.T.       X, B.R.         4.5.2.5       F       NAM, E.       A. (,2,1,),         4.5.3.0       F       JOB~, CO, D, E.       A. (,2,1,),         4.5.3.5       F       R, E, G~, H, R.S.       A. (,2,1,),         4.5.3.5       F       R, E, G~, H, R.S.       A. (,2,1,),         4.5.3.6       F       O, T, A, R, S.       A. (,2,1,),         4.5.3.6       F       O, T, A, R, S.       A. (,2,1,),         4.5.4.0       F       O, T, A, R, S.       A. (,2,1,),         5.0.0.0       W, O, R, K, I, N, G, N, S, T, O, R, A, G, E       S, E, C, T, I, O, N,.       A. (,2,1,),         5.0.0.5       F       M, AN~, C, O, U, N, T.       A. (,2,1,),       A. (,2,1,),         5.0.10       F       A, C, C, ~, R, E, G, ~, H, R, S,       B, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9, 9,		1 T		1	Р			Π			T							
4.5.2.0       F       DE.P.T.       XX, BB.         4.5.2.5       F       NAME.       A (21)         4.5.3.0       F       JOB~CODE.       A (21)         4.5.3.0       F       JOB~CODE.       XX, BG.         4.5.3.0       F       REG~HRS.       99.99.9.9.         4.5.4.0       F       OT~HRS.       99.9.9.9.         5.0.0       WORKING~STORAGE       SECTION.       99.9.9.9.         5.0.0.5       F       MAN~COUNT.       99.9.9.         5.0.10       F       A C~OT~HRS.       99.9.9.         5.0.10       F       A C~OT~HRS.       99.9.9.9.         5.0.20       F       TOTAL~HRS.       99.9.9.9.         5.0.20       F       A C~OT~HRS.       99.9.9.9.         5.0.20       F       PAGE~COUNT.       99.9.9.9.         5.0.20       F       PAGE~COUNT.       99.9.9.9.         5.0.25       F       PAGE~COUNT.       99.9.9.9.         5.0.35       F       DEPT.       XX.		1											X ( 5 )					
4.5.2.5         A.(., 2, 1, )         4.5.3.5          A.(., 2, 1, )         4.5.3.5           A.(., 2, 1, )         4.5.3.5           A.(., 2, 1, )         4.5.3.5           A.(., 2, 1, )         4.5.3.5           A.(., 2, 1, )         4.5.3.5           A.(., 2, 1, )         4.5.3.5           A.(., 2, 1, )         4.5.3.5              5.0.0       WORKING~S.TORAGE       SECTION.           5.0.0.5        MAN~COUNT.           5.0.10       F       A.C.C.~REG~HRS.            5.0.10       F       A.C.C.~REG~HRS.            5.0.2.0       F       T.O.T.A.L.~HRS.            5.0.2.0       F       P.A.G.C.C.OUNT.		1											ХХ ВВ					
.4,5,3,0       .F       JOB~CODE       XX, B(,7)         .4,5,3,5       .F       R.E.G~HRS       9,9,9,9,9         .4,5,4,0       .F       OT~HRS       9,9,9,9,9         .4,5,4,0       .F       OT~HRS       9,9,0,9,8,(3,4,)         .5,0,0,0       WORKING~S, TORAGE       SECTION.       9,9,9,9         .5,0,0,0       WORKING~S, TORAGE       SECTION.       9,9,9         .5,0,1,0       .F       MAN~COUNT.       9,9,9         .5,0,1,0       .F       ACC~REG~HRS       9,9,9         .5,0,1,0       .F       ACC~OT~HRS       9,9,9         .5,0,1,0       .F       ACC~OT~HRS       9,9,9         .5,0,2,0       .F       TOTAL~HRS       9,9,9,9         .5,0,2,0       .F       TOTAL~HRS       9,9,9,9,9         .5,0,2,0       .F       TOTAL~HRS       9,9,9,9,9         .5,0,2,0       .F       TOTAL~HRS       9,9,9,9,9         .5,0,2,0       .F       TOTAL~HRS       9,9,9,9,9         .5,0,2,0       .F       PAGE~COUNT       9,9,9,9,9         .5,0,3,0       .F       LAST~DEPT																		
45,35       .F       R.E.G.~.H.R.S.       9,9,9,0,9,													XX B(7	)				
45,40       F       OT~.HRS.       9.9.V.9. B.(3.4.)         50,00       WORKING~STORAGE       SECTION.       9.9.V.9. B.(3.4.)         50,05       F       MAN~COUNT.       9.9.9.         50,10       F       ACC~REG~HRS.       9.(6.) V.9.         50,10       F       ACC~OT~HRS.       9.9.9.         50,15       F       ACC~OT~HRS.       9.9.9.V.9.         50,20       F       TOTAL~HRS.       9.9.9.V.9.         50,20       F       TOTAL~HRS.       9.9.9.V.9.         50,20       F       TOTAL~HRS.       9.9.9.9.V.9.         50,30       F       AGE~COUNT.       9.9.9.9.         50,33       F       DEPT.       XX.		I I									1							
5 0 0 0       WORK KING~STORAGE       SECTION.         5 0 0 0       F       MAN~COUNT.       9.9.9.         5 0 1 0       F       ACC~REG~HRS.       9.(.6.) V.9.         5 0 1 0       F       ACC~OT~HRS.       9.9.9.9. V.9.         5 0 2 0       F       TOTAL~HRS.       9.9.9.9. V.9.         5 0 3 0       F       DAGE~COUNT.       9.9.9.9. V.9.         5 0 3 0       F       LAST~DEPT.       Y.X.         5 0 3 5       F       DEPT.       XX.					TT													
5 0.0.5       .F       M.AN~COUNT.       9.9.9.         5 0.1.0       .F       A.C.C~REG~HRS.       9.(.6.).V.9.         5.0.15       .F       A.C.C~OT~HRS.       9.9.9.V.9.         5.0.2.0       .F       T.O.T.A.L~HRS.       9.9.9.9.V.9.         5.0.2.5       .F       P.A.G.E~COUNT.       9.9.9.9.V.9.         5.0.3.0       .F       LAS.T~DEP.T       Y.X.X.         5.0.3.5       .F       D.E.P.T       X.X.																		
.5 0.1 0       .F       A.C.C.~ R.E.G.~, H.R.S.       9,(.6,), V.9,         .5 0.1 5       .F       A.C.C.~ O.T.~, H.R.S.       9,9.9.9, V.9,         .5 0.2 0       .F       T.O.T.A.L.~, H.R.S.       9,1.7,), V.9,         .5 0.3 0       .F       P.A.G.E.~.CO.U.N.T.       9,9.9,9.9,         .5 0.3 0       .F       LAS.T.~ D.E.P.T.       X.X.								$\square$										
5.0.1.5       F       A.C.C.~O.T.~, H.R.S.       9.9.9.9, V.9         5.0.2.0       F       T.O.T.A.L.~, H.R.S.       9.(.7.), V.9.         5.0.2.5       F       P.A.G.E.~C.O.U.N.T.       9.9.9.9, V.9         5.0.3.0       F       LA.S.T.~D.E.P.T.       Yestimetry         5.0.3.5       F       D.E.P.T.       Yestimetry					111													
5,0,2,0       ,F       T.O.T.A.L.~H.R.S.       9,(.7.), V.9.         5,0,2,5       ,F       P.A.G.E.~C.O.U.N.T.       9,9,9,9,9         5,0,3,0       ,F       L.A.S.T.~D.E.P.T.       X.X.         5,0,3,5       ,F       D.E.P.T.       X.X.		1																
5.0,2.5       ,F       PA.G.E.~C.O.U.N.T.       9,9,9,9,9         5.0,3.0       ,F       LAS.T.~D.E.P.T.       XX.         5.0,3.5       ,F       D.E.P.T.       XX.					†††			11	1			t						
5.0.3.0       F       LAST ~ D.E.P.T.       XX.         5.0.3.5       F       D.E.P.T.       XX.					†††		1			1 1	1	1	1					
5,03,5 F D.E.P.T				<b>*</b>						1 1	+	1						
				<b>*</b> ***********************************		1				1 1	+	1						
				3 2 4 2 5 2 6 2 7 2 8 2 9 3 0 3 1 3 2 3 3 3 4 3	36 37 3	8 3 9 4 0 4 1	42 43	4 4 4 5	46 47 4	8 4 9 5 0	5152	53 5	5 4 5 5 5 6 5 7 5 8 5 9 6 0	61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 75				

Figure 32. Job Ticket Summary Data Division






Conditions

Actions

Figure 23. Decision Table Format

GE- 225









# GENERAL 🍘 ELECTRIC

COMPUTER DEPARTMENT, PHOENIX, ARIZONA

#### GENERAL COMPILER SENTENCE FORM

ROGRAM	SAM	PLE DE	CIS	ION TABLE									DA	TE				-
ROGRAMMER									COMPUTER				P	GE				
SEQUENCE NUMBER																		
2 3 4 5 6 7	8 9 10 11	12 13 14 15	16 17	18 19 20 21 22 23 24	25 26 27 2	28 29 30 31 32 33 34 35	36 37 38	39 40 41 42 43 44 45	46 47 48 49	50 51 52 53	54 55	56 57 58	59 60 61	62 63 64 6	5 66 67 68	69 70 71	72 73 74	75 76 77 78 79 1
5	PROC	EDUR	E	$\mathbf{D}_{\mathbf{I}}\mathbf{I}_{\mathbf{V}}\mathbf{V}_{\mathbf{I}}\mathbf{I}_{\mathbf{S}}\mathbf{S}_{\mathbf{I}}\mathbf{I}_{\mathbf{O}}\mathbf{S}$	И									and the de		i i		
, , , , 1 , 0		OPEN	,I	$\mathbf{N}_{\mathbf{I}} \mathbf{P}_{\mathbf{I}} \mathbf{U}_{\mathbf{I}} \mathbf{T}_{\mathbf{I}} \mathbf{M}_{\mathbf{I}} \mathbf{A}_{\mathbf{I}}$	ST,E,I	$R \sim F I L E$ .							+					
1_5	G,E,T~	RECO	RD	$\mathbf{R} \mathbf{E} \mathbf{A} \mathbf{D}$	MAS	Γ, <u>Ε, </u> Ε, <u>Γ</u> , Ι, <u>Ι</u> , Ε	RE	CORD IF	END	FIL	E	GLO	TO	END	RUN		<u> </u>	
, ,2,0		I, F, F	E M	ALE GO	ro o	G.ET~R.EC.O	RD.							to be a large		1 . I	L	
2,5		EXPE	RL	$\mathbf{E}_{\mathbf{N}}\mathbf{C}_{\mathbf{E}}\mathbf{E}_{\mathbf{I}}=-6$	1	YR~EMPL	OY E	$\mathbf{D}_{i-1+\cdots} = \mathbf{P}_{i}\mathbf{R}_{i}\mathbf{E}$	V∼E,X.	P	have been set		to boot a	1		l	hand and and the	المرد المراجع المراجع
				ten ten ten ten ten ten t		·····			- bask - to b								L_1_1_	
3 0	$\mathbf{T}_{1}\mathbf{A}\mathbf{B}_{1}\mathbf{L}$	<b>E</b> , <b>E</b> , <b>X</b>	АМ	P.L.E. 3		D, I, T, I, O, N, S,	2 A	C, T, I, O, N, S,	5, <b>R</b> ,O,V	<u>ws</u> .		łł	i i	1			•	المساب السرواب
													ي في ال	<u> </u>	_			
3 5	LEV	EL E	Q	EXPERIE	NC.E.		ТІТ	L.E.,		Ι.	.G	О. Т	0			<u> </u>	- I-land	
4.0		6,		E,Q,2		PROGRAM	ME R			1	Т	YPE	~0 U	Ţ <b>T</b>		1. 1		
4.5		7		E,Q,3,		PROGRAM	<u>M E R</u>		LYST	.2		••				L.L.L		فيرفين المتعقب
5.0		8				ANALYST				3						•		
5 . 5		9.		G_R4		ANALYST	OR	S.R. A.NA	LYST	4							ا الم الم	المحالية والمحالية
6_0		1.0		G_R4	_	$S_{1}R_{1}$ , $A_{1}N_{1}A_{1}L_{2}$	Y, S, T			5						L	1_1_1_1_I	<u></u>
							ll	<u>↓↓_↓↓↓</u>				J	• I			L	L	
6_5		G <sub>i</sub> O <sub>i</sub> T	0	$G_ET \sim R_EC$	OR,D	<u> </u>	- i									ILH	1 Ii L	
, , ,7,0	T,Y,P,E	~.O.U.T		WRITE D	EP.A	RTME, N.T.	AM E	$\mathbf{T}_{1}\mathbf{I}_{1}\mathbf{T}_{1}\mathbf{L}_{1}\mathbf{E}_{1}$	LEVE	L_EX	ΓP,E	RIE	NC		T.Y.J	PE.WR	$I_{1}T_{1}E$	R.,
7 .5		TOTA	L. (	$\mathbf{I}$ , ), $=$ $\mathbf{T}_{\mathbf{O}}$	TAL	(, I, ),+,1	·	·					ما المسالم الم			<u> </u>	<u> </u>	
0, 8, 1		<u>G</u> O, T	9	$G_{i}E_{j}T_{i}\sim R_{i}E_{i}C_{i}$	ORD	•		L								<u> </u>		
	E.N.D.~	RUN.	L'C	$\mathbf{L}, \mathbf{O}, \mathbf{S}, \mathbf{E}, \mathbf{M}, \mathbf{A},$	ST,E	$\mathbf{R} \sim \mathbf{F} \mathbf{I} \mathbf{L} \mathbf{E}$				i,t	++						4	
	<u> </u>	WR LT	E	T.O.T.A.L. ( , 1	) <u> </u>	O, T, A, L, (, 2, ),	T.O.T	A.L.(,3,), T	O.T.A.L.	( 4, )	ТO	T <sub>I</sub> A <sub>I</sub> L	, ( 5	), ,O,N,	T.Y.J	P.E.W.F	L.T.E.	R
95	$\mathbf{I}_{++++}$	S T O P	<b>/</b> _+"	END RUN	<u></u>	··· <del>· · · · · · · · · · · · · · · · · </del>	+ + + + + + + + + + + + + + + + + + +	┼╌┼╶╂╌╋╌╋		-+-+-+-	┿╍┽┨		+++	+-+-+ +	- <b> </b>  -+	+ + + + + - + - + - + - + - + - + - + -	+ + + + +	
1 2 3 4 5 6 CA 13 (10/61)	7 8 9 10 11	12 13 14 15	16 17	18 19 20 21 22 23 24	25 26 27	28 29 30 31 32 33 34 35	36 37 38	39 40 41 42 43 44 45	46 47 48 49	50 51 52 53	54 55	56 57 58	8 59 60 6	1 62 63 64	65 66 67 6	8 69 70 71	72 73 74	75 76 77 78 79







# APPLICATION OF BASIC GECOM

#### GENERAL

To more closely relate the use of the GECOM system to actual applications, the following pages carry a sample problem through the programming process. Although not all of the capabilities of Basic GECOM are exercised, enough material is presented to provide perspective and insight into the scope of GECOM.

First, the problem is presented and the objective is defined.

Second, the procedure to be followed is outlined, the required inputs and desired outputs are identified, and a flow chart is prepared.

Third, the source program is produced. Each of the four divisions of the GECOM source program are illustrated and discussed where appropriate. The compilations and debugging of the object program, performed on the GE-225, are not covered in detail. Procedures for compilation are fully discussed in the GE-225 GECOM Operations Manual, CD 225H1.

Finally, the outputs of the compilation process, the Edited List and the object program, are presented and discussed.

#### **DEFINING THE PROBLEM**

The sample problem selected involves a typical manufacturing plant that uses job ticket records for each employee to produce time and job accounting data. Assuming that the individual Job Ticket Records follow the format illustrated in Figure 25, the problem is to prepare a program that will produce two outputs:

1. A punched card summary record for each department, showing the:

Department Number Number of Men Accumulated Regular Hours Accumulated Overtime Hours Total Hours

2. A printed report providing, by department and man number, this information for each man:

Department Number Man Number Name Job Regular Hours Overtime Hours

Figure 26 shows a representative punched card summary record, while Figure 27 shows the desired printed report.

In an actual application, it is quite possible that the input data (the Job Ticket Record) and the desired outputs (the Job Ticket Summary and the Department Man Hour Report) would not already be defined. The problem might be as informally stated as, "we need to know what our people are doing and how long it takes to do it."

In these circumstances, the problem would also entail determining what input data is needed, how to collect it, and how to record it for computer input. It would also be necessary to determine (more precisely than the quoted problem states) what output is desired and what form and organization it should follow.

Here, these preliminary decisions have been made. It remains for the programmer to document the process to be performed by the data processor, detail the procedure the program must follow (via a flow chart), and prepare the source program.

#### PLOTTING THE SOLUTION


In the sample problem, documenting the process involves little more than translating the problem statement into a diagram. The input is already defined; the purpose of the program has been stated; and the desired outputs have been described. Graphically the process chart appears as shown in Figure 28.


A more realistic application might involve several inputs and outputs via several media. Additionally, multiple "runs" or processes by the data processor



DEPT	MAN NUMBER	NAME	JOB	REG-HRS	OT-HRS	
20	10076	FIELY, CR	75	40.0	4.2	
	18270	JOHNSON, HA	82	40.0	6.4	
	28883	RANGEL, MM	17	40.0	8.6	
	30106	STRONG, AB	24	40.0	8.8	
	35596	HAYS, ER	33	40.0	2.0	

Figure 27. Department Man Hour Report







I

1


1


÷,

¥

DEPT	MAN NUMBER	NAME	JOB	REG-HRS	OT-HRS	
20	10076	FIELY, CR	75	40.0	4.2	
	18270	JOHNSON, HA	82	40.0	6.4	
	28883	RANGEL, MM	17	40.0	8.6	
	30106	STRONG, AB	24	40.0	8.8	
	35596	HAYS, ER	33	40.0	2.0	

Figure 27. Department Man Hour Report







Г

1

)

₽,

¥

## APPLICATION OF BASIC GECOM

#### GENERAL

To more closely relate the use of the GECOM system to actual applications, the following pages carry a sample problem through the programming process. Although not all of the capabilities of Basic GECOM are exercised, enough material is presented to provide perspective and insight into the scope of GECOM.

First, the problem is presented and the objective is defined.

Second, the procedure to be followed is outlined, the required inputs and desired outputs are identified, and a flow chart is prepared.

Third, the source program is produced. Each of the four divisions of the GECOM source program are illustrated and discussed where appropriate. The compilations and debugging of the object program, performed on the GE-225, are not covered in detail. Procedures for compilation are fully discussed in the GE-225 GECOM Operations Manual, CD 225H1.

Finally, the outputs of the compilation process, the Edited List and the object program, are presented and discussed.

#### **DEFINING THE PROBLEM**

The sample problem selected involves a typical manufacturing plant that uses job ticket records for each employee to produce time and job accounting data. Assuming that the individual Job Ticket Records follow the format illustrated in Figure 25, the problem is to prepare a program that will produce two outputs:

1. A punched card summary record for each department, showing the:

Department Number Number of Men Accumulated Regular Hours Accuumulated Overtime Hours Total Hours

2. A printed report providing, by department and man number, this information for each man:

Department Number Man Number Name Job Regular Hours Overtime Hours

Figure 26 shows a representative punched card summary record, while Figure 27 shows the desired printed report.

In an actual application, it is quite possible that the input data (the Job Ticket Record) and the desired outputs (the Job Ticket Summary and the Department Man Hour Report) would not already be defined. The problem might be as informally stated as, "we need to know what our people are doing and how long it takes to do it."

In these circumstances, the problem would also entail determining what input data is needed, how to collect it, and how to record it for computer input. It would also be necessary to determine (more precisely than the quoted problem states) what output is desired and what form and organization it should follow.

Here, these preliminary decisions have been made. It remains for the programmer to document the process to be performed by the data processor, detail the procedure the program must follow (via a flow chart), and prepare the source program.

#### PLOTTING THE SOLUTION

In the sample problem, documenting the process involves little more than translating the problem statement into a diagram. The input is already defined; the purpose of the program has been stated; and the desired outputs have been described. Graphically the process chart appears as shown in Figure 28.

A more realistic application might involve several inputs and outputs via several media. Additionally, multiple "runs" or processes by the data processor






Figure 29. Job Ticket Summary Flow Chart


GE-225

# GENERAL 🍘 ELECTRIC

COMPUTER DEPARTMENT, PHOENIX, ARIZONA


GENERAL COMPILER SENTENCE FORM

PROGRAM	SAM	IPLE DI	CIS	ION TABL	E										D	ATE			····· •	
ROGRAMMER	01110				<u> </u>					c	OMPUTER				P	AGE			• •	
SEQUENCE NUMBER																				
1 2 3 4 5 6	7 8 9 10 11	12 13 14 15	16 17	18 19 20 21 22	23 24 25	26 27 28	3 29 30 31 32 33 34 3	36 37 38 3	7 40 41 42 43 44	45 46 47	48 49 50	51 52 53	54 55	56 57 58	59 60 61	62 63	64 65	66 67 68 69 70 71	72 73 74 7	5 76 77 78 79
				DIVIS		• • •			····											
1,0						T,E,R	г~ F.I.L.E.													
,1,5	G,E,T~	RECO	RD	$\mathbf{R}_{\mathbf{E}}\mathbf{A}$	D, M	A <sub>I</sub> S <sub>.</sub> T	. E.R.~, F. I.L. I	EREC	CORD I	F _E	N.D.	F.I.L	E	GO	T O	$\mathbf{E}_{1}\mathbf{N}_{2}$	D~	R.U.N.		
2 0		I, F, F	EM		от	0, _G												the trade of the tar	1	- <b>i</b>
2,5		EXPE	RI	$\mathbf{E}_{\mathbf{N}}\mathbf{C}_{\mathbf{E}}\mathbf{E}_{\mathbf{E}} = \mathbf{E}_{\mathbf{E}}$	6.1		YR~EMP.	OYEI	$\mathbf{D}_{i+1} = \mathbf{P}_{i}\mathbf{R}_{i}$	E V∼	EXP				i	, I. I.				
				4 4 4 1 1 1	le i		<u> </u>		- I - I						L					
3,0	$\mathbf{T}_{i}\mathbf{A}_{i}\mathbf{B}_{i}\mathbf{L}$	E E X	A,M	P.L.E.	3C	O,N,D	, I, T, I , O, N, S,	2, A,C		5	ROW	/S						and and a braders		
											Laure Laure La									
3.5	L.E.V	EL E	Q	$\mathbf{E}_{\mathbf{A}} \mathbf{X}_{\mathbf{A}} \mathbf{P}_{\mathbf{A}} \mathbf{E} \mathbf{R}_{\mathbf{A}}$	I.E.N	$\mathbf{C}_{i}\mathbf{E}_{i}$	territoritoritoritoritoritori	TITI	<u> </u>		1 L	I.	.G	0 Т	0				1. 1. J	- I - I - I -
4.0		6		E Q	.2.	_ 1 _ 1	PROGRAI	MER				1	Ţ	ΥΡΕ	~0 U	J <sub>,</sub> T				
4_5		7		, E Q	, <b>3</b> ,		P, R, O, G, R, A, I	MER	OR AN	ALY	ST.	2		••					ا و اور ا	
0		8			3		A.N.A.L.Y.S.	<b>р</b>				.3		''						- tlead- t-
,5,5		9			4		$\mathbf{A} \mathbf{N} \mathbf{A} \mathbf{L} \mathbf{Y} \mathbf{S}$		SR.AN	ALY	S.T.	4				<b>L</b>				ماريا المراجع
		1.0		G R	.4.		$S_{\mathbf{R}}$	Y.S.T.		_		5		· · · · ·						
	-	<b>_</b>				L			I I I I I I I I I I I I I I I I I I I						• • • • •	-444		<b></b>		
6 ,5		GO T	0		E,C,O	$\mathbf{R}_{\mathbf{D}_{\mathbf{D}}}$					<u> </u>	i				I I			لو ز ال	
0, 7, 1	T,Y,P,F		<b>1</b>	WRITE	D E	$\mathbf{P}_{\mathbf{A}}\mathbf{H}$	RTMENT		$\mathbf{T}_{\mathbf{I}} \mathbf{I}_{\mathbf{I}} \mathbf{T}_{\mathbf{L}} \mathbf{L}_{\mathbf{I}} \mathbf{E}$	LE	$\mathbf{V}_{+}\mathbf{E}_{+}\mathbf{I}$	EX	$\mathbf{P}_{\mathbf{F}}$	RIE	N,C, J	E_,O,	N	TY PE WI	RITE	B.,
							, (, I, ), +, ,	<b>1</b>		·			·				L			
0, 8, 1				$G E T \sim R$				+			1 . I		1				LL			
	E_N_D_						$R \sim F_I L E$ .						L				L			
						T_(	$D_1 T_1 A_1 L_{(12)}$	T.O.T.	A, L, (, 3, ),	TOT	AL	(4)	<u>О, Т.</u>	T,A,L	. (, 5,	)0	N,	TYPEWI	<u>r i t e</u> .	R
95	7 8 9 10 1	STOF		END R		26 27 2	8 29 30 31 32 33 34	35 36 37 38 3	9 40 41 42 43 44	45 46 4	48 49 5	0 51 52 53	54 55	56 57 58	8 59 60 4	1 67 63	64 65	66 67 68 69 70 7	1 72 73 74	75 76 77 78 7
CA 13 (10/61)				1							1.01-1.1.9	· · · · · · · · · · · · · · · · · · ·	1 3 1 3 3		1371001	02 03			. [,4] /3] /4]	





GE-225



Conditions

Actions

Figure 23. Decision Table Format

GE-225-



COMPUTER DEPARTMENT, PHOENIX, ARIZONA

GENERAL COMPILER DATA DIVISION FORM

JOB	TICK	ET SUMMARY (JTS)							OMPUT			PAGE OF
ROGRAMMER G.	E. CO	DDER		<del></del>	_			ſ			_	1 OF
SEQUENCE NUMBER		DATA NAME	QUALIFIER	OR H	REPEAT		0.00		POS		-	DATA INAGE
2 3 4 5 6 7	8 9	10 11 12 13 14 15 16 17 18 19 20 21 22	23 24 25 26 27 28 29 30 31 32 33 34 3	5 3 6 3 7 3	18 39 40 41	4243	44 4	5 4 6 4 7 4	8 4 9 5 0	51525	3 5 4	4 5 5 5 6 5 7 5 8 5 9 6 0 6 1 6 2 6 3 6 4 6 5 6 6 6 7 6 8 6 9 7 0 7 1 7 2 7 3 7 4 7 5 7 6 7 7 7 8 ·
4000	DA	TA DIVISION.										
4 0 0 5		LE SECTION.										
4 0 1 0	OU	TPUT FILES.									Τ	
4.0.1.5	F.D	SUMMARY~FILE		Ш		ПТ					Γ	
4020	R	SUMMARY~CARD		P							Γ	
4 0 2 1	F	$\mathbf{L}_{\mathbf{A}}\mathbf{S}_{\mathbf{A}}\mathbf{T} \sim \mathbf{D}_{\mathbf{A}}\mathbf{E}_{\mathbf{A}}\mathbf{P}_{\mathbf{A}}\mathbf{T}_{\mathbf{A}}$										X,X, B,(,5)
4022	F	$\mathbf{M} \mathbf{A} \mathbf{N} \sim \mathbf{C} \mathbf{O} \mathbf{U} \mathbf{N} \mathbf{T}$	A REAL PROPERTY AND A REAL							1.		9,9,9, B,(,2,9,)
4023	F	ACC~REG~HRS										9, (, 6, ), V, 9, B, (, 4, )
4 0 2 4	F	$A C C \sim O T \sim H R S$										9999V9 B(5)
4 0 2 5	F	TOTAL~HRS										9 (7) V 9 B (12)
4 1 0 0	FD	$\mathbf{D} \mathbf{M} \mathbf{H} \sim \mathbf{R} \mathbf{E} \mathbf{P} \mathbf{O} \mathbf{R} \mathbf{T}$			Ι					Ι.	Π	
4 1 0 5	R	$\mathbf{R}, \mathbf{P}, \mathbf{T} \sim \mathbf{T}, \mathbf{I}, \mathbf{T}, \mathbf{L}, \mathbf{E}$		P								
4 1 1 0	L								111		11	B, B, B, ", D, E, P, A, R, T, M, E, N, T, M, A, N, H, O, U, R,
4 1 1 5	1.1											EPORT"
4 1 2 0	L											B.( 4.2.) "P.A.G.E."
1.1.2.5	F	PAGE~COUNT								1		B. Z.Z. Z.9
4130	R	COLTITLES										
4135	L						1					B(7) "DEPT MAN NUMBER NA.
4 1 4 0 ~								1			11	
4145	L		1			11				1	11	$\mathbf{B}(1,8)$ , $\mathbf{J}$ , $\mathbf{O}$ , $\mathbf{B}$ , $\mathbf{R}$ , $\mathbf{E}$ , $\mathbf{G}$ $\sim$ , $\mathbf{H}$ , $\mathbf{R}$ , $\mathbf{S}$ , $\mathbf{O}$ , $\mathbf{T}$ , $\sim$ , $\mathbf{H}$ , $\mathbf{R}$ , $\mathbf{S}$
4150		DETALL		Р								
4 1 5 5		DEPT	ws								Π	B(7), XX, BBB
4160		$\mathbf{M}, \mathbf{A}, \mathbf{N} \sim \mathbf{N}, \mathbf{B}, \mathbf{R}$	1	$\square$								X ( 5 ) B ( 6 )
4 1 6 5	T T	NAME									1 1	A <sub>1</sub> (2,1),B
4,1,7,0		J 0 B ~ C 0 D E									1 1	XXIBB
4,1,7,5		1 1										Z Z Z 9
4 1 8 0		$O T \sim H R S$									Ħ	
	1	UT FILES.				Ħ		and the set			11	
4 5 0 5											Ħ	
4 5 1 0				Ъ			11				11	
4 5 1 5	F			t t			1			1-1-		X, (,5, )
4 5 2 0	1				1	11						XX BB
4 5 2 5		NA,ME									I I	A ( , 2, 1 , )
4 5 3 0		J O B ~ C O D E	╋ <del>┍╡┉╪┉╘╺┢┉┇╶┇┉</del> ┠╌┇╶╵╶╵╌┶┈			11		- taal-	-			<b>XX</b> , <b>B</b> (7,),,,,,,,
4 5 3 5		REG~HRS				++				-		9,9,9,V,9
4 5 4 0		OT~HRS			· Faite		$^{++}$		-	1 1		9,9,V,9,B,(,3,4,)
5 0 0 0			SECTION			+1			1.1	1-1-1		
5 0 0 5		$M A N \sim C O U N T$					+		-	+	H	<u></u>
5 0 1 0		$\mathbf{A}, \mathbf{C}, \mathbf{C} \sim \mathbf{R}, \mathbf{E}, \mathbf{G} \sim \mathbf{H}, \mathbf{R}, \mathbf{S}$				++				1-1-1		9.( <u>16</u> ,),V,9,
5,0,1,5		$\mathbf{A} \mathbf{C} \mathbf{C} \sim \mathbf{R} \mathbf{E} \mathbf{G} \sim \mathbf{H} \mathbf{R} \mathbf{S}$				$^{\dagger\dagger}$	$^{\dagger}$		-++	+-++		9 9 9 V 9
5,0,2,0		$\mathbf{T}, \mathbf{O}, \mathbf{T}, \mathbf{A}, \mathbf{L} \sim \mathbf{H}, \mathbf{R}, \mathbf{S}$			' '	++				1 1		9 (17,) V 9
5,0,2,5		$\mathbf{P}, \mathbf{A}, \mathbf{G}, \mathbf{E} \sim \mathbf{C}, \mathbf{O}, \mathbf{U}, \mathbf{N}, \mathbf{T}$		++-	-1	++-	+			1		
5025		$\mathbf{P}_{\mathbf{A}}, \mathbf{G}, \mathbf{E} \sim \mathbf{C}, \mathbf{O}, \mathbf{O}, \mathbf{N}, \mathbf{T}$ $\mathbf{L}_{\mathbf{A}}, \mathbf{S}, \mathbf{T} \sim \mathbf{D}, \mathbf{E}, \mathbf{P}, \mathbf{T}$				++	+ †		+			9;9;9;9:
5 0 3 5		$\mathbf{D} \in \mathbf{P} \cdot \mathbf{T}$				++	$\uparrow$		-+-	+++	Ľ	X X - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
			2 4 2 5 2 6 2 7 2 8 2 9 3 0 3 1 3 2 3 3 3 4 3 5	-+-+-	+++	-+	+ +		$\rightarrow +$	+++		X X 55 56 57 58 59 68 61 62 63 64 65 66 67 68 69 70 71 72 73 78 75 76 77 78 7

Figure 32. Job Ticket Summary Data Division

GE-225-----

				12-01-	-61			
ORG CODE	PAY NUMBER	EMPLOYEE NAME		SEX	JOB CLASS	RE GULAR HOURS	OVERTIME HOURS	GROSS EARNINGS
5484	0671	J JONES		MALE	B01	40.0	10.0	\$ 123.44
	0983	A JOHNSON		MALE	A10	37.5		184.01
	1201	B SMITH		FEMALE	C 50	40.0	8.0	148.02
	1452	SCHR OE DE R		MALE	DA 2	32.0	,	84.66
	2352	C B R OWN		MALE	D11	40.0	.4	105.19
5484		COUNT OF EMPLOYEE	S 05			189.5	18.4	645.32
5485	0108	R EDWARDS		MALE	D80	40.0		100.01
	0112	P SMYTHE		FEMALE	B11	35.2		115.55
	1389	A ANDREWS		FEMALE	BO 1	40.0	8.0	72.06
	1545	R MICHELSON		MALE	A10	40.0	12.0	123.11
	1547	J BERG		MALE	SO 1	38.2		182.78
	1999	A MCMILLAN		FEMALE	C09	43.0	2.2	78.23
	2103	J GWYNN		MALE	B01	42.0	1.8	101.11
5485		COUNT OF EMPLOYEE	<b>s</b> 07			273.4	24.0	842.85
5480		COUNI OF EMPLOYEE	S 12			422.9	42.4	1,388.16
5400		COUNT OF EMPLOYEE	<b>S</b> 33			1302.1	108.0	4,125.29
5501	0133	C STEVENSEN		MALE	E 2 2	40.0		138.06
	0134	L ELLISON		MALE	A09	40.0		149.55
	0222	H MURPHY		FEMALE	C53	40.0		99.99
	2102	JOZER		MALE	B01	40.0		123.02
	2359	A AMBERCROMBI	Ε	MALE	B11	40.0		154.84

Figure 22. Report Writer Sample Report

**3**5

The I $\sim$ O $\sim$ CONTROL sentence is used only if nonstandard label-checking rerun information and/or multifile magnetic tapes are required.

The FILE  $\sim$  CONTROL sentence is used when the source program requires the identification and/or assignment of input/output files or hardware units. If the source program does not process input/output data, the FILE  $\sim$  CONTROL sentence can be omitted.

The COMPUTATION  $\sim$  MODE sentence is used when it is desired to perform computations on data in floating point format using floating point arithmetic.

For the Job Ticket Summary problem, the Environment Division would be prepared as shown in Figure 33.

The General Compiler Sentence Form is used; heading information, such as program and programmer identification are discretionary. Actual line entries must adhere to the rules detailed in the GE-225 GECOM Language Specifications. Some of these rules are mentioned in the line entry explanations that follow.

#### 2000 ENVIRONMENT DIVISION.

The division heading is always the first entry for the division. The heading should begin in column 8 (recommended) or may be indented any number of spaces to the right. The heading must be followed by a period and no other information should follow on that line.

#### 2005 and 2010 OBJECT~ COMPUTER.

If this sentence is used, the sentence name should be started in column 8 and followed by a period. The sentence can start on the same line as the sentence name. In Figure 33, the compiler interprets the sentence to mean that the object program is to be performed on a GE-225 system with a 8192 word memory (2 MODULES) and the object program is to be input via card reader. To accomplish this, the General Compiler must produce the object program on punched cards via the card punch. Note that the sentence was too long to be completed on one line and was carried over to line 2010 and indented for clarity.

#### 2015 FILE $\sim$ CONTROL.

GE-225-

Like other sentence names, this one begins in column 8 as recommended. The first sentence is begun immediately after the name (with a blank between) and terminated with a period. All subsequent sentences must begin on a new line. The 2015 sentence in Figure 33 assigns the JOB  $\sim$  FILE (input) to the card reader buffer. The General Compiler interprets this to mean that data input through the card reader is to be treated as job file data.

2020 SELECT SUMMARY~FILE. . . .

This sentence assigns the SUMMARY  $\sim$  FILE to the card punch for output.

#### 2025 SELECT DMH~REPORT. . . .

This sentence assigns the DMH REPORT to the high-speed printer for output. The DMH REPORT is considered as an output file and is therefore assigned to a peripheral like all files in the FILE $\sim$ CONTROL Section.

#### PROCEDURE DIVISION PREPARATION

Once the programmer has flow charted the procedure to be followed and has defined all input and output data, it becomes relatively easy to state the processing steps to be followed in producing the desired output.

The programmer, having developed a working knowledge of GECOM language elements (verbs, names, constants, expressions, etc.) and their effects upon the object program, is prepared to document the procedure. Figure 34 illustrates the completed General Compiler Sentence Form for the Procedure Division of the Job Ticket Summary Problem. By relating the individual procedure statements and their explanations below to the flow charts in Figures 29 through 31, the overall procedure is more readily understood.

#### 3000 PROCEDURE DIVISION.

Invariably the first entry for this division (and others) is the division name. It must be entered starting (preferably) in column 8 and terminated with a period.

#### 3001 GO. . .

This opening sentence immediately and unconditionally transfers operation to the sentence identified by the sentence name, S3055.

#### 3005 WPH SECTION.

This statement indicates that all procedure statements that follow are to be considered part of the WPH (Write Printer Heading) section until an END SECTION is encountered.

#### 3010 through 3045

These statements comprise the WPH section which functions to advance the high-speed printer paper to the top of the page (3015), count pages (3020), space paper to the first print position (3025), print out the report title as defined by the literal entry at 4110 of the Data Division (3030), space paper to the next print line (3035), print out the column titles defined at 4135 through 4145 (3040),

#### GECOM/REPORT WRITER

The GECOM/Report Writer requires the same compiling configuration as Basic GECOM, and is an extension of the basic compiler. Report writing programs can readily be described in the Basic GECOM language, but the Report Writer facilitates report preparation by enabling the user to describe reports concisely on a layout form which can be inserted into the GECOM Data Division. It also provides such features as automatic page and line control, facilitates programming, and provides better documentations of report writing programs.

Report specifications are written within the framework of a GECOM source program, and, in straightforward situations, are contained entirely within the Data and Environment Divisions. A knowledge of file and report formats and which record fields are the file sequence keys is all that is needed beyond a knowledge of GECOM to prepare procedure statements for most business reports. The user need only define the unique features of his job outside of the normal file processing procedure. The Report Writer tailors the basic framework to the programmer's needs and produces an object program for execution. The primary advantages to be gained by this method of description are minimized programming and debugging effort and readily-understandable program documentation.

With proper preparation of the source program, the Report Writer with GECOM will generate an object program which:

1. Prints report headings once at the beginning of the report.

2. Prints report footings once at the end of the report.

3. Maintains page control by line count and skips to a new page as specified.

4. Maintains line spacing on the page.

5. Prints page headings at the top of each report page.

6. Prints page footings at the bottom of each report page.

7. Numbers pages.

8. Issues detail lines according to the presence or absence of control conditions.

9. Accumulates detail field values to one or more levels of total.

10. Counts detail field conditions and detail lines to one or more levels of total.

11. Detects control breaks at one or more levels to control tabulation, issue control totals, and issue control headings.

12. Edits data fields for reporting by zero suppression, character insertion, fixing or floating dollar signs, and fixing or floating arithmetic signs.

13. Assigns and calculates values for report fields.

14. Reads a single file on one or more reels.

15. Reads successive files on multifile reels.

16. Performs normal file opening and closing functions.

17. Creates final totals and terminates reports at end of input.

18. Prepares a report(s) file for deferred printing.

Report descriptions are contained in the Report Section of the GECOM Data Division, under the heading REPORT SECTION, immediately following the File Section. All entries in this section must conform to the format of the Report Description Form, Figure 21, which is used in place of the standard GECOM Data Division form. Not shown are the supporting entries required in the Working Storage Section of the Data Division. Figure 21 illustrates a typical report as laid out in the Report Section of the Data Division, while Figure 22 shows the resulting printed report after processing of the object program containing the report description.

#### GECOM/TABSOL

The GECOM/TABSOL extension requires the same compiling configuration as Basic GECOM and allows source programs to be described in tabular form. Although the same programs could be described in the basic GECOM procedural sentences, certain benefits are provided by the TABSOL extension.

TABSOL, which stands for Tabular Systems Oriented Language, is basically a structuring technique used to systematically describe the step by step decision logic in the process of solving a problem. The basic advantage of the TABSOL language is that it is easily learned and understood and can be applied to many analytical situations.




# GENERAL 🛞 ELECTRIC

COMPUTER DEPARTMENT, PHOENIX, ARIZONA

#### GENERAL COMPILER SENTENCE FORM

Math         Part of the second s				ARY (JTS)					DATE JU	5. 17	
address         address <t< th=""><th>TT</th><th>CODER</th><th>2</th><th></th><th></th><th></th><th>COMPUTER GE-225</th><th></th><th>PAGE</th><th></th><th></th></t<>	TT	CODER	2				COMPUTER GE-225		PAGE		
12         12<	SEQUENCE NUMBER										
3.6.6.0       PROCEDURE DIVISION	1 2 3 4 5 6 7 8	9 10 11	12 13 14 15	16 17 18 19 20 21 22 23 24 25	5 26 27 28 29 30 31 32 33 34 35	36 37 38 39 40 41 42 43 44	5 46 47 48 49 50 51 52 53 54 5	5 56 57 58 59 60	61 62 63 64 65	66 67 68 69 70 71 72 73	74 75 76 77 78 7
3.0.01		torrad day									
3.0.00         NPH         BECTION.									total inter		
3.0.10       B.G.I.N.				1	and a start of the start of the start	ter transfer to denot i tradimat				1 1	
3.0.2.0       ADD       ADD       I. TO. PAGE       I. ADD         3.0.2.0       ADD       I. TO. PAGE       COUNT.       I. I					······································				*		
3.3.0.20       A.D.A. J. TO. PAGE-COUNT.       Image: Count								the second second	tester de la de-	and a local start of the	
3.0 3.0 1       A DYA NCE DMH-REPORT 4, LINES.						$\mathbf{P} = \mathbf{O}(\mathbf{F}, \mathbf{P}, \mathbf{A}, \mathbf{G}, \mathbf{E})$	··········		t to be had a		I I I I
3.0.3.0       wR1TE APT~TITLE.								- 1	the second s		ومنا بالمنام
3.3.3.5       ADYA NCE DMH-REPORT 3 LINES.						E, 5,					
3 0 4 0       WRITE COL-TITLES.         3 0 4 5       ADVANCE DNH-REPORT 2 LINES.         3 0 5 0       EXD WPH SECTION.         3 0 5 0       S. OPEN ALL FLES.         3 0 5 0       MOVE							and a book tool book to		tant dank ordered		
3.0.4.3       ADVA NCE DMH-REPORT 2 LINES.						E.S.,			· · · · · · · · · · · · · · · · · · ·		
3.0.30       E.N.D. WEHN       SECTION						······································			4		ant I have a
3 3 3 5       S 3 9 3 5, 0 PEN ALL, FILES.					PORT 2 LIN	E.S.	and the state of t	· · ·	e e contra da serie de la contra		
3060       MOVE       0. TO. PAGE       COUNT         2000       PERFORM WPH SECTION.       MOVE       Count         2010       MOVE       C.Z.Z. TO LAST - DEPT.       E.G. TO. S3125         2020       S307       READ JOB-FILE. RECORD IF END FILE. GO TO S3125       E.G. TO. S3125         2030       IF. DEPT OF JOB TICKET EQUALS LAST DEPT. GO TO S3125       E.G. TO. S3125         30.90       S30.9       C.G. TO. S30.90          30.91       GO TO S3115       E.G. TO. S3100       E.G. TO. S3125         30.93       GO.TO S3115       E.G. TO. S3100       E.G. TO. S3125         31.00       S3.00       C.TAL-HRS., W308 5       E.G. TO. S316       E.G. TO.         31.00       S3.10       LTER. SW3150.TO PROCEED TO S316       E.G. TO.       E.G. TO.         31.10       S3.110       LTER. SW3150.TO PROCEED TO S316       E.G. TO.       E.G. TO.         31.10       S3.110       LTER. SW3150.TO PROCEED TO S316       E.G. TO.       E.G. TO.         31.10       S3.110       LTER. SW3150.TO PROCEED TO. S316       E.G. TO.       E.G. TO.         31.10       S3.110       LTER. SW3150.TO ACC-REG-HRS.       E.G. TO.       E.G. TO.       E.G. TO.         31.125					a second of the second of the		+	1		· · · · · · · · · · · · · · · · · · ·	
3 0 6 5       PERF OR M. WPH. SE C TION.         3 w1 0       NOVE       "2.2"       10       LAST - DEPT.         3 w1 0       S. 9.7.9.       S. RED. JODE FILE. RECORD. IF END FILE. GO TO S3180.							+ + + -+ + + + + + + + + + + + + + + +		<u> </u>		ار ار ار مراجعها
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $					1		<b></b>			and the second second second	
\$\begin{aligned}{2}{3}\$ \$\begin{aligned}{3}{3}\$ \$\begin{aligned}{3}{3}{3}\$ \$\begin{aligned}{3}{3}{3}\$ \$\begin{aligned}{3}{3}{3}{3}\$ \$\begin{aligned}{3}{3}{3}{3}{3}\$ \$\begin{aligned}{3}{3}{3}{3}{3}{3}\$ \$\begin{aligned}{3}{3}{3}{3}{3}{3}{3}{3}{3}{3}{3}{3}{3}	ET ET	· · I			1		+				
3.08.0       IF. DE.PT. OF. JOB~TICKET. EQUALS. LAST. DEPT. GO. TO       S.3.125         3.08.0       Str.       GO. TO. S.3.09 0       S.3.125         3.0.9.0       S.3.09 0       S.3.09 0       S.3.10.00         3.0.9.0       S.3.10.70. RATER. SW3.08 5. TO. PROCEED. TO. S310 0       S.3.10.0.         3.1.0.0       S.3.10 0       S.3.10.0.       S.3.10.0.         3.1.0.1       WRITE. SUMMARY~CARD.       S.3.10.0.       S.3.10.0.         3.1.0.1       S.3.10.0.       GO. TO. S.3.110       S.3.10.0.         3.1.0.1       S.3.10.0.       ALTER. SW3.150. TO. PROCEED TO. S.3.155       S.3.10         3.1.10       S.3.11 5       MOVE. DEPT. OF. JOB~TICKET. TO. LAST~DEPT., DEPT. OF. WS       S.3.12.0         3.1.2.0       MAN~COUNT.       ACC~REG~HRS.       S.3.15       S.3.10.0         3.1.2.0       MAN~COUNT.       ACC~OTOTHS.       S.3.17.0       S.3.17.0         3.1.3.0       ADD. REG~HRS. TO. ACC~DTOTHRS.       S.3.17.0       S.3.17.0         3.1.4.5       S.3.15.5       D.1       S.3.15.5       S.3.17.0         3.1.4.5       S.3.15.5       MOVE. SPACES TO. DEPT. OF WS       S.3.17.0       S.3.17.0         3.1.4.5       GO. TO. S.3.15.5											
3.0.85       S.W.30       S.S.       G.O. TO. S.3.0.9       0         3.0.90       S.30.90       A.LTER. S.W.3.0.8.5       T. O. PROCEED. TO. S.3.0.0       0         3.0.90       S.30.90        TO. S.3.1.15       0         3.0.95       GO. TO. S.3.1.15        0       0         3.1.00       S.3.1.00        TO.TAL~HRS. =       ACC. REG~HRS. + ACC. O.T~HRS.       0         3.1.01       S.3.1.10        ALTER. SW.3.15       0       0       0         3.1.01       S.3.1.10        ALTER. SW.3.15       0       0       0         3.1.10        ALTER. SW.3.15       0       0       0       0         3.1.10        ALTER. SW.3.10       O.COUNT        0       0         3.1.20       MAN       COUNT E.COUNT											
3 0 9 0       8 3 0 9       0.       A LTER, S.W3.08       5. T.O. PROC.EED. TO. S3 1.0 0         3 0 9 0       R.G. T. O. S 3 1.15						UALS LAST	DEPT GO TO	S_3_1_2	5		
3.0.9.5       GO. T       O. S.3.1.1.5       A.C.C. R.E.G.~, HRS. +, A.C.C.~O       T~HRS.       A.C.C.       A.C.C. R.E.G.~, HRS. +, A.C.C.~O       T~HRS, A.C.C.~O       A.C.C.       A.C.C.       A.C.C.~, A.G.C.~, A.G.C							for the second s				-tool - de - de - de - de
3.1.00       S.3.10						$\mathbf{E}_{\mathbf{D}}$ , $\mathbf{T}_{\mathbf{O}}$ , $\mathbf{S}_{\mathbf{J}}$ , $\mathbf{I}_{\mathbf{O}}$	0				
311.0 5       WR IT       E. SUMMARY~ CARD.							<u></u>			- to all the start the start of	المنا المنا
3.1,0.7       S W3.1       0.7.       G.O. T.O. S.3.1.1       0.         3.1,1.0       S.3.1.1       0.       A.LTER. S.W3.1.5       0.       TO PROCE ED TO S.3.1.5       0.         3.1,1.0       S.3.1.1       0.       A.D.P.P. OF JOB~ TICK ET TO LAST DEPT, DEPT, OF WS.       0.       0.         3.1,2.0       .       MAN COUNT. =. ACC~REG~HRS.       ACC~OT~HRS.       0.       0.         3.1,3.0       .       ADD. REG~HRS. TO ACC~OT~HRS.       0.       0.       0.         3.1,3.0       .       ADD. REG~HRS. TO ACC~OT~HRS.       0.       0.       0.         3.1,3.0       .       ADD. REG~HRS. TO ACC~OT~HRS.       0.       0.       0.         3.1,4.0       .       .       ACC~OT~HRS.       0.       0.       0.         3.1,4.0       .       .       ADD. REG~HRS. TO ACC~OT~HRS.       0.       0.       0.         3.1,4.0       .       .       .       .       .       .       .       .         3.1,4.0       .       .       .       .       .       .       .       .       .         3.1,4.5       S.3.1.5       .       .       .       .       .       .       .       .						$\mathbf{R} \mathbf{S} + \mathbf{A} \mathbf{C} \mathbf{C} \sim \mathbf{C}$	T_~_H_R_S				
3,1,10       8,3,11       0.       A       LTER, S,W3,15       0.       TO, PROCE ED, TO, S,3,15       S.         3,1,15       8,3,11       5.       MAN       COUNT = AC       C_REG~HRS = ACC~OT~HRS = 0.       Image: Count = AC       Image: Count				and the first state of the stat						بالمسام المسالما	
3,1,15       S,3,1,15.       MOVE_DEPTO       F       JOB~TICK ET       TO       LAST       DEPT.       DEPT.       DEPT.       OF       WS.         3,1,2,0       MAN~       COUNT.=.       ACC~REG~HRS.       ACC~OT~H RS.       ACC~OT~HRS.       ACC~OT~S 3.17       ACC~OT~HRS.       ACC~OT~S 3.17       ACC~OT~HRS.       ACC~OT~S 3.17       ACC~OT~S 3.15       ACC~OT~S 3.17       ACC~OT~S 3.15       ACC~OT~S 3.17       ACC~OT~S 3.17       ACC~OT~S 3.17       ACC~OT~S 3.17       ACC~OT~S 3.17       A											
3,12.0       MAN~ COUNT = AC C~REG~ HRS       ACC~OT~ H RS       0.         3,12.5       S,31.2       A DD       REG~HRS       ACC~OT~ H RS       0.         3,1.2,5       S,31.2       A DD       REG~HRS       ACC~OT~ H RS       0.         3,1.3,0       ADD       REG~HRS       TO       ACC~OT~ HRS       0.         3,1.3,0       ADD       REG~HRS       TO       ACC~OT~ HRS       0.         3,1.4,0       IF       LINE~COUNT       EQUALS       5.1       GO       TO       S.3.17       0.         3,1.4,0       IF       LINE~COUNT       EQUALS       5.1       GO       TO       S.3.17       0.         3,1.4,5       S3.14       S.       GO       TO       S.3.17       0.       .       .       .         3,1.5,5       S.3.1,5       MOVE       SPACES       TO       DEPT       OF       WS.       .								·····			
3,1,2,5       8,3,1,2,5       8,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,2,5       9,3,1,4,5       9,3,1,4,5       9,3,1,4,5       9,3,1,4,5       9,3,1,4,5       9,3,1,4,5       9,3,1,4,5       9,3,1,4,5       9,3,1,4,5       9,3,1,4,5       9,3,1,4,5       9,3,1,5,5       9,3,1,5,5       9,3,1,5,5       9,3,1,5,5       9,3,1,5,5       9,3,1,5,5       9,3,1,5,6       9,3,1,5,6       9,3,1,5,6       9,3,1,5,6       9,3,1,5,6       9,3,1,5,6       9,3,1,5,6       9,3,1,5,6       9,3,1,5,6       9,3,1,5,7       9,3,1,5,7       9,3,1,7,6       9,3,1,7,6       9,3,1,4,5,       9,3,3,1,4,5,       9,3								T OF	ws		
3.1.3.0       A.D.D.       RE.G~, H.R.S. T.O.       A.C.C~REG~, H.R.S.       A.D.D.       R.E.G~, H.R.S. T.O.       A.C.C~OT~H, H.S.       A.D.D.       A.D.D.       OT~, H.R.S. T.O.       A.C.C~OT~H, H.S.       A.D.D.       A.D.D.       OT~, H.R.S. T.O.       A.C.C~OT~H, H.S.       A.D.D.       A.D.D.       A.D.D.       OT~, H.R.S. T.O.       A.C.C~OT~H, H.S.       A.D.D.       A.D.D.D.       A.D.D.       A.D.D.D.       A.D.D.D							$\mathbf{R}_{\mathbf{S}} = 0_{\mathbf{S}}$		- ( . ) . (	and the desident of the	
.3,1,3,5       .       A,D,D       O,T,~,H,R,S,T,O       A,C,C~O,T,~,H,R,S       .<	3_1_2_5S_	3 1 2 5	, , , , A	D,D, 1, T,O, M,A	$N_1 \sim C_0 U_N T_1$				- La la des	and and the second s	منصا سام منصفين
3.140       I.F., L. I.N.E., CO.UNT. EQUALS 5.1. GO. TO S.3.170.         3.145       S3145         3.155       S3155         3.160          ALTER, SW3150       TO. DEPT. OF.WS         3.165          GO. TO.S3075          3.165          GO. TO.S3075          3.17.0       S317.0         S317.0       PERFORM WPH SECTION         3.17.5          GO. TO.S3145          3.17.5          GO. TO.S314.5          3.17.5          GO. TO.S314.5          3.18.0       S318 0       LTER, SW310 7         3.18.1           GO. TO.S310.0          3.18.2       S318 2         S.318								and a standard		بهر خان المسالي الم الماليات	
3.1.4.5       S.3.1.4.5       S.3.1.4.5       W       RITE DETAIL L RECORD.         3.1.5.0       SW3.1.50       GO TO S3.1.5       S.         3.1.5.5       S.3.1.5       S. 3.1.5       S.       MOVE SPACES       TO DEPT OF WS.         3.1.6.0        ALTE R SW3.1.5.0       TO DEPT OF WS.          3.1.6.0        ALTE R SW3.1.5.0       TO DPROCEED TO S.3.0.7.5.          3.1.6.0        GO. TO S.3.0.7.5.           3.1.7.0       S.3.1.7       PERFORM WPR       SECTION.         3.1.7.5        GO. TO S.3.14.5.          3.1.7.5        GO. TO S.3.14.5.          3.1.7.5        GO. TO S.3.14.5.          3.1.7.5            3.1.7.5            3.1.7.5            3.1.7.5            3.1.8.0       S.3.18        LTER SW3.10         3.1.8.1             3.1.8.2       S.3.1.8 <td>3,1,3,5</td> <td>A</td> <td>,D,D</td> <td><math>\mathbf{O}_{\mathbf{T}} \sim \mathbf{H}_{\mathbf{R}} \mathbf{S}_{\mathbf{T}} T_{\mathbf{O}}</math></td> <td><math>\mathbf{A}_{\mathbf{C}}, \mathbf{C}_{\mathbf{C}} \sim \mathbf{O}_{\mathbf{T}} \sim \mathbf{H}_{\mathbf{R}} \mathbf{S}</math></td> <td>•</td> <td></td> <td></td> <td></td> <td>and the desident of the</td> <td></td>	3,1,3,5	A	,D,D	$\mathbf{O}_{\mathbf{T}} \sim \mathbf{H}_{\mathbf{R}} \mathbf{S}_{\mathbf{T}} T_{\mathbf{O}}$	$\mathbf{A}_{\mathbf{C}}, \mathbf{C}_{\mathbf{C}} \sim \mathbf{O}_{\mathbf{T}} \sim \mathbf{H}_{\mathbf{R}} \mathbf{S}$	•				and the desident of the	
.3,1,5,0       S,W3,1       5,0,       GO, T,O,S,3,1,5       5,						GO T.O S.3.1.7	0				
3 1 5 5       8 3 1 5 5       M OVE       SPACES       TO       DEPT       OF       WS										and a local contraction of the	and the factor
3,1,6,0        ALTE       R, SW3,1,5,0, T       0, PR,OC,E,E,D, TO, S,3,0,7,5,					the second s	- 1 - 1 - <del>1</del> - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	- i - i - i - i - i - i - i - i - i - i			- I doub doub i doub	
3.1.6.5        GO. T       O. S.3.0.7.5          3.1.7.0       S.3.1.7       O. P       PERFORM WPH       SECTION         3.1.7.5        GO. TO. S.3.10.7.5          3.1.7.5        GO. TO. S.3.10.7.5          3.1.7.5        GO. TO. S.3.14.5          3.1.8.0       S.3.1.8       O. A. LTER, S.W3.10.7. TO, PROCEED, TO, S.3.18          3.1.8.1        GO. TO, S.3.10.0          3.1.8.2       S.3.1.8       2          3.1.8.5        S.C.LOSE, JOB~FILLE, SUMMARY, FLILE          3.1.8.5        STOP       RUN, ''JTS''          2.3.4.5.4       2.4.5.4       4.4.5.4.5											
3.1.7.0       S.3.1.7       0       P       P,F,O,R,M,W,P,H       S,E,C,T,I,O,N,          3.1.7.5        G.O.       TO       S.3.1.4.5           3.1.7.5        G.O.       TO       S.3.1.4.5           3.1.7.5        G.O.       TO       S.3.1.4.5           3.1.8.0       S.3.1.8       0       A       L,T,E,R.       S,W3.10       7.       TO       P,ROCEEED          3.1.8.1        G.O.       TO       S.3.1.9            3.1.8.2       S.3.1.8       2.       C.L       O,S.E       J,O,B.C.F,I       L,F.E.          3.1.8.5        S.T.O.P       RUN, '', J,T.S''            3.1.8.5        S.T.O.P       RUN, '', J,T.S''            3.1.8.5        S.T.O.P       RUN, '', J,T.S''	,3 ,1,6 ,0		A, L, T, E	R, S,W,3,1,5,0, T	$O_1$ , $P_1R_1O_1C_2E_1E_1D_1$	T,O, ,S,3,0,7,5,.					
3.1.7.5       G.O. T. O. S.3.1.4.5         3.1.7.5       G.O. T. O. S.3.1.4.5         3.1.8.0       S.3.1.8         0A       L.T.E.R. S.W3.10         7. T.O. PROCEED. T.O. S.3.1.8       C.         3.1.8.1       G.O. T. O. S.3.1.0.0         3.1.8.1       G.O. T.O. S.3.1.0.0         3.1.8.2       S.3.1.8         2. S.1.8       C.L.D.S.E. J.O.B         J.B.2.2       S.3.1.8         S.J.0.0       RUNJ.J.S."											
3,1,8,0       8,3,1,8,0       8,3,1,8,0       4,7,1,8,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0	,3 ,1 ,7 ,0 S,3	3 1 7	),.,_P	ERFORM WPH	SECTION.						
3, 1, 8, 1       G, O, T       O, S, 3, 1, 0, 0,         3, 1, 8, 2       S, 3, 1, 8       2,       O, S, E       J, O, B, ~, F, I       L, E, , S, U, M, M, A, R       Y, F, I, L, E,         3, 1, 8, 2       S, 3, 1, 8       2,       S, T, O, P       R, U, N, '' J, T, S,''	3,1,7,5	C	J.O. T	<u>O</u> , <u>S</u> , 3, 1, 4, 5,	كسيلية المستحيرات						
3 1 8 2 S 3 1 8 2 C L O SE J O B ~ FI L E , SUM MARY FILLE.					7, TO, PROCE	ED TO S318	2				
											Ind and al
	<u>3 1 8 2 5 3</u>	3 1 8 2	2. ,C, L	$O, S, E, J, O, B, \sim, F, I$	L,E,,,S,U,M,M,A,R	Y, F,I,LE,.					- l <u>- t- d-</u> dt-
	3 1,8 5		5, T_O, P	$\mathbf{R}, \mathbf{U}, \mathbf{N}, \dots$ " $\mathbf{J}, \mathbf{T}, \mathbf{S},$ "	• • • • • • • • • • • • • • • • • • • •					- I	
			L . Lake				Lad a start to the start				
	<u> </u>		+-+-+	-+-+-+-+-+-+-++-+		┝╍╪╌╬╌╫╌╢╌╫╶╢╶╢╌╢		+ + + + + + + + + + + + + + + + + + +		+ + + + + + + + + + + + + + + + + + + +	+-+-+-+-
	2 3 4 5 6 7 8	9 10 11 1	2 13 14 15	16 17 18 19 20 21 22 23 24 25	26 27 28 29 30 31 32 33 34 35	36 37 38 39 40 41 42 43 44 4	46 47 48 49 50 51 52 53 54 55	56 57 58 59 60	61 62 63 64 65	6 67 68 69 70 71 72 73 7	4 75 76 77 78 71

Figure 34. Job Ticket Summary Procedure Division



No.	А	В	Not-A	Not-B	A AND B	A OR B
1.	True	True	False	False	True	True
2.	True	False	False	True	False	True
3.	False	True	True	False	False	True
4.	False	False	True	True	False	False

Figure 17. Logical Expression Truth Table

No.	А	В	С	D
1 2 3 4 5	A <sub>1</sub> A <sub>2</sub> A <sub>3</sub> A <sub>4</sub> A <sub>5</sub>	$\substack{B_1\\B_2\\B_3\\B_4\\B_5}$	$\begin{array}{c} c_1\\ c_2\\ c_3\\ c_4\\ c_5\end{array}$	$\begin{array}{c} {}^{\mathrm{D}_{1}}\\ {}^{\mathrm{D}_{2}}\\ {}^{\mathrm{D}_{3}}\\ {}^{\mathrm{D}_{4}}\\ {}^{\mathrm{D}_{5}}\end{array}$

Lists and tables of data can be stored within a data processing system for program reference also, permitting the programmer to instruct the program to perform "table look-up" operations. Such tables are stored in series within the system instead of in the grid-like manner illustrated above. The same table in the data processor might appear as a list, shown in Figure 19.

Even though the table data is stored as a long list, the programmer can still readily specify the required table data in essentially the same manner as a clerk would in instructing another clerk how to use the table first shown. The clerk would specify the table name, then the horizontal row and vertical column headings: TABLE 1, row 3, column C. The GECOM programmer does the same thing in a similar shorthand:

TABLE  $\sim 1$  (3, 3) meaning TABLE  $\sim 1$ , row 3, column 3.

Lists, tables, and matrices can all be represented in GECOM source programs and are referred to generically as arrays. A list is a one-dimensional array; a table, two-dimensional.

A three-dimensional array can be depicted graphically as a series of two-dimensional planes; as shown in Figure 20. Three-dimensional arrays could also be represented in storage as a series of sequential lists (one for each plane) like that described for the example above.

Arrays are assigned identifying names by the programmer. To identify array values, <u>subscripts</u> are used to specify rows, columns, and planes.

One-dimensional list = A(I)Two-dimensional table = A(I,J)Three-dimensional table = A(I,J,K)

Subscripts can be written as arithmetic expressions, if need be, containing other subscripted arrays, and nested to up to ten deep in any one procedure statement.

LIST (A+C) RATE (A-B\*C, L(I,J),X)

In the second example A-B\*C is the i-subscript, L(I,J) is the j-subscript, and X is the k-subscript for a matrix called RATE. Parentheses are always used to enclose subscripts which must immediately follow the array name.

$$1 \quad A_1 \quad B_1 \quad C_1 \quad D_1 \quad 2 \quad A_2 \quad B_2 \quad C_2 \quad D_2 \quad 3 \quad A_3 \quad B_3 \quad C_3 \quad D_3 \quad 4 \quad A_4 \quad B_4 \quad C_4 \quad D_4 \quad 5 \quad A_5 \quad B_5 \quad C_5 \quad D_5 \quad D_$$

Figure 19. A Two-Dimensional Table in Storage



3110 S3110. ALTER. . . .

This statement sets SW3150 to proceed to S3155 the next time it is processed. SW3150 handles the group suppression of printing of DEPT $\sim$ NO. When a new department is detected at 3080, it is necessary to print that department number from working storage, but immediately after, blanks are moved to that working storage field (part of the Detail Record) and the MOVE of blanks must be bypassed until the next new department is encountered.

3115 S3115. MOVE. . . .

This statement places the contents of the memory location assigned to hold the job ticket department number to the memory locations assigned to hold the last department number and the working storage department number. The LAST  $\sim$  DEPT is for comparison with the department of the current Job Ticket to determine a change of department at 3080, while the department of working storage is to provide the department number for the first printing of a detail record for a new department, and blanks afterward.

3120 MAN $\sim$  COUNT=. . .

This is an assignment statement that sets to zero the memory locations reserved for the named field.

3125 S3125. ADD. . . .

The man count memory location is increased by one.

3130 ADD. . . .

The two named fields are added and the result replaces the previous value of  $ACC \sim REG \sim HRS$ .

3135 ADD. . .

The two named fields are added and the result replaces the previous value of  $ACC \sim OT \sim HRS$ .

3140 IF. . . .

The contents of the LINE  $\sim$  COUNT memory location are compared with the constant, 51. If they are equal, control transfers to procedure statement S3170; if they are not equal, the next statement in sequence is taken (3145). LINE  $\sim$  COUNT = 51 indicates that the last line of a printer page has been printed and a new page (and new headings) must be started.

3145 S3145. WRITE. . . .

The DETAIL RECORD, defined in Data Division statements 4150 through 4180, which includes

GE-225-

DEPT, MAN~NBR, NAME, JOB~CODE, REG~ HRS, and OT~HRS fields, is printed as a line by the high-speed printer.

3150 SW3150. GO TO. . . .

This is another program switch similar to SW3085 and SW3107. It governs whether the detail record print line contains an actual department number or blanks.

3155 S3155. MOVE. . . .

This statement replaces the contents of the working storage DEPT field with blanks.

3160 ALTER. . . .

This statement changes the object of the GO statement at SW3150 from S3155 to S3075 to bypass S3155 and 3160 until a new department is read.

3165 GO TO. . . .

This statement unconditionally transfers control to S3145.

3170 S3170. PERFORM. . . .

Like statement 3065, this sentence transfers control to the WPH SECTION beginning at 3005. Upon completion of this section, control automatically reverts to the next statement in sequence, 3175. This is used to head up a new page after the capacity of the preceding page has been filled by a department's records.

3175 GO TO. . .

This statement unconditionally transfers control to S3145.

3180 S3180. ALTER. . . .

This statement changes the object of the GO statement at SW 3107 from S3110 to S3182, so that CLOSE will occur after the final summary card is punched.

3181 GO TO. . . .

This statement unconditionally transfers control to S3100 to compute the final summary card TOTAL  $\sim$  HRS.

3182 S3182. CLOSE. . . .

This statement terminates processings of the JOB~FILE and the SUMMARY~FILE. The card counts for the card reader and the card punch are printed out on the console typewriter.

In preparing the source program, the programmer may have difficulty in keeping track of codes that of themselves have no meaning. To provide a reference term, he can assign names to them, thusly:

$$HOURLY = 0$$
$$WEEKLY = 1$$
$$MONTHLY = 2$$

Once names are assigned, they can be used in procedure statements within the source program. Such names as those described above are called <u>conditional names</u> for convenience. In actuality, they are <u>special data names</u>, and are formed subject to the same limitations.

#### CONSTANTS

Data names are generally assigned by the systems programmer to kinds of data, rather than to specific values, because the actual value of the data named is generally a variable (from record to record, for example) or possibly an unknown to be computed by the object program.

Occasionally (even frequently), the programmer will need to place various kinds of specific data in the program - data which remain the same throughout the program. Such constants are designated as <u>literal constants</u>, <u>numeric constants</u>, and <u>figurative</u> <u>constants</u>.

Literal constants are those the programmer intends to use in the program exactly as written. They may be any combination of up to 30 (or 83, depending upon where used) letters, numbers, and symbols of the GECOM character set. To distinguish them from other names, they must be enclosed in quotation marks:

MOVE "FILE~NAME" TO COLUMN~HD.

Literals can be used in output fields to generate headings. They cannot be used in arithmetic calculations.

<u>Numeric constants</u> are comprised of the numerals 0 through 9, plus or minus sign, the letter E for floating-point, and a decimal point. They can be used in three forms of arithmetic calculations: fixed-point, integer, and floating-point.

Fixed-point numerics can contain up to 11 digits, excluding plus or minus sign, and a decimal. Typical fixed-point numerics are:

+2.308	-853.001
0.03	9.11

Integers must not exceed 5 digits:

2308	85300
3	911



For floating-point computations, numerics can be written with mantissas of up to nine digits (one of which must be the left of the decimal) and an exponent between +75 and -75. The largest and smallest floating-point numbers that can be represented are, respectively:

9.99999999E+75 and 0.00000001E-75

If any numeric constant is enclosed in quotation marks, it loses its numeric value and becomes a literal constant.

The constants, 0 through 9 and space (or blank) have been defined within the General Compiler and assigned names. This permits the programmer to use the names within his source program without defining them. These pre-named constants are called figurative constants and are:

0 ZERO or ZEROES SPACES 1 ONE(S) 2 TWO(S) 3 THREE(S) 4 FOUR(S) 5 FIVE(S) 6 SIX(ES) 7 SEVEN(S) 8 EIGHT(S) 9 NINE(S)

Figurative constants may be used in the singular to denote the constant itself or in the plural to imply a string of constants.

#### EXPRESSIONS

The programmer combines words and symbols into procedure statements to direct computer operations. To facilitate the formulation of such statements showing the relationships and combinations of data names, conditional names, and constants, he has the assistance of arithmetic, relational, and logical expressions.

An <u>arithmetic expression</u> is a sequence of data names, numeric constants, and/or mathematical functions that are combined with symbols which represent arithmetic operations.

Operations and functions available to the programmer and their proper GECOM form are shown in Figure 15. They are listed in priority order, from highest to lowest. All of the listed functions are readily available as part of the GE-225 standard subroutine library and need not be generated during source program compilation or manually by the programmer. Previously-prepared subroutines materially reduce compilation time and programmer effort.

The natural priority of the table can be overridden by parentheses. Parentheses cause the evaluation to be performed from within the innermost set of

#### 3185 STOP RUN ''JTS''

This statement is used to generate object program coding for halting processing. In the form used here, the results will be

1. Program halts

2. END is printed by the console typewriter.

3. The literal "JTS" is printed by the console typewriter.

#### IDENTIFICATION DIVISION PREPARATION

This division enables the programmer to label the source program and provide program identification in the output Edited List.

The Identification Division is prepared on the General Compiler Sentence Form, as illustrated in Figure 35.

Entries for the Job Ticket Summary problem are explained:

#### 1000 IDENTIFICATION DIVISION.

This mandatory heading indicates that entries following are for program identification only. The name should begin in column 8 and be followed by a period.

# 1005 PROGRAM~ID. JTS.

This entry is mandatory; the name, PROGRAM  $\sim$  ID, should appear beginning in column 8 and followed by a period. The actual program name, JTS, can consist of up to nine typewriter characters followed by a blank, a comma, or a period and can be indented any number of spaces. This name will appear as part of the heading of each page of the Edited List.

# 1010 AUTHOR. GE CODER

This entry is optional. If used, the sentence name should start in column 8 and be followed by a period. The sentence can be indented as desired, contain up to 30 BCD characters, and ended with a period. If provided, the author's name appears on each page of the Edited List.

# 1015 DATE COMPILED. JUL. 17

This entry is optional. It can contain up to 30 characters followed by a period. If provided, the compilation date appears on each page of the Edited List.




These two sentences, as well as a NEXT  $\sim$  PROGRAM and a SECURITY sentence, are optional. If used, they can contain any information that the programmer wants to appear in the Edited List.

The Identification Division has no effect upon the compilation of the object program, other than that of appearing in the Edited List as described.

### PRODUCING THE OBJECT PROGRAM

Upon completion of the GECOM forms for the source program, the data forms are transcribed to standard punched cards to form the source program deck and organized as shown in Figure 36.



# Figure 36. Source Program Deck Organization

A special GECOM call deck is placed before the source program deck and the cards are ready for input to the GE-225 via the card reader.


The minimum GE-225 system configuration for compiling the source program is:

GE-225 Central Processor (with 8192 words of core storage) Console Typewriter Card Reader Card Punch High-Speed Printer Magnetic Tape Controller Four Magnetic Tape Handlers Five Magnetic Tape Handlers (optional) Six Magnetic Tape Handlers (optional)

The GECOM Master Tape is mounted on the first magnetic tape handler on the system and includes a library of subroutines that might be required to complete the compiled object program. The source



VERB	EXAMPLE
ADD	ADD TOTL~RECVD TO ON~HAND~QTY
ADVANCE	ADVANCE PAY~REGISTER 20 LINES (to slew or skip printer paper)
ALTER	ALTER SENT $\sim$ 25 TO PROCEED TO SENT $\sim$ 33. (to change a previously established sequence of operations.)
=(Assignment)	QTY~ON~HAND = OLD~QTY + NO~RECVD (to assign an evaluated arithmetic expression to a specified field)
CLOSE	CLOSE PAYROL~FILE (to terminate processing of a file)
DIVIDE	DIVIDE NUMBER INTO TOTAL GIVING AVERAGE
ENTER	ENTER GAP AT ROUTINE~3 (to permit insertion of General Assembly Program coding in a GECOM source program.)
EXCHANGE	EXCHANGE OLD~TAX, NEW~TAX (to transpose the contents of two fields)
GO	GO TO SENT $\sim$ 10 (to depart from the normal sequence of operations)
IF	IF LINE~COUNT EQ 58 GO TO ADVANCE~PAGE. (to test a condition and transfer to another operation if condition is satisfied)
MOVE	MOVE TOTAL TO SAVE~AREA (to transfer data to another location)
MULTIPLY	MULTIPLY 0.18 BY PAY GIVING TAX
NOTE	NOTE THIS SENTENCE IS USED FOR CLARITY. (to permit insertion of explanatory text not intended for compilation)
OPEN	OPEN ALL INPUT FILES (to initiate file processing)
PERFORM	PERFORM FICA~COMP SECTION (to cause execution of a routine in the desired sequence and then return to the sentence following the PERFORM statement.)
READ	READ TIME~CARD RECORD (to make input file records available to the program)
STOP	STOP (to halt processing of the object program permanently or temporarily.)
SUBTRACT	SUBTRACT RECEIPTS OF TRANSAC~FILE FROM ON~ORDER~QTY OF ORDER~FILE GIVING ADJ~ORDER~QTY, IF SIZE ERROR GO TO ZERO~RTN.
VARY	VARY CHK~AMT FROM 1 BY 1 UNTIL CHK~AMT GR 5 (to initiate and control the repeated execution of the sentence it precedes.)
WRITE	WRITE RECORD~1 OF FILE~6 (to permit output of data)
I	Figure 14. GECOM Verbs



r.

.

-

j,

The Object Listing includes an "Input/Output Coding" print-out showing all input/output file tables, control coding, and service routines. A complete listing of this subsection for the sample problem requires 439 line entries. Part of the Input/Output Coding list is shown in Figure 46. The final print-out of the Object Listing and the Edited List is "Location Assignments for GECOM Common Constants," Figure 46. This print-out contains the memory locations for object program constants and the compiler-assigned symbols for the constants. For the sample problem, the complete constant listing contains 138 entries.

÷,

required subroutines which the operator has previously extracted from the library of subroutines provided. At the user's option, required subroutines can be appended to the object program automatically or manually during compilations.

### GECOM LANGUAGE ELEMENTS

Because the GECOM system was developed with COBOL in mind as the basic programming language, the GECOM language elements most closely resemble those of the COBOL language. Also, because the intent is to provide English-language programming, GECOM elements parallel those of English.

GECOM has a basic vocabulary consisting of words and symbols; it has rules of grammar or syntax; and it has punctuation symbols for clarity. In each case, there is greater simplicity than in English: the vocabulary is small; the rules of grammar are simple, yet precise; the use of punctuation is limited. These are true because the demands placed upon the user are kept simple and unambiguous. The source programming language is required to state facts and give instructions clearly and specifically; it is a language of command, not narration, and thus consists primarily of verbs and nouns. These can be formed into simple and complex sentences usually intelligible without special training. although sentences acceptable to the General Compiler cannot be written without familiarity with the grammar.

Words and symbols are the tools of the GECOM programmer and are composed of individual letters, numbers, and special characters. The basic character set of GECOM and equivalent GE-225 character codes are illustrated in the accompanying table, Figure 13. Special character sets are available for the printer.

Many of the basic characters, in addition to being used in words, have special meanings for GECOM; these will be discussed where appropriate.

Words, in GECOM, are divided into two major groups - names and verbs.

#### VERBS

GE-225 ·

As in English, verbs denote action; unlike English, GECOM verbs are never taken in the passive voice, the narrative or declarative sense, or in any tense other than the present tense. Each verb that the programmer uses in the source program (except the verb NOTE) will have some effect in the object program.

Most verbs will be reflected directly in the machinelanguage coding of the compiled object program; others do not appear in the object program, but do act with the compiler to construct the object program. Certain words that, in English, are not verbs are considered as such by the General Compiler. The most commonly-used and most useful of these is the word, IF, which is used in expressing conditions, relationships, and comparisons. For example, in the expressions:

$\mathbf{IF}$	NO	T END	OF	FIL	Е, С	GO	го					
		OR										
$\mathbf{IF}$	Α	EQUAL	LS E	3. G	0 1	CO .						

IF causes a comparison between the actual condition and the stated END OF FILE condition or, in the second example, causes a comparison between A and B. Such near-verbs will be discussed as if they were verbs.

The GECOM verbs and examples of how each might be used are listed in Figure 14.

#### NAMES

Most words in the GECOM source program will be names. The programmer is preparing a program for handling data, but is not concerned with the actual data itself; he is more concerned with preparing data manipulation procedures, but once they are written they are only of as much importance as the data they manipulate. For these reasons, and to take advantage of the leverage that GECOM provides, the programmer will refer to data and previously written procedures by name whenever possible.

Names can be readily grouped by type and fall within these groups:

- 1. Data Names
- 2. Procedure Names
- 3. Conditional Names
- 4. Constants

#### DATA NAMES

Data names represent data to be used in an object program, and are programmer-assigned, <u>not</u> to specific data, but to <u>kinds</u> of data. For example, in a file processing application, data names would be assigned to all input and output files, such as:

MASTER~FILE TRANSACTIONS PRINT~FILE etc.

and, within a file, records would bear data names, such as:

```
STOCK~RCD
PAY~RCD
INV~RCD~1
etc.
```

	GECOM LISTING OF JTS			PAGE 002
	GE CODER		JUL 17	
SOU	RCE LISTING (CO	N T. )		
3145 3150 3155 3160 3165 3170 3175 3180 3181 3182 3185	<ul> <li>\$3145. WRITE DETAIL RECORD.</li> <li>\$W3150. GO TO \$3155.</li> <li>\$3155. MOVE SPACES TO DEPT ALTER \$W3150 TO PROC GO TO \$3075.</li> <li>\$3170. PERFORM WPH SECTION. GO TO \$3145.</li> <li>\$3180. ALTER \$W3107 TO PROC GO TO \$3100.</li> <li>\$3182. CLOSE JOB FILE, SUMM STOP RUN #JTS#.</li> </ul>	OF WS. EED TO \$3075. EED TO \$3182.		0310 0320 0330 0340 0350 0360 0370 0380 0390 0400 0410
4000	DATA DIVISION.			
(SEQ	GAP T DATA NAME QUALIFIER	F RPT B J E MS L	S DATA IMAGE)	
4010 4015 4020 4021 4022 4023 4024 4025 4100 4105 4110 4115 4120	FILE SECTION OUTPUT FILES. OOOFD SUMMARY FILE. OOO R SUMMARY CARD F LAST DEPT F MAN COUNT F ACC REG HRS F ACC OT HRS F TOTAL HRS OOIFD DMH REPORT. OOO R RPT_TITLE L	P P	XX B(5) 999 B(29) 9(6)V9 B(4) 9999V9 B(5) 9(7)V9 B(12) BBB #DEPARTMENT MAN EPORT# B(42) #PAGE#	HOUR R
41 35 4140 4145 4150 4155 4160 4165 4170 4175 4180 4505 4500 4515 4520 4525 4530	F PAGE_COUNT OO1 R COL_TITLES L OO2 R DETAIL F DEPT WS F MAN_NBR F NAME F JOB_CODE F REG_HRS F OT HRS INPUT FILES. OO2FD JOB_FILE. OO0 R JOB_TICKET F MAN_NBR OOJ F DEPT F NAME F JOB_CODE OSA F REG_HRS	Ρ	B ZZZ9 B(7) #DEPT MAN NUMB # B(18) #JOB REG-HRS B(7) XX BBB X(5) B(6) A(21)B XX BB ZZZ.9 BBB ZZ.9 X(5) XX BB A(21) XX B(7) 999V9	

Figure 38. Edited List

The Data Division Form, Figure 8, is used exclusively for describing data to be used in the object program. Headings are provided to guide the proper placement of data. These are discussed in the later section, Data Division Preparation.

The Sentence Form, Figure 9, is used for the preparation of data for the Identification, Environment, and Procedure Divisions. Headings, which would add little, are omitted. Rules for Sentence Form preparation are few and simple.

Where applicable, such rules are discussed in the section, "Application of Basic GECOM," along with the preparation of the four divisions of the source program. The fourth major tool provided by the GECOM system, is the General Compiler itself. Examination shows considerable similarity between the General Compiler program and a complex business data processing object program.

1. The General Compiler operates upon <u>input</u>: the source-language program.

2. Compiler processing consists of <u>repetitive</u> <u>runs</u> of a set of instructions: the General Compiler.

3. It produces an output: the object program.

4. It produces <u>reports</u>: the Edited List and error messages.

Figure 10 illustrates, in broad terms, the relationships between the programmer-produced source programs, the General Compiler, the computer, and the output object program.

Up to this point, the General Compiler has been discussed as if it were a single program, and it can still be considered as such. Conversely, it can also be considered to be a series of sequential programs as illustrated in Figure 11. Note that there are five major groupings: Transformer, Reformer, Assembler, Editor, and Subroutines.

The transformer phase translates the source program into an intermediate internal language suitable for processing, prints out Identification and Environment Divisions as required, groups and organizes Procedure and Data Division material for further processing while checking for validity and consistency, prints error messages, screens out unessential optional words, and initiates the preparation of the object program.

The <u>reformer</u> phase is essentially executive in that it calls forth from the generator library (also a part of the Compiler) those routines required to produce the object program.




Figure 11. General Compiler Program Organization

The <u>assembler</u> phase translates from the intermediate language, assembles the coding into machine language, and produces the completed object program either in punched cards or on magnetic tape.

The <u>editor</u> phase provides the documentation of the program in the form of the Edited List. This includes a print-out of the entire original source program, a merged list showing the generated symbolic coding and the machine-language coding, and cross-reference tables. Additionally, it lists, from the master list of subroutines below, those required to complete the object program. Examples of the Edited List are included in the section, "Application of Basic GECOM."

The <u>subroutine</u> library is a collection of previouslyprepared subroutines common to most object programs that may be required to complete the object program. While these could be produced during compilations, to reduce compilation time and avoid repetitive processing during compiling, the General Compiler shows (on the Edited List) all such subroutines which will be needed when the object program is run. A special program loading routine will place into memory the object program and the

GE-225

GECOM LISTING OF JTS

PAGE 004

GE CODER

REFERENCE TABLES PROCEDURE NAME TO GAP SYMBOL (GAP PROCEDURE NAME) A01 S3055 A03 S3075 A07 \$3090 A08 \$3100 A11 S3110 A09 S3115 A05 S3125 A15 S3145 A13 S3155 A14 S3170 A04 S3180 A16 S3182 A06 SW3085 A10 SW3107 A12 SW3150 A02 WPH NAMES OF SUB-ROUTINES REQUIRED (GAP SECTION NAME) ADV FLX FΧΡ RCS RLC TYP ZAM ZBN ZCB ZED ZNB ZNN ZOT ZSC ZSG ΖUΑ GAP SYMBOLIC TO OCTAL LOCATION (GAP OCTAL GAP OCTAL GAP OCTAL GAP OCTAL GAP OCTAL GAP OCTAL) 00A 01363 00J 01402 00S 01110 00TCP 01713 00TXT 01712 000 01646 00V 01714 00W00 01664 00WE 01675 00W 01664 00X 01406 00Y 01406 00Z00 02040 01A 01366 01J 01403 01S 01120 01TCP 02006 01TXT 02005 01U 01737 01V 02007 01W00 02032 01W01 02034 01W02 02036 01WE 01772 01W 01755 01X 01406 01Z00 02076 01Z01 02120 01Z02 02133 02A 01370

Figure 40. Edited List

GENERAL	🛞 ELECTRIC
---------	------------

GENERAL COMPILER SENTENCE FORM

COMPUTER DEPARTMENT, PHOENIX, ARIZONA

PROGRAM												DATE			•
ROGRAMMER									COMPUTER			PAGE			•
SEQUENCE NUMBER	Ι											L,,,			+
1 2 3 4 5 6	7 8 9 10 11	12 13 14 15	16 17 18 19 20 21	22 23 24 25	26 27 28 29 3	0 31 32 33 34 35	36 37 38 39	40 41 42 43 44 45	46 47 48 49 50	51 52 53 54 55	56 57 58 59 60	61 62 63 64 65	66 67 68 69 70	71 72 73 74 75	16 77 78 79 1
			┝╾┖╼┖╼┶╶┖╴╉╴				-		- hard a book of		محمله ما مرغ مرطومه	: بصلحه مایچه است	للمار بلمرار المرا		
						-llll-		+-+-+-+				I			
				·				4		-++		•			
				المراجع المراجع								<u></u>			
	-							+	- I and a start						
				4lllllll						ا ا					سر و الم
				1 - I - I - I - I - I				مليم المركب المركب				L-1			مرغر – المراجع ال
				<u> </u>				+				hala ka		- +	
								- <u>h</u> h <u>h</u> h				· · · · · · · · · · · · · · · · · · ·			
	+			hand and a second second								toologik od a too		- <del>.</del>	└─╕┠┅╴└╸╼┝╍╸
				L.L.J.								+- +- +- + +			<b>L-</b> #FF
·		+			·····		+					· · · · · · · · · · · · · · · · · · ·		ل دا د ا د د د ا	
				L.I.I.				<u></u>				┹╍┶╼┹╼┺╼			ttt
			- dealer had been dealer						+		· + + + + + + +	1 +			ll
				<u></u>				J. I. i. i. J. i.				1			L
				<u> </u>				- <u>I</u>				1		فيتمادر والمسترجب	•
				↓↓ ↓				-1				₽	a data da	· · · · · · · · · · · · · · · · · · ·	II I
		- k - l - k										┵┈╘╌┶╼┝┈┽┈		لسلسط ساسط سا	
								- <del>  </del>	·			<u>↓</u> . ↓ . ↓ . ↓ . ↓ .			
		<b>1</b>		4 I	<u></u>				<u></u>					L b b b b	I
								-1 - <del>1 -1 -1 -1 -1 -</del> 11						↓↓↓→	
1 2 3 4 5 6	7 8 9 10 1	1 12 13 14 15	16 17 18 19 20 21	22 23 24 25	26 27 28 29	30 31 32 33 34	35 36 37 38 3	9 40 41 42 43 44 4	5 46 47 48 49 50	51 52 53 54 55	56, 57 58 59 6	61 62 63 64 65	66 67 68 69 70	71 72 73 74 75	76 77 78 79
CA 13 (10/61)				1-1 231-1 23							I I I I I I I I I I I I I I I I I I I	1.		1.10-10010112	

Figure 9. The GECOM Sentence Form

		GE C(	DDE R				JUL 17	
	ОВЈ	ECTLI	STIN	G (C	0 N T. )			
	01176 01177 01200	0001450 0721142 0000006 0001450 0101405 0301405		LDA SPB OCT LDA ADD STA	0J3 ADV 0000006 0J3 PC6 PC6			
3050	END WP	H SECTION.						0110
	01203	2601203	A02#/@	BRU	A0 2# <b>/</b> @			
3055	S3055.	OPEN ALL	FILES.					0120
	01205	0721646 0721737 0721461		SPB SPB SPB	00 U 0 1 U 0 2 U	1 1 1		
3060		MOVE O T	O PAGE_CC	UNT.				0130
		0001452 0301363		LDA STA	0 J 4 00 A			
3065		PERFORM	WPH SECTI	ON.				0140
	01211	0721145		SPB	A0 2	1		
3070		MOVE #ZZ	# TO LAST	DEPT.				0150
		0001457 0301403		L D A S T A	0A5 01J			
3075	S3075.	READ JOB	_FILE REC	ORD IF	END FILE	GO TO S3180		0160
		0001315 0001214 2701571 0721511	A0 3	LDA LDA STO SPB	A04 *-1 02T 02W	1		
3080		IF DEPT	OF JOB_TI	СКЕТ ЕС	UALS LAS	LOEPT GO TO	\$3125.	0170
	01220 01221 01222 01223 01224 01225 01225 01226 01227	0001403 2000314 0300654 0001402 2000314 0200654 2514002 2601262		L DA E X T S TA L DA E X T S UB B Z E	O1J EXB XYZ OOJ EXB XYZ AO5			
3085	SW 3085	, GO TO S3	090.					0180
	01230	2601231	A06	BRU	A07			
3090	\$ 3090	ALTER SW	3085 TO P	ROCEED	TO \$3100.			0190

Figure 42. Edited List

OGRAM								·									DATE					
GRAMMER			<u></u> ,										COMPUTE	R			PAGE			<u> </u>		
SEQUENCE NUMBER	Π																					
2 3 4 5 6	7	8 9 10 11	12 13 14 15	16 17 18 19	20 21 22	23 24 25	26 27 28	29 30 31	32 33 34 35	36 37 38 3	.9 40 41 42. 4	43 44 45	46 47 48 49	50 51 52 5	53 54 55	56 57 58 59	60 61 62	63 64 65	66 67 68 69	70 71 72 7	3 74 75 76 7	7 78 79
1,0	Ц	$\mathbf{P}_{\mathbf{I}}\mathbf{R}_{\mathbf{I}}\mathbf{O}_{\mathbf{I}}\mathbf{C}$	E, D,U,R	E, D,I	VIIS,	I <sub>1</sub> O <sub>1</sub> N	•											J		<b></b>	ملورا ماسرات	
, , 2,0	Ц	SENT	~1	O P E	<u>N I</u>	N,P,U	T <u>T</u>	R A N	$S \sim F I$	L MS	$T R \sim F$	ξ,Ι L	$\sim 1.N.$	O_U_T	ſ_P_U	T, _, M, S	$T_{\rm I}R_{\rm I}\sim$	FIL	~.O.U.T.	<u>H.S_</u> P	$\sim R E P$	<u>'.T.</u>
1 1 3 0	Ц	SE.N.T	~	REA	D <sub>1</sub> T <sub>1</sub>	R.A.N	S⁻,∼,F	I.L.	- t t t					•						<u> </u>		_i
4.0	Ц	- i - i - i -	R <sub>I</sub> E <sub>I</sub> A D	, M, S , T	$\mathbf{R} \sim \mathbf{F}$	$I L \sim$	I.N.,	, I,F	E_N_E	, G O	T_O_F	FIN	$\mathbf{A}_{\mathbf{L}} \sim \mathbf{S}_{\mathbf{L}}$	TOP				<u></u>		L		
5_0	$\Box$		IF, T	RANS	_A_C ~_	COD	E E	Q U A	<u>LS_1</u>	G_O_	TOS	3 H I	PMEN	Т,, Н	E Q U	ALS	,2G	O T	0,			
5,1	Ц			$\mathbf{R}, \mathbf{E}, \mathbf{C}, \mathbf{E}$	$\mathbf{I}_{\mathbf{I}}\mathbf{P}_{\mathbf{I}}\mathbf{T}_{\mathbf{I}}$	. E	Q, U,A	LS	<u>3, G,C</u>	, T.O.	, <b>A</b> H	N <sub>1</sub> G <sub>1</sub> E	. E.Q.	UALS	3 4	,G,O	_T_O_	$\mathbf{D}_{\mathbf{D}}\mathbf{E}_{\mathbf{D}}\mathbf{L}$	E.T.E.	· · · · · · · · · · · · · · · · · · ·	ملوحة حقيمات	
6.0	Ц		S,T,O,P	F,I,L	$\sim M_i A_i$	INT	el	م او را م						L_L_L.		┍╍┺┉╄╼╍╍		L			-اس الم ال	
7.0	$\square$	SENT	~.3	PERF	ORM	,D,E	D,~,C	<u>,0 ,M, P</u>	, <u>S</u> E C	TION	<u>1, U,S !</u>	I NG	,D,E,D	,OF,	TR	A N S	~, <b>F</b> , <b>I</b> , <b>L</b>	,,G, I	V, I, N, G	have been been been been been been been be		-
	$\square$			$\mathbf{T}_{\mathbf{I}}\mathbf{O}_{\mathbf{I}}\mathbf{T}_{\mathbf{I}}\mathbf{A}$	$\mathbf{L}_{1} \sim \mathbf{D}_{1}$	$\mathbf{E}_{\mathbf{D}}$		-1	يليد بالمحاد وال				-	المراجع المراجع		<u> </u>		مراجعها ب		6L. 1L.	ساحد احجاج	ما مطحد
	Ц				<u></u>	II	Lu	- <b>L</b>						4			- d	to a day of the			- اب اب ا	
	$\square$				لسلسل	L								<u> </u>								
<u> </u>	$\square$				لسلسل	L			۔ طبیط حملہ ط					4						حسر المراجعة		
	$\square$				<u></u> .				<u></u>			- <del></del>		<u>د د ه د</u>				had a start a				
المسالح المسالحة	Ц				لسلسلسا	1	<u> </u>					L		4				l		1		
1. <u>1. 1. 1. 1.</u>	Ц					L L L				++				<del></del>			- 4 4 4	-				
		1	1	<b>I</b>						1		!			1	1						

Figure 7. Procedure Division Layout

.

GECOM LISTING OF JTS			PAGE 009
GE CODER		JUL 17	
O B J E C T L I S T I N	G ( C O N T. )		
01265 1001370 01266 0721143 01267 0101376 01270 0023025 01271 0721143 01272 0300025 01273 1301370	DLD 02A SPB FXP 1 ADD 05A OCT 0023025 SPB FXP 1 STA 021 DST 02A		
3135 ADD OT_HRS TO AC	C_OT_HRS.		0290
01274 1001372 01275 1101400 01276 1301372	DLD 03A DAD 06A DST 03A		
3140 IF LINE_COUNT EQ	UALS 51 GO TO \$3170.		0300
01277 0001405 01300 0201454 01301 2514002 01302 2601313	LDA PC6 SUB OJ5 BZE A14		
3145 S3145. WRITE DETAIL RECO	RD.		0310
01303 0722036 A15	SPB 01W02 1		
3150 SW3150. GO TO S3155.			0320
01304 2601305 A12	BRU A13		
3155 S3155. MOVE SPACES TO DE			0330
01305 0001460 A13 01306 0301404	LDA OA6 STA O2J		
3160 ALTER SW3150 TO P	ROCEED TO \$3075.		0340
01307 0001214 01310 0001307 01311 2701304	LDA A03 LDA *-1 STO A12		
3165 GO TO \$3075.			0350
01312 2601214	BRU AO3		
3170 S3170. PERFORM WPH SECTI	ON .		0360
01313 0721145 A14	SPB A02 1		
3175 GO TO \$3145.			0370
01314 2601303 3180 S3180. ALTER SW3107 TO P	BRU A15 ROCEED TO S3182.		0 380

Figure 44. Edited List



.

.

.

5. <u>Elements.</u> In a few cases, for convenience, fields are further subdivided into "elements." For example, a part numbering system could be so organized that portions of the part number had added significance. For example: 18253702, NPN Transistor; 18 meaning electrical, 2 meaning a component (not a subassembly), 53 meaning tubes and solid-state devices, and 702 to identify the particular item.

The relationship between these various data levels are readily shown:

FILE

RECORD GROUP 1 GROUP 2 FIELD FIELD ELEMENT ELEMENT FIELD GROUP 3 GROUP 4

As mentioned earlier, all data to be used or created by the object program must be defined. A typical Data Division for GECOM is shown in Figure 6, giving representative examples of data definitions. The Data Division for a representative problem is presented and explained in the section, "Application of Basic GECOM". The relationship between Data Division and input data is also shown in Figure 6.

The <u>Procedure Division</u>, Figure 7, indicates the steps that the programmer wishes the object program to accomplish. These steps are expressed in English words, symbols, and sentences that have meaning to the General Compiler. Although the steps described in the Procedure Division closely parallel those of the eventual object program, it is misleading to consider the Procedure Division alone to be the source program. The source program is not complete without Data, Environment, and Identification Divisions.

Sentences in the Procedure Division invariably contain verbs to denote the desired action, names (of data, constants, etc.) or operands to show what is to be acted upon, and various modifiers for clarity. Sentences can be grouped into sections to facilitate reference and permit the performance of a series of sentences out of the normal sequence.

Procedure statements or sentences can be simple:

ADD 0.5, RATE OF PAY~FILE.

This will create coding in the object program to add the constant 0.5 to whatever value (of the RATE from the PAY $\sim$ FILE) had been read into the computer. Or statements can be highly complex, involving several clauses and modifiers, such as:

IF PART~NUMBER OF MSTR~INVNTRY IS LESS THAN PART~NUMBER OF TRANSAC-TIONS GO TO WRITE~MASTER, IF EQUAL GO TO UPDAT~MASTER, IF GREATER GO TO NEW~RECORD.

This statement would result in object program coding to cause the following:

1. The part number of the master inventory record (previously read in) would be compared with the part number of the current transaction record.

2. If the part number of the master inventory record is:

a. the lesser of the two, program control is transferred to a routine called WRITE  $\sim$  MAS-TER, which causes the master inventory record to be written out as part of a master file,

b. equal to the transaction part number, program control is transferred to a routine called UPDAT $\sim$ MASTER, which modifies the master inventory record in some manner,


c. the greater of the two, program control transfers to a routine called NEW $\sim$ RECORD, which causes a new record to be added to the master file.

Procedure Division sentences are performed in the sequence in which they appear, unless that sequence is modified by a "GO" or a "PERFORM" statement as explained in the next section of this chapter, "GECOM Language Elements".

Typical Procedure Division statements are illustrated in Figure 13. Note that sentences can be named (for reference to them by other sentences) or unnamed. Lines 20, 30 and 70 have been named SENT $\sim$ 1, SENT $\sim$ 2, and SENT $\sim$ 3, although more descriptive names can be assigned at the programmer's discretion. More detailed information for preparing a source program Procedure Division is covered in the section, "Application of Basic GECOM".

In addition to LANGUAGE and ORGANIZATION, the third item that the GECOM system provides for the programmer is a set of forms to facilitate source program preparation and documentation. Two basic forms are provided, the General Compiler Data Division Form, number CA-14, and the General Compiler Sentence Form, number CA-13.

Both forms are designed to make it easy to translate the programmer-prepared source program information into a machine-readable form, such as punched cards or paper tape. Each horizontal line of either form provides for up to 80 units of information, corresponding to 80 punched card columns.



GECOM LISTING OF JTS

GE CODER

JUL 17

O B J E C T L I S T I N G ( C O N T. ) INPUT-OUTPUT CODING (Partial Listing)

01100 01101 01102 01103	01100 0000262 0000010 2500200 2500400	025	LOC ALF OCT RCD RCD	1100 02S 10 <b>128</b> 256
01104	2000001		EXT	1
01105	0000000		OC T	0
01106	0000000		OC T	0
01107	0000000		ОС Т	0
	01461		ORG	BIN
01461	0001504	020	LDA	02W-5

# LOCATION ASSIGNMENTS FOR GECOM COMMON CONSTANTS (Partial Listing) (ASSEMBLED IN FRONT OF PROCEDURE CODING)

01144	T V 2	BSS	0
00572	ΙXΥ	EQU	378
00252	ZER	EQU	170
00252	Z00	EQU	ZER
00254	Z01	EQU	172
00255	Z O 2	EQU	173
00256	ZO 3	EQU	174
00257	Z04	EQU	175
00260	Z05	EQU	176
00261	Z06	EQU	177
00262	Z07	EQU	178
00263	z08	EQU	179
00264	Z09	EQU	180
00265	Z10	EQU	181
00266	Z 1 1	EQU	182
00267	Z 1 2	EQU	183
00270	Z 1 7	EQU	184
00271	Z18	EQU	185
00272	Z19	EQU	186
00273	Z 20	EQU	187
00274	Z 24	EQU	188
00275	Z 25	EQU	189

END OF GECOM LISTING

Figure 46. Edited List

69



procedure. In addition, standardization of divisions, sections, procedure statements, and other program elements facilitates communication between programmers and permits program debugging in the same language in which the program was written.

The four divisions of a GECOM source program are:

- 1. The Identification Division
- 2. The Environment Division
- 3. The Data Division
- 4. The Procedure Division

The <u>Identification Division</u>, Figure 4, provides the programmer with the means for labelling and describing the source program in English-language form. In addition to the program name, author (programmer) and date compiled, this division can include other pertinent information, such as next-programin-sequence, security classification, location, and explanatory comments as needed. During compilation, this data becomes the label for the object program and is automatically reproduced on output listings, such as the Edited List.

Programmer use of the Identification Division is flexible. The only portion <u>required</u> by the General Compiler is the division name and the PROGRAM ID sentence; all other sentences are at the programmer's option.

Preparation of the Identification Division is discussed further in the section, Application of Basic GECOM.

The <u>Environment Division</u>, Figure 5, provides a link between the source program and the data processing equipment. It defines the computer system configuration and its relationship to the source and object program. The General Compiler depends upon the

......

Environment Division to provide information which associates input and output equipment with the data names for each file to be used in processing. The information in the Environment Division is specified by the systems programmer in English language clauses.

In preparing the Environment Division, the programmer enters the information in a predetermined way. This format is sectionalized under four sentence headings as described below:

1. The OBJECT~COMPUTER sentence, the first entry, is used to describe the computer on which the object program is to be run.

2. The  $I \sim O \sim CONTROL$  (input/output control) sentence, the second entry, specifies nonstandard error and tape label checking procedures. In addition, programming control is facilitated by permitting the specification of program rerun points, memory dump assignments, and identification of multifile magnetic tape reels.

3. The third sentence, FILE CONTROL, identifies input/output files and provides for their assignment to specific input/output units.

4. The COMPUTATION~MODE sentence assigns the internal mode of calculation. Sentence use is optional; it is used only when it is desired that computation occur in the floating-point mode, either programmed or in the optional Auxiliary Arithmetic Unit.

The accompanying example illustrates typical entries describing the environment for a representative program. Entry 10 describes the data processing system for which the object program is intended: a GE-225 system with two memory modules (8192 words of core storage), one card reader, one card

	E	NERAL F	EQUISIT	IONS (8)		
PROGRAMMER	ι.	E. CODE	ER			
SEQUENCE NUMBER						
1 2 3 4 5 6	7	8 9 10 11	12 13 14 15	16 17 18 19 20 21 22 23 24 25	26 27 28 29 30 31 32 33 34 35	36 37 38 39 40 41 42 43
1	L	I, D, E, N	$\mathbf{T}_{1}\mathbf{I}_{1}\mathbf{F}_{1}\mathbf{I}$	$\mathbf{C}_{1}\mathbf{A}_{1}\mathbf{T}_{1}\mathbf{I}_{1}\mathbf{O}_{1}\mathbf{N}_{1}$	ISION.	
<u>, , , 1</u> ,0		P <sub>,</sub> R <sub>,</sub> O <sub>,</sub> G	$RAM_{\sim}$	I,D, , R, E, Q $\sim$ , R, U	N ~ 8 .	
, 2,0		$\mathbf{A}_{\mathbf{U}}\mathbf{U}_{\mathbf{U}}\mathbf{T}_{\mathbf{H}}$	O,R , , ,		R	
, 3,0		D <sub>1</sub> A <sub>1</sub> T <sub>1</sub> E	~,C ,O ,M	$\mathbf{P}_{\mathbf{I}} \mathbf{I}_{\mathbf{L}} \mathbf{E}_{\mathbf{L}} \mathbf{D}_{\mathbf{L}}, \mathbf{M}_{\mathbf{A}} \mathbf{Y}$	1,0,,,1,9,6,2,.	
4_0		I N S T	$\mathbf{A}_{\mathbf{L}}\mathbf{L}_{\mathbf{L}}\mathbf{A}$		O,M,P, D,E,P,T, P	HO'E'N'I'X''
5,0		S.E.C.U	$\mathbf{R}_{1}\mathbf{I}_{1}\mathbf{T}_{2}\mathbf{Y}$		FILE,D	
6.0		$\mathbf{R}_{\mathbf{L}}\mathbf{E}_{\mathbf{M}}\mathbf{A}$	$\mathbf{R}_{\mathbf{I}}\mathbf{K}_{\mathbf{I}}\mathbf{S}_{\mathbf{I}}$	$\mathbf{U}_{\mathbf{I}}\mathbf{S}_{\mathbf{I}}\mathbf{E}_{\mathbf{I}}$ , $\mathbf{D}_{\mathbf{I}}\mathbf{A}_{\mathbf{I}}\mathbf{T}_{\mathbf{I}}\mathbf{A}_{\mathbf{I}}$	$\mathbf{F}_{\mathbf{I}}\mathbf{M} = \mathbf{R}_{\mathbf{I}}\mathbf{E}_{\mathbf{I}}\mathbf{Q} = \mathbf{C}_{\mathbf{I}}\mathbf{A}_{\mathbf{I}}\mathbf{R}$	$\mathbf{D}_{\mathbf{S}}$

Figure 4. Identification Division Layout



# APPENDIX 1. THE GENERAL COMPILER VOCABULARY

Words and terms that appear in the following list must be considered to be part of the General Compiler vocabulary and must not be used by the systems programmer in forming data or procedure names, nor may they be used in any manner in a source program other than as provided by the GECOM Language Specifications.

Where warranted, many of the terms have been defined or explained. Terms not so explained were deemed to be self-evident in meaning. In addition, the body of the manual contains many examples that illustrate the use of most of the vocabulary terms.

- ABS Absolute value, or magnitude, of a number, regardless of sign.
- ACCESS Part of descriptive name Mass Random <u>Access Data Storage</u>.
- ADD To add two quantities and store the sum in either the last-named field or the specified field.
- ADVANCE To vertically skip or slew the printer paper.

AFTER

ALL

ALTER - To modify a sequence of operations specified in one or more GO sentences,

AND - A logical operator.

ARE

- ARRAY A multi-valued field that may be referenced by name and subscript. An array may be one, two, or three dimensional and may have corresponding number of subscripts. An array must be defined in the Array Section of the Data Division.
- ASSIGN To direct the placement of a file or program to an input-output media.
- ASSIGNMENT To evaluate an arithmetic expression and assign the result to a field. To equate data names.

- ATAN Are tangent. A mathematical function that may be used within arithmetic expressions. Calculated in floating point arithmetic.
- AUTHOR An optional Identification Division sentence name.
- BEGIN Entrance point to a source program section.

BEGINNING

- BGN $\sim$ FIL $\sim$ LABL A tape record preceding each file of a multi-file tape.
- BGN~TAP~LABL The first record on any tape except in multi-file tape.
- BINARY Pertaining to the binary number system, as opposed to decimal or binary coded decimal.
- BLOCK See Glossary
- BUFFER A device which stores data temporarily during transfer operations.

BY

CARD

- CLOSE To terminate processing of input or output reels and files with optional rewind and/or lock.
- COMMON ( $\sim$  STORAGE) An optional Data Division Section name.
- COMPUTATION  $\sim$  MODE An optional Environment Division sentence name.
- CONSTANT An optional Data Division section name.

#### CONTAINS

- CONTROL Interpretation and execution of operations.
- CONTROL~KEY The field or fields by which a record is identified.
- COPY To duplicate from another area.

GE-225-

#### GENERAL

For clarity and simplicity, only the Basic GECOM system is described in this section. Brief descriptions of extensions to Basic GECOM are provided in the section, "Extension to GECOM". These extensions, for the most part, expand the capabilities of GECOM to encompass recent language developments.

Implementing a data processing application on a computer involves a broad procedure that has been outlined as follows:

1. Define the problem

2. Determine the procedure to be followed in solving the problem

3. Prepare the computer program, including test-ing

4. Run the program on the computer with appropriate input data.

If the programmer has at his disposal the automatic coding system of GECOM, the above procedure becomes:

1. Define the problem

2. Determine the procedure to be followed in solving the problem

3. Prepare the source program in problemoriented language

4. Compile the object program from the source program, using the General Compiler

5. Machine-test (debug) the object program

6. Run the object program on the GE-225 with appropriate input data.

At first glance, automatic coding seemingly complicates the task of data processing. However, as shown in Figure 3, the burden on the programmer is no greater, and often is appreciably less. For example, the step from item 2 to item 3, above, is greatly facilitated by the GECOM-provided ability to express procedural steps in English language statements. Additionally, each statement the programmer writes is several times more powerful than the machine-language or symbolic instructions that he would otherwise use. Also, he is materially assisted in the machine-test or check-out phase, item 5, by the assistance provided by the General Compiler in the form of detailed print-outs of error conditions and of the complete compilation process. The printouts are as easy to read as the programmerprepared procedure statements of the source program.

This section is devoted primarily to discussion of item 3, source program preparation, using the GECOM system. Incidental references will be made to the other areas, such as the compilation process, as required.


Assuming that a well-defined data processing problem has been assigned to a systems programmer, he determines the detailed procedures for problem solution and generally prepares a flow chart describing those procedures. Flow charts can be broad or detailed, depending upon the problem and the programmer. Invariably, they are sufficiently detailed to serve as a guide for programming the problem solution. The section, "Application of Basic GECOM." illustrates typical flow charts.

#### **GECOM SYSTEM COMPONENTS**

With these preliminaries out of the way, the programmer is ready to prepare the source program. What does the GECOM system provide him to assist in this task?

First, it provides him the necessary language that eliminates tedious machine-language or symbolic coding. Language is discussed in the following section, "GECOM Language Elements".

Second, it provides him with a standard source program organization, which corresponds to the format followed by the compilation output. GECOM source programs are partitioned into four divisions, intended for separate and independent preparation. This facilitates changes; if the procedure must be modified, it can be done with minimal effect upon data parameters; if data changes occur, the data parameters can be changed without affecting the



LABEL

LESS

LINE COUNT

LINES

- LN Natural logarithm. A mathematical function that may be used in arithmetic expressions. Calculated in floating-point arithmetic.
- LOCK To prevent a tape from being read or written by program control.
- LOG Common Logarithm. A mathematical function that may be used in arithmetic expressions. Calculated in floating point arithmetic.
- LS LESS than. Used in relational expressions.
- MAGNETIC Part of descriptive name, <u>Magnetic</u> Tape Handler.
- MASS Part of descriptive name, <u>Mass</u> Random Access Data storage.

MEMORY - Main storage, core storage.

- MODE A system of data presentation or processing within the information processing system.
- MODULE(S) Refers to core memory size; one module is 4096 words of storage.
- MOVE To transfer a constant, element, field group, record, or array to a constant, element, etc. of the same size.

### MULTIPLE

MULTIPLY - To multiply two quantities and store the result in the last-named field or the specified field.

#### NEGATIVE

- NEQ Not equal to. Used in relational expressions.
- NEXT  $\sim$  PROGRAM An optional Identification Division sentence name.
- NGR Not Greater Than. Used in relational expressions.
- NINE(S) A figurative constant used in procedure sentences.
- NLS Not Less Than. Used in relational expressions.

- NOT May be used in relational expressions. In logical expressions, it is an exclusive negative.
- NOTE To permit the programmer to write explanatory material in the source program for inclusion in the Edited List, but excluded from the compilation.
- OBJECT~COMPUTER An optional Environment Division sentence name.

OBJECT~PROGRAM - See Glossary

OF

#### OMITTED

ON

- ONE(S) A figurative constant used in procedure sentences.
- OPEN To initiate the processing of input and output files. Checks or writes labels and does other input-output functions.

OPTIONAL

- OR A logical operator
- OUTPUT A mandatory Data Division section name.

PAGE

- PAPER Pertaining to High-Speed Printer forms.
- PERFORM To cause the specified section to be executed. Control automatically reverts to sentence following the PERFORM.
- PLUG(S) Refers to connectors on the controller selector to which input-output unit controllers are attached.

POSITION

POSITIVE

PRINTER(S) - Pertaining to High-Speed Printer.

PROCEDURE - A GECOM Division name.

# PROCEED

- **PROGRAM** A complete sequence of data processing instructions. May refer to an object program or a source program.
- $\mbox{PROGRAM}{\sim}\mbox{ID}$  A mandatory Identification Division sentence name.

GE-225 ·

#### GENERAL

All compiler programs accept source programs prepared in specialized language and produce an object program ready for computer processing. Unlike most compilers, GECOM is not restricted to an unduly limited acceptable language. The General Compiler language is actually based on several languages.

The GECOM language evolved primarily from two recent major data processing languages, the business-oriented COBOL and the algorithm-oriented ALGOL. Both languages were developed for solving widely different problems, although from the viewpoint of compiler development they have similar characteristics. These similarities made it possible to provide in one complete and compact package a variety of proven programming techniques. COBOL, which satisfies the needs of the broadest spectrum of data processing applications, provided a basic vocabulary (words and symbols), a basic set of rules of grammer or syntax, and punctuation for clarity. ALGOL, to accommodate the demands of scientific contributes Boolean expressions, applications. floating-point arithmetic, and the ability to express equations concisely.

Many computer applications require neither the extensive file processing facilitated by COBOL, nor the profound mathematics that ALGOL provides, but do involve massive numbers of sequential decisions. To cope effectively with these decisions, General Electric devised structure tables for expressing the relationship of decision parameters. These decision structure tables, and the language in which they are expressed, have been termed TABSOL.

TABSOL has been incorporated into the language accepted by the General Compiler and can be used in combination with the COBOL and ALGOL-like capabilities of GECOM.

In addition to file processing, mathematical applications, and complex decision series, much programming effort is and has been devoted to applications involving report generation. The Report Writer format and language, fully compatible with the General Compiler, gives a fully documented method for preparing reports with minimum programming and debugging effort. The Report Writer is an extension of GECOM and derives much of its advantage from the GECOM system.

Both TABSOL and the Report Writer are discussed in the section, "Extensions to GECOM".

GECOM language is not compartmentalized into the component languages discussed above. In a given source program, it is possible to use COBOL statements containing ALGOL-like algebraic notations: TABSOL decision structure tables can be interspersed with procedure statements; and the Report Writer can be used for report generation. The source program can be prepared using one or all facets of the GECOM language. In addition, if the application so requires, GAP coding sequences can be inserted at will.

#### COBOL

Because the GECOM language is based primarily on COBOL, some discussion of COBOL and the history of its development is warranted.

In 1959, a meeting was called in the Pentagon by the Department of Defense to consider the desirability and feasibility of establishing a common language for the adaptation of computers to data processing. Representatives from both users and manufacturers were present. The consensus was that the project was definitely both desirable and feasible. As a result, this Conference on Data Systems Languages (CODASY L) established three committees, Short Range, Intermediate Range, and Long Range, to work in four general areas:

Data Description Procedural Statements Application Survey Usage and Experience

In September, 1959, the Short Range Committee submitted a preliminary framework upon which an effective common business language could be built. After acceptance by the Executive Committee of CODASYL, the report was published in April, 1960, by the Government Printing Office as "COBOL-A



- WORKING ( $\sim$ STORAGE) A mandatory Data Division section name.
- WRITE To display a limited amount of information on the console typewriter.

•

.

-To release a record or group to an output file.

ZERO(S) - A figurative constant used in procedure sentences.

ZEROES - SAME as ZERO(S)

Advanced compilers are not limited to accepting simply symbolic instructions, but can accept statements approximating ordinary English sentences or mathematical equations. Most of these compilers are highly restrictive in the vocabulary and syntax permissible and in the equipment that can be used. The GECOM system is the first to utilize a <u>General</u> <u>Compiler</u> program to permit <u>both</u> English-language and algebraic programming and, at the same time, to embody provisions for structured decision tables and automatic report writing. Additionally, the <u>General</u> Compiler has built-in provision to expand its language capability to encompass other source languages yet to be constructed.

Many of the advantages of compiler programs, particularly those associated with the General Compiler are pointed out in the section, "Advantages of GECOM". Because the balance of this manual is devoted to describing the GECOM system, it would be redundant to further discuss compilers in general.

However, by virtue of the changing requirements placed upon the programmer who may be engaged

GE-225

in GECOM programming, some consideration should be given to his job title.

The average data processing application involves two broad phases. One phase, defining the problem and determining the general method of solution, is generally called systems analysis. The other phase, involving the actual preparation of the program for computer entry, is variously called coding or programming, although in the strict sense coding is only a subordinate part of programming. In some installations, the two phases are performed by separate individuals; in others, both are performed by one person.

The programmer or systems analyst who is thoroughly trained in GECOM principles can communicate more readily with the computer through the General Compiler and, simultaneously, view the overall application in proper perspective. For this reason, the title, <u>systems programmer</u>, is suggested and used in the balance of this manual to describe the GECOM-trained programmer. The following pages briefly summarize the basic rules to be followed in preparing GECOM source programs on the General Compiler Sentence and Data Division Forms. A copy of this appendix is used to provide novice programmers with a convenient guide and a ready reference while becoming familiar with GECOM.

,

Descriptions of constants are also accepted by assembly programs. Constants, such as the English word TAX or decimal numbers like 365 are accepted by the assembly program and converted automatically into their machine language equivalents. A legend generally accompanies each description of a constant in the source program to indicate what kind of constant is being described. The legend ALF could be used, for example, to indicate alphabetic constants and DEC for decimal constants.

An assembly program produces the machine language versions of constants and instructions in the object program in such a way that they can be loaded into memory at a later time. Generally, a list is also provided, displaying the symbolic descriptions sideby-side with the output produced in the assembly process for each. The list, called an <u>assembly</u> <u>listing</u>, provides an important documentation of the program. It often contains, also, such aids to program checkout as indications of errors in descriptions and lists of symbolic addresses.

The legends, such as ALF and DEC, that are accepted by the assembly program, but do not stand for actual machine operations, are called pseudo-codes, or <u>pseudo-operations</u>. It is common for an assembly program to provide many of these for the programmer to use. Each extends the ability of the assembly program to prepare or document programs.

The symbolic descriptions of instructions, together with the pseudo-operations that are accepted by an assembly program, constitute what is called an <u>as-</u> sembly language, or a symbolic language. Although there are numerous exceptions, there is generally one output in machine language for each input in assembly language. For this reason, assembling is often considered to be a one-to-one process.

Symbolic language programming using assembly programs, while considerably simpler and faster than machine language programming, is still highly machine-oriented in that the programmer must have a thorough knowledge of machine-language program-It is common for source programs written ming. for assembly program processing to result in object programs that are as fast and compact as are equivalent programs prepared directly in machine language. Thus, because symbolic language programs are as efficient as machine language programs, symbolic language programming has almost entirely supplanted the machine language as the basic programming media.

Figure 2 illustrates object program preparation, using an assembly process. First, the programmer prepares the source program in symbolic form, using simple mnemonic codes for the desired machine operations and storage of program constants. Second, the source program is converted to a form suitable for machine entry. The most common representations are hole patterns in punched cards or paper tape or bit patterns on magnetic tape. Usually the programmer prepares his instructions on forms from which a keypunch operator can punch the cards or paper tape for direct entry to the computer or, alternately, for conversion to magnetic tape and the input to the computer.

Next, the assembly program is stored in the computer memory and the source program is input to the computer. The computer, under assembly program control, produces the output -- an object program ready for processing.

At any time after assembly, the object program, now in machine language form, is input to the computer along with data to be processed. The resultant output -- processed data in the form of punched cards, paper or magnetic tape, or printed reports -is now ready for use external to the computer.

The assembly system available with the GE-225, as previously mentioned, is known as GAP, for General Assembly Program. For further details, refer to the "GE-225 Programming Reference Manual."

# AUTOMATIC CODING LANGUAGE PROGRAMMING

As pointed out above, the assembly program permits an already-skilled programmer to prepare programs with a minimum of errors by eliminating many of the details of program "housekeeping." It also provides a more readable version of machine language, thus reducing the need for extensive annotation of machine coding. However, it does not eliminate the need for computer and machine language knowledge.

The <u>compiler program</u> permits the programmer to take another large step away from machine-oriented programming and toward problem-oriented language programming. Compiler programs place even more of the burden of object program preparation on the computer by permitting the programmer to state the desired operations in sentence form or in equation form, depending upon the application and the compiler program.

Compilers have several advantages over assembly programs. The language of the compiler is easier for the programmer to learn and easier for him to use, as it is more closely related to his problem. The programmer using a compiler usually does not need as intimate a knowledge of the inner workings of the computer as does the assembly programmer. Programming is faster; the time required to obtain a finished, working program is greatly reduced because there is less chance for the programmer to make a mistake and because most normal errors are detected by the compiler.

#### SUMMARY GUIDE FOR DATA DIVISION FORM PREPARATION

```
DATA DIVISION. Starts in column 8, ends with period. No other entries.
ARRAY SECTION.
TRUE \sim FALSE SECTION. Optional sections as required by program. Start in
INTEGER SECTION. column 8 and end with a period.
FILE SECTION. Identifies characteristics of data in input and output
              files of the object program. Starts in column 8 and ends
              with a period. Mandatory section.
OUTPUT FILES. Introduces output file descriptions. Starts in column 8
              and ends with period.
INPUT FILES. Introduces input file descriptions. Starts in column 8
             and ends with a period.
WORKING~STORAGE SECTION. Introduces working storage descriptions.
              Starts in column 8 and ends with a period. Mandatory.
COMMON~STORAGE SECTION.
                        Optional sections as required by program.
CONSTANT SECTION.
                         Start in column 8 and end with period.
FD File description. Name follows in columns 11 through 22, 12
              characters or less.
```

1

11

79

are held in the storage element along with the data to be processed. This not only permits step-bystep <u>data</u> manipulation -- it enables the machine to manipulate its own instructions as if <u>they</u> were data. Thus, it is possible for a program to modify itself (if prepared with this intention) and selectively repeat desired portions.

All information processing systems have a repertoire of permissible instructions; these vary in number and scope from one machine type to another and between manufacturers. For any given system, however, instructions can be grouped by general function:

- 1. Arithmetic
- 2. Decision
- 3. Input/Output
- 4. Control

GE-225

<u>Arithmetic</u> instructions, as the name implies, enable the data processor to perform arithmetic such as addition, subtraction, multiplication, and division.

<u>Decision</u> instructions enable the system to compare certain data with some standard (other data, perhaps, or the status of some data processor element) and select alternate courses of action.

Input and output instructions permit the reading in and writing out of data via peripheral input/output units.

Miscellaneous <u>control</u> instructions vary most widely between machines and depend largely upon machine design. In general, simpler machines require more control instructions to accomplish a given function or process than do more complex machines.

Even in the most complex machine, individual instructions are very simple operations and a number of them must be used in the proper order to perform a given function.

For many reasons, most modern information processors are designed to operate internally in some form of the binary (two-digit) number system, or a binarybased system, rather than the conventional decimal (ten-digit) system. Certain computer elements are bi-stable devices (that is: conducting or nonconducting, on or off, open or closed) with the two possible conditions expressed as "0" and "1", corresponding to "off" and "on", respectively. The "0" and "1" represent the two digits of the binary number system and are commonly called bits, for binary digits. By grouping computer elements and assigning values to them according to their position in the group, all numbers may be expressed in binary numbers; for example: 9 = 1001 18 = 10010

523 = 1000001011

wherein the 1-bits, by virtue of their position, have values corresponding to the powers of two (1, 2, 4, 8, 16, 32, 64, 128, 256, 512, etc. from right to left). The 0-bits, of course, as in the decimal system, denote zero value and establish position. Thus, the first 1-bit following the equal sign in the example, 9=1001, has a weight of eight (the third power of two), and the rightmost 1-bit has the weight of one (the zero power of two).

A somewhat similar system permits the representation of alphabetic and special symbols in coded binary form. In fact, the system described so briefly here is only one example of many binary numbering schemes in use and is used primarily to show the concept and illustrate the complexity of programming in a pure machine language. It is rarely necessary to program most modern computers directly in binary or machine language form.

As a final example of machine language programming, a simple routine or program for a hypothetical binary computer is used. Assume that two numbers are in the main storage of the computer at locations arbitrarily called 1000 and 1001. It is desired that the two numbers be added and the result be placed in another storage location, 1002. The binary coding for this program might appear as follows:

- $(1) \quad 0000000001111101000$
- $(2) \quad 00001000001111101001$
- (3) 00011000001111101010

The internal computer circuits would interpret such a program thusly:

(1) Load the contents of storage location 1000 into the arithmetic unit.

(2) Add the contents of storage location 1001 to the contents of the arithmetic unit.

(3) Store the new contents of the arithmetic unit in storage location 1002.

Obviously, pure binary programming is slow and tedious, partly because of the difficulty in keeping track of long strings of bits. One innovation that alleviates this difficulty is the use of an intermediate numbering system between the pure binary and the more familiar decimal system.

If the binary numbers in the example above are grouped into three's, as illustrated below, and repetitively assigned the values of the first three

S	UMN	IARY GUIDE FOR DATA	A DIVISION I	FORM PREPA	RATI	ON (conti	inued)					
										3	11	<b>.</b>
												4
	F	Indicates a	field	ofani	npu	ıt re	cor	d.				
		Field name i	s ente	red in	c o 1	umn s	11	t h 1	rough 22.			
					Ρ	Assu	me s	fie	eld is packe	d or unpac	ked,	
					U	unle	SS	it c	conflicts wi	th a highe	r lev	e 1
						entr	у (	grou	up, record,	or file).		
					1	Assu	me s	o n e	e-word binar	ry numeric	data.	
									a is not int			
									t be supplie	d in the d	lata	
						imag	e c	oluı	mns.			
					2				o-word non-s			
									ta. If data	is not int	eg er,	
					~				bove.			
					S				ing image is			
									. Cannot be			ng
						imag	e h	as a	a 1 or 2 in	column 37.		
								4				
						//////	lf	any	input group	os or field	s are	
									ed consecuti			-
							01	ιım	es repeated	is entered	, nere	•

.

#### THE INFORMATION PROCESSING SYSTEM

Although the effective use of the GECOM system does of require a <u>detailed</u> knowledge of machine-language programming or data processing systems, <u>some</u> such knowledge is desirable, and perhaps is essential if a valid evaluation of the system is to be made.

Data processing needs have resulted in the development of a great variety of computers. While the physical form and the specific logic flow differ widely, general functions and information flow are similar.

The modern computer or information processor consists of five elements as illustrated in Figure 1: Input, Output, Storage, Arithmetic-Logic, and Control. Communication with the computer is possible only through the input and output elements.

The term, input element, is a functional concept, not the name of a unit of equipment. Only through the input element can data enter the processing system. A system may have one or more of several input media: punched cards, punched paper tape, magnetically-encoded tape, or specially-printed documents. Not all computers have available all input media.

The <u>output</u> element makes it possible for the system to perform a useful function; without an output intelligible to the user, a data processor is useless. Output can take one or more of these forms: punched cards, paper tape, magnetic tape, printing, or any of several special-purpose, machine-controlled forms, such as magnetic-ink encoded (MICR) documents.

Input data must be presented to the system in such a way that the system can manipulate and store it internally. For this reason, data is fed into the system in a form that can be readily converted to the internal electronic language of the system (machine language). Similarly, output data is reconverted to an externally-usable form after processing.

The <u>storage</u> element is functionally subdivided into two general types of storage. One, characterized by limited capacity, high speed, and relatively high cost, is referred to as main storage, memory, core storage, core memory, or simply "core". The latter three terms are popular because tiny magnetic cores are the storage medium in many data processors. The other general type of storage, characterized by high capacity, lower speed, and lower cost, is called auxiliary storage. Auxiliary storage may take almost any form, with punched cards and magnetic tape, discs, and drums being the most common.

The <u>arithmetic-logic</u> element contains the circuits that perform the manipulations of data required by

the task or application. It adds, subtracts, multiplies, divides, shifts and rearranges data, and makes decisions, according to the purpose of the program. Capabilities vary widely between different types of computers.

The <u>control</u> element decodes and interprets the stored instructions in proper sequence to achieve the purpose of the program.

In a given compter, it can be difficult to recognize physically the separate storage, control, and arithmetic-logic elements. Functionally, they are separate and distinct elements in all data processing systems and should be so considered. The input and output elements are more readily recognized; more often than not they are packaged as separate units, such as card readers, paper tape readers, document handlers, magnetic tape handlers, card punches, paper tape punches, and printers.

#### GENERAL PROGRAMMING CONCEPTS

<u>Programming</u> is essentially the framing of a set of directions for a computer. A set of such directions prepared for, and to be communicated to, a computer to guide and control it for a particular processing task is a program.

A <u>subroutine</u>, on the other hand, is a set of directions that is generally incomplete (by itself) in the sense that it usually is only part of a program. Programs frequently contain subroutines for directing the performance of discrete portions of an overall data processing application.

Programs and subroutines, in turn, consist of <u>in</u>structions, which are basic and are the smallest meaningful part of a program. Thus, instructions are the basic tools of the programmer from which he frames the set of directions a computer is to follow.

The phrase "to direct a computer" indicates communication, and communication implies <u>language</u>. In practice, a programmer may use several languages in preparing programs, depending upon the computer. Digital computers are constructed and organized so that they can accept coded representations of letters and numbers, and interpret them as directions to be followed in processing data. Programming languages generally fall into one of three categories, depending on how closely related they are to the computer requirements for accepting information. These three categories are: machine language, symbolic language, and automatic coding language.

#### MACHINE LANGUAGE PROGRAMMING

Perhaps the most important characteristics of modern information processors is the <u>stored-program</u> concept. In the information processor, instructions



SUMMARY GUIDE FOR DATA DIVISION FORM PREPARATION (continued) 5 11	• • • • • • • • • • • • • • • • • • •
FL Field literal. Any legal data name. Used for named fields with fi values. Rules that apply to fields also apply to field literals. Actual value of literal is enclosed in quotation marks in columns 55 through 80.	
OUTPUT RECORD ENTRIES:	
R Output record-Name in columns l1 through 22; may be qualified by entry of a qualifier in columns 24 through 35. If record name is unique, It need not be qualified.	
P Forces all levels within record to be U packed (P) or unpacked (U) except binary numerics.	•
<ul> <li>*G *group name in columns 11 through 22. May be qualified. If 2 qualifiers are needed, first goes in columns 24 through 35, second next line columns 24 through 35 and a tilde in column 7.</li> </ul>	i n
P Forces lower levels to be U packed or unpacked.	

.

•

83

### WHAT IS GECOM?

The GE-225 GECOM system is an advanced and highly effective method for preparing sets of directions for the GE-225 Information Processing System. As a system, it consists of three elements: Language, Compiler, and Computer. These three terms are further explained below.

#### THE LANGUAGE

A language is, in general, a means of communication. In the visual form, it usually consists of a set of symbols (such as our alphabet), which can be arranged into meaningful groups (words). Properly arranged aggregates of these groups or words can communicate ideas, action, commands, and questions.

The direction of an automatic information processing system in the performance of a given operation requires communication between man and machine. Just as communication between two men requires a language intelligible to both, communication between man and machine requires a common language. This common language can be machine-oriented (that is, related closely to the basic means by which the computer accepts and presents information, and requiring tedious translation by man of his directions into machine-acceptable form), or the language can be problem-oriented (enabling man to express directions in a form more convenient to the application and placing the burden of the translation on the computer), or it can lie somewhere between these ex-Machine-oriented and problem-oriented tremes. languages are discussed further in the section, "General Programming Concepts".

The GECOM language is a problem-oriented language designed to handle scientific problems as well as general business information processing. The primary basis for the language structure is COBOL, the COmmon Business-Oriented Language for programming digital computers. COBOL is further discussed in the section, "GECOM Programming Language".

In addition to the capabilities derived from COBOL, GECOM language incorporates many of the features of ALGOL, (an <u>ALGO</u>rithmic Language for stating mathematical computations), such as capabilities to evaluate complex equations, Boolean expressions, and mathematical functions. These computations may be performed in either fixed or floating-point arithmetic.

Further versatility is provided by the incorporation of TABSOL and the Report Writer into the language. TABSOL, for <u>TABular Systems-Oriented Language</u>, is a system for expressing decision logic in a simple tabular form. The Report Writer facilitates report preparation and improves documentation. TABSOL and the Report Writer are discussed in the section, "Extensions to GECOM".

GECOM language is not limited to the language capabilities and the extensions mentioned above. General Compiler versatility permits inclusion of GAP, the basic symbolic language (machine-oriented to a degree) of the GE-225 Information Processing System. GAP, for General Assembly Program, is a straightforward symbolic assembly system for the GE-225.

#### THE GENERAL COMPILER

If communication with the computer is to occur in problem-oriented language, some means must be provided to translate that language within the computer into machine-oriented form. A set of directions for a computer, regardless of the language in which it is prepared, is called a program or, sometimes, a routine. A program, manually prepared, is generally termed a source program. A source program which has been translated into a machine-oriented program is an object program. One means of translating a source program into an object program is to use a specially-prepared program (called a compiler) which, within the computer, operates upon the source program as if it were data and transforms it into an object program.

The General Compiler (from which the GECOM system derives its name) is a unique program specifically designed to reduce sharply the traditionally high programming costs associated with the computer applications. GECOM is a highly versatile and dynamic "program generator"; versatile because it accepts source programs written in a variety of languages; dynamic because both the range of languages and the computer types to which it is applicable can



SUMMARY GUIDE FOR	DATA DIVISION FORM PREPA	RATION (continued)	7	11 .
				• • • • • • • • •
L Literal; and eleme		l other columns are comp	leted as for	fields
OTHER OUTPUT RECORD	ENTRIES	Not used for outp	ut entries.	
		Bor other char levels with num	neric data de	scrip tion
		(9) to be in st unless lower le non-standard bi in column 43 fo	evel Format i nary data. A	n di c a t e s bl a n k
		🕅 Forces unpack	ed data to b	e left
		L (L) justified R right (R) jus filled.		
				<ul> <li>a strange of the strang</li></ul>

# ACKNOWLEDGEMENT

"This publication is based in part on the COBOL System developed in 1959 by a committee composed of government users and computer manufacturers. The organizations participating in the original development were:

Air Materiel Command, United States Air Force Bureau of Standards, Department of Commerce David Taylor Model Basin, Bureau of Ships, U. S. Navy

Electronic Data Processing Division, Minneapolis-Honeywell Regulator Company Burroughs Corporation International Business Machine Corporation Radio Corporation of America Sylvania Electric Products, Inc.

Univac Division of Sperry Rand Corporation

In addition to the organizations listed above, the following other organizations participated in the work of the Maintenance Group:

Allstate Insurance Company Bendix Corporation, Computer Division Control Data Corporation DuPont Corporation General Electric Company General Motors Corporation Lockheed Aircraft Corporation National Cash Register Company Philco Corporation Standard Oil Company (N. J.) United States Steel Corporation

GE-225

This COBOL-61 manual is the result of contributions made by all of the above-mentioned organizations. No warranty, expressed or implied, is made by any contributor or by the committee as to the accuracy and functioning of the programming system and language. Moreover, no responsibility is assumed by any contributor, or by the committee, in connection therewith.

It is reasonable to assume that a number of improvements and additions will be made to COBOL. Every effort will be made to insure that the improvements and corrections will be made in an orderly fashion, with due recognition of existing users' investments in programming. However, this protection can be positively assured only by individual implementors.

Procedures have been established for the maintenance of COBOL. Inquiries concerning the procedures and methods for proposing changes should be directed to the Executive Committee of the Conference on Data Systems Languages.

• • • • • • • •

Any organization interested in reproducing the COBOL report and initial specifications in whole or in part, using ideas taken from this report or utilizing this report as the basis for an instruction manual or any other purpose is free to do so. However, all such organizations are requested to reproduce this section as part of the introduction to the document. Those using a short passage, as in a book review, are requested to mention "COBOL" in acknowledgment of the source but need not quote the entire section."

SUMMARY GUIDE FOR DATA DIVISION FORM PREPARATION (continued)			
		9	11.
			4
			J
Position contains an alphabetic	А		
character, A-Z, or a blank.			
Position contains an integer 0-9.	9		
rosition contains an integer 0-5.	5		
Position contains a numeral 0-9 with	R		
an 11-row overpunch when negative and			
no overpunch when positive.			
Position contains a numeral 0-9 with	Ι		
a 12-row overpunch when the field is			•
positive and an 11-row overpunch when			
the field is negative.			4
Indicates an assumed decimal point.	v		
Neither the V or the decimal point			
occupy an actual field position.			4
	_		
Indicates number following E is a	E		4
power of ten to which the number preceding the E must be raised. E			t
does not occupy field position.			

.

.

87

#### ABOUT PROGRAMMING

The programming of information processing systems has traditionally been a costly and time-consuming part of automatic data processing. In the past, many applications that otherwise would readily lend themselves to data processing techniques were avoided because of programming costs. Efforts to improve programming techniques have been directed toward producing faster, more economical, and more accurate programs by placing more of the burden on the data processing equipment.

Various combinations of symbolic coding systems (with one-to-one correlation between machine code and symbolic code), macro-instruction coding systems (with a many-to-one correlation between machine code and macro-code), libraries of standardized subroutines, and other innovations were developed to accelerate programming. Despite these improvements, programmers still prepared programs in terms dictated primarily by the computer; programming languages remained essentially machine-oriented languages.

Today, compiler programs provide the programmer with additional leverage. Program coding can be done in a language more suited to the problem instead of in the purely machine-oriented data processor language.

The GE-225 GECOM system, an advanced and effective automatic coding method, provides the next logical step in programming evolution. GECOM is a step toward fulfillment of the much-needed total systems concept--a concept that deems an information processing system to be an integration of application, programming, and information processor or computer.

The GECOM system is further characterized by its applicability to all classes of information processing problems, its ability to grow, and its inherent provisions for use by future General Electric generalpurpose computers. GECOM permits coding in the problem languages of business, science, and industry. GECOM can be adapted to future extensions of existing problem languages as the requirement arises, without obsoleting programs prepared to present specifications.

### ABOUT THIS MANUAL

This manual is presented as a general information manual about the GE-225 GECOM system and is organized to fill the needs of many people having different levels of familiarity with automatic information processing.

For readers with no previous experience in data processing or computer programming, it is suggested that the entire GE manual be covered. Persons having such previous experience, but who are unfamiliar with the GE-225 Information Processing System, are referred to other General Electric publications, listed below.

Readers already familiar with the fundamentals of programming can begin directly with the section, GECOM Programming Language, with no loss in continuity.

Following the section on GECOM programming language is discussion of the Basic GECOM System. All elements are discussed briefly with the intent of providing overall familiarity with all aspects of GECOM.

The next section treats the two major extensions to GECOM, (TABSOL and the Report Writer), which are first mentioned in the GECOM programming language section, but are more effectively discussed after an understanding of GECOM is achieved.

The reader should not assume that reading this manual will make him a master GECOM programmer. The most effective use of GECOM depends upon training and application. More detailed information concerning the various aspects of the GECOM system can be found in the following General Electric publications:

GECOM	GE-225	Language	Specificat	ions
	GE-225	General	${\tt Compiler}$	Operations
	Manual,	CD225H1		

- TABSOL GE-225 TABSOL Manual, CPB 147 GE-225 Introduction to TABSOL, CPB 147 A
- GAP GE-225 Programming Reference Manual, CPB 126

JI       11         Inserts a comma in corresponding field , positions. Automatically suppressed by floating dollar signs, zero suppression, asterisk filling.       1         If position occupied by Z in numeric Z field becomes zero, zero is suppressed and position prints blank.       2         If position occupied by * becomes zero, * is printed.       5         If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it.       5         If position occupied by \$ in numeric \$\$ field becomes zero, attring in column 8 and terminating with a period.       5			
Inserts a comma in corresponding field , positions. Automatically suppressed by floating dollar signs, zero suppression, asterisk filling. If position occupied by Z in numeric Z field becomes zero, zero is suppressed and position prints blank. If position occupied by * becomes zero, * * is printed. If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and	SUMMARY GUIDE FOR DATA DIVISION FORM PREPARATION (continued)		e 11 - 11 - 14 - 14 - 14 - 14 - 14 - 14
positions. Automatically suppressed by floating dollar signs, zero suppression, asterisk filling. If position occupied by Z in numeric Z field becomes zero, zero is suppressed and position prints blank. If position occupied by * becomes zero, * * is printed. If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and	1	1 11	• • • • • • • • • • • • • • • • • • • •
positions. Automatically suppressed by floating dollar signs, zero suppression, asterisk filling. If position occupied by Z in numeric Z field becomes zero, zero is suppressed and position prints blank. If position occupied by * becomes zero, * * is printed. If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and			
floating dollar signs, zero suppression, asterisk filling. If position occupied by Z in numeric Z field becomes zero, zero is suppressed and position prints blank. If position occupied by * becomes zero, * * is printed. If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and	Inserts a comma in corresponding field ,		• • • •
asterisk filling. If position occupied by Z in numeric Z field becomes zero, zero is suppressed and position prints blank. If position occupied by * becomes zero, * * is printed. If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and			
If position occupied by Z in numeric Z field becomes zero, zero is suppressed and position prints blank. If position occupied by * becomes zero, * * is printed. If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and			
If position occupied by Z in numeric Z field becomes zero, zero is suppressed and position prints blank. If position occupied by * becomes zero, * * is printed. If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and	asterisk filling.		
field becomes zero, zero is suppressed and position prints blank. If position occupied by * becomes zero, * * is printed. If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and	If position occupied by Z in numeric Z		
If position occupied by * becomes zero, * * is printed. If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and			
* is printed. If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and	and position prints blank.		
* is printed. If position occupied by \$ in numeric \$\$ field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and	If position occupied by * becomes zero. *		
field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and			
field becomes zero, move \$ into it. END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and			
END PROGRAM. The final entry of the data division must be END PROGRAM starting in column 8 and			
be END PROGRAM starting in column 8 and	riera becomes zero, move ș rinto rt.		
	END PROGRAM. The final entry of the data division must		
terminating with a period.			
	terminating with a period.		
			• ••••
			•

.

89

# SOFTWARE MANUALS

GENERAL ELECTRIC reserves the right to make alterations, advances, or modifications to the existing program for reasons of increased efficiency.

# APPENDIX 3. SOURCE PROGRAM ORDER FOR COMPILATION

- I. IDENTIFICATION DIVISION PROGRAM~ID. NEXT~PROGRAM AUTHOR. DATE~COMPILED. INSTALLATION. SECURITY. REMARKS.
- II. ENVIRONMENT DIVISION. OBJECT~COMPUTER. I~O~CONTROL. FILE~CONTROL. COMPUTATION~MODE.
- III. PROCEDURE DIVISION. Closed sections and decision tables delimited by BEGIN-END Master program
- IV. DATA DIVISION. ARRAY SECTION. TRUE~FALSE SECTION. INTEGER SECTION. FILE SECTION. OUTPUT FILES. INPUT FILES. WORKING~STORAGE SECTION. COMMON~STORAGE SECTION. CONSTANT SECTION. END PROGRAM.

Mandatory Mandatory Optional Optional Optional Optional Optional

Mandatory (whether or not any sentences follow) Optional Optional Optional

Mandatory

Placement mandatory if sections are used. Mandatory

Mandatory Optional Optional Mandatory\* Mandatory\* Mandatory\* Optional Optional Mandatory\*

\* The section heading card is mandatory; further entries under it are optional.


# ILLUSTRATIONS

1	Data Processing Elements	4
2	Source Program Processing with Assembly Programs	8
3	Programming Sequence and Task Assignment	14
4	Identification Division Layout	15
5	Environment Division Layout	16
6	Data Division and Related Input	18
7	Procedure Division Layout	19
8	The GECOM Data Division Form	20
9	The GECOM Sentence Form	21
10	The Compilation Process	22
11	General Compiler Program Organization	23
12	GECOM Inputs and Outputs	24
13	GECOM Characters and Corresponding Codes	26
14	GECOM Verbs	27
15	GECOM Arithmetic Operations and Functions	30
16	GECOM Relational Expressions	30
17	Logical Expression Truth Table	31
18	Simple Two-Dimensional Table	31
19	A Twe-Dimensional Table in Storage	31
20	Graphic Representation of a Three-Dimensional Array	32
21	The Report Section of the GECOM Data Division	
22	Report Writer Sample Report	35
23	Division Table Format	
24	Sample TABSOL Table in GECOM	39
25	Job Ticket Record Sample	42
26	Job Ticket Summary Sample	42
27	Department Man Hour Report	43
28	Process Chart for Job Summary Ticket	44
29	Job Ticket Summary Flow Chart I	45
30	Job Ticket Summary Flow Chart II	46
31	Job Ticket Summary Flow Chart III	47
32	Job Ticket Summary Data Division	49
33	Job Ticket Summary Environment Division	52
34	Job Ticket Summary Procedure Division	53
35	Job Ticket Summary Identification Division	56
36	Source Program Deck Organization	57

A list of important terms (most of which are used frequently in the body of this manual and many of which are encountered frequently in other GECOM literature) have been included in this glossary. Most definitions are deliberately brief and are not intended to be comprehensive; many of the terms have additional meanings. For more detailed and more exhaustive listings, the reader is referred to any of several excellent glossaries of information processing terminology.

- ADDRESS A specific location in storage or memory. <u>Actual</u> addresses are numeric. Addresses used in GECOM are <u>symbolic</u>, that is, represented by names.
- ARITHMETIC EXPRESSION A sequence of data names, numeric literals, and/or mathematical functions connected by mathematical symbols.
- BCD Binary Coded Decimal; a system for representing any character of the character set of the computer by a group of binary digits.
- BEGINNING FILE LABEL A group of records (blocks) which identifies a file in a multifile magnetic tape. It is block 0, the first block of each file.
- BINARY NUMERIC A digit or group of characters or symbols representing the total units using the base two: a number expressed in binary digits or bits, 0 and 1.
- BLOCK A group of records read from or written on magnetic tape as a single physical tape record.
- BLOCK SIZE The number of words in a block.
- BUFFER Storage locations used to compensate for differences in rate of data flow when transmitting data from one device to another.
- CHARACTER One of a set of basic symbols used to express data. Includes decimal digits 0 through 9, the letters A through Z, punctuation, and special symbols.
- CONDITIONAL EXPRESSION An expression that can be either true or false.

- CONDITIONAL NAME A name assigned to a possible value of a numeric or alphanumeric field or element. A conditional name must be described in the Data Division.
- CONSTANT A value used in a program without alteration. Constants are either literal, figurative, or numeric in GECOM.
- DATA IMAGE The characteristics of a data field; that is, length, content, sign, and character type for each position. The data image is used within the Data Division to define data input and output.
- DATA NAME A programmer-assigned word naming a file, record, field, constant, or other data. Data names are composed of letters, numerals, and hyphens, not exceeding 12 characters, and may be names of records, groups, fields, arrays, elements, sections, or true-false variables.
- ELEMENT A subdivision of a field. For example, a date field could contain a DAY element, a MONTH element and a YEAR element.
- FIELD A unit of data within a record. It may or may not be a part of a group.
- FIGURATIVE CONSTANT A special name representing specific values [ZERO(S), ZEROES, SPAC-ES, ONE(S), through NINE(S)]. May be used in procedure sentences to imply strings of characters.
- FILE A set of records
- FIXED-POINT A number which includes a decimal point, either between digits or following them (1.23, 123., or 123.0)
- FLOATING-POINT A number expressed as a whole number, a decimal fraction, and a power of ten.  $(1.287*10^{-2})$
- GENERATED FIELD A field (of data) which is generated as a result of calculations and is not input to the program.
- INSTRUCTION A group of symbols causing the data processor to perform some operation.
- INTEGER (as used in this manual) A number of 5 digits or less not containing a decimal point.



# CONTENTS

ì

PREFACE	ix
About Programming	
ACKNOWLEDGEMENT	xi
	1
What is GECOM?         Advantages of GECOM         The Information Processing System         General Programming Concepts	2 3
GECOM PROGRAMMING LANGUAGE	11
General	
THE BASIC GECOM SYSTEM	13
General	13
EXTENSIONS TO GECOM	33
GECOM/Report Writer	33
APPLICATION OF BASIC GECOM	41
GeneralZDefining the ProblemZPlotting the SolutionZPreparing the Source ProgramZProducing the Object ProgramZStructure <td>41 41 48</td>	41 41 48
APPENDICES	71
Appendix 2. Summary Guide for GECOM Form Preparation       7         Appendix 3. Source Program Order for Compilation       9	71 77 91 93

.

•

ч.

.

.

·



MPUTER DEPARTMENT • PHOENIX, ARIZONA

1973 and the second Made Sugar Sugar Sugar namenten Malana - Caldon -Algertie - Si Historie - Cegarine 

Section Assessing

i en de Alexandre ...

pić .... 

t de landes anne de la service de la serv La service de - Margarene HALLONDON HORATE MARCHINE C. A. C. Charles

Tradition and

(\* MARAKAL R H Britten 18 Martin Street Weider Strift

and the market

- series

Lang Arts A State of the second

> **这样**的

Spice - Alt & May

- Maryles

